

Chimera 4.0.1 Branch of Chameleon [2014-11-02 12:50:25]

CPU: Brand String: Intel(R) Core(TM) i3-4330 CPU @ 3.50GHz

CPU: Vendor: 0x756e6547

CPU: Family / ExtFamily: 0x6 / 0x0

CPU: Model / ExtModel / Stepping: 0x3c / 0x3 / 0x3

CPU: Number of Cores / Threads: 2 / 4

CPU: Features: 0x000002ff

CPU: TSC Frequency: 3500 MHz

CPU: FSB Frequency: 100 MHz

CPU: CPU Frequency: 3500 MHz

CPU: Minimum Bus Ratio: 8

CPU: Maximum Bus Ratio: 35

CPU: Current Bus Ratio: 35

Attempting to read GPT

Read GPT

Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B

Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC

Reading GPT partition 3, type 426F6F74-0000-11AA-AA11-00306543ECAC

Read HFS+ file: [hd(0,2)/System/Library/CoreServices/SystemVersion.plist] 481 bytes.

Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 793 bytes.

Attempting to read GPT

Read GPT

Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B

Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC

Attempting to read GPT

Read GPT

Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B

Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC

Module 'Symbols.dylib' by 'Chameleon' Loaded.

Description: Chameleon symbols for linking

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/modules/HDAEnabler.dylib] 22196 bytes.

Module 'HDAEnabler.dylib' by 'Unknown' Loaded.

Description:

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/modules/Keylayout.dylib] 13464 bytes.

Module 'Keylayout.dylib' by 'Unknown' Loaded.

Description:

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/theme.plist] 2688 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/background.png] 4204 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/logo.png] 21872 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_generic.png] 5375 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_hfsplus.png] 3645 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_ext3.png] 7094 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_fat16.png] 5375 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_fat32.png] 5375 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_ntfs.png] 4176 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_cdrom.png] 5627 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_selection.png] 10744 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_scroll\_prev.png] 271 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_scroll\_next.png] 268 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_boot.png] 1747 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_verbose.png] 4116 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_ignore\_caches.png] 4051 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_single\_user.png] 4114 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_memory\_info.png] 1634 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_video\_info.png] 1593 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_help.png] 1711 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_verbose\_disabled.png] 4101 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_ignore\_caches\_disabled.png] 4037 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_single\_user\_disabled.png] 4100 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_selection.png] 323 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress\_bar.png] 372 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress\_bar\_background.png] 233 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text\_scroll\_prev.png] 252 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text\_scroll\_next.png] 255 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font\_console.png] 3499 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font\_small.png] 6244 bytes.  
Read HFS+ file: [hd(0,2)/Library/Preferences/SystemConfiguration/com.apple.Boot.plist] 232 bytes.  
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 793 bytes.  
boot-uuid: A14BC5D1-363D-3188-8233-8937662AC22C  
Loading Darwin 10.10.2  
Kernel cache file path = /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache  
Loading kernel cache /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache  
Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 4096 bytes.  
Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 13503838 bytes.  
Decompressing Kernel Cache Using lzvn  
ACPI Table not found: DSDT.aml  
No DSDT found, using 0 as uid value.  
Using PCI-Root-UID value: 0  
-----

----- INTEL DEVICE INFO -----

-----  
Class code: [0300]  
Intel HD Graphics 4600 [8086:0412] (rev 06)  
Subsystem: [1458:d000] :: PciRoot(0x0)/Pci(0x2,0x0)  
Using default ig-platform-id of 0d220003  
-----

-----  
- AUDIO DEVICE INFO -  
-----

Using user supplied HDEF layout-id: 0x03, 0x00, 0x00, 0x00  
Class code: [0403]  
Model name: Intel Haswell High Definition Audio Controller [8086:0c0c] (rev 06)  
Subsystem: [8086:2010]  
PciRoot(0x0)/Pci(0x3,0x0)  
device number: 2  
-----

LAN Controller [8086:153b] :: PciRoot(0x0)/Pci(0x19,0x0)  
Setting up lan keys

-----  
- AUDIO DEVICE INFO -  
-----

Using user supplied HDEF layout-id: 0x03, 0x00, 0x00, 0x00  
Class code: [0403]  
Model name: Intel 9 Series High Definition Audio Controller [8086:8ca0] (rev 00)  
Subsystem: [1458:a182]  
PciRoot(0x0)/Pci(0x1b,0x0)  
device number: 4  
-----

LAN Controller [1969:1091] :: PciRoot(0x0)/Pci(0x1c,0x3)/Pci(0x0,0x0)  
Setting up lan keys  
Read HFS+ file: [hd(0,2)/Extra/smbios.plist] 473 bytes.

SMBIOS rev.: 2.4, DMI rev.: 2.4

Handle: 0x0000, DMI type 0, 24 bytes

BIOS Information

Vendor: Apple Inc.

Version: MultiBeast.tonymacx86.com

Release Date: 02/09/08

BIOS Revision: 0.1

Handle: 0x0001, DMI type 1, 27 bytes

System Information

Manufacturer: Apple Inc.

Product Name: iMac14,2  
Version: 1.0  
Serial Number: \*\* PRIVATE \*\*  
UUID: \*\* PRIVATE \*\*  
Wake-up Type: Power Switch  
SKU Number: Default SKU#  
Family: iMac

Handle: 0x0002, DMI type 2, 15 bytes

Base Board Information

Manufacturer: Apple Inc.  
Product Name: Mac-27ADBB7B4CEE8E61  
Version: x.x  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: Default Asset Tag#  
Location In Chassis: To be filled by O.E.M.  
Type: Motherboard

Handle: 0x0003, DMI type 3, 20 bytes

Chassis Information

Manufacturer: Apple Inc.  
Type: All in One  
Version: To Be Filled By O.E.M.  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: Default Asset Tag#

Handle: 0x0023, DMI type 11, 5 bytes

OEM Strings

String 1: To Be Filled By O.E.M.  
String 2: To Be Filled By O.E.M.  
String 3: To Be Filled By O.E.M.  
String 4: To Be Filled By O.E.M.  
String 5: To Be Filled By O.E.M.

Handle: 0x003d, DMI type 4, 38 bytes

Processor Information

Socket Designation: SOCKET 0  
Type: Central Processor  
Family: 0xCE  
Manufacturer: Intel  
ID: 0x306C3  
Version: Intel(R) Core(TM) i3-4330 CPU @ 3.50GHz  
External Clock: 0 MHz  
Max Speed: 3500 MHz  
Current Speed: 3500 MHz  
Upgrade: Socket BGA1155  
Serial Number: Not Specified

Asset Tag: Fill By OEM  
Part Number: Fill By OEM  
Core Count: 2  
Core Enabled: 2  
Thread Count: 4

Handle: 0x0043, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff  
Locator: ChannelA-DIMM0  
Bank Locator: BANK 0  
Memory Type: DDR3  
Speed: 1333 MHz  
Manufacturer: N/A  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: 9876543210  
Part Number: N/A

Handle: 0x0044, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff  
Locator: ChannelA-DIMM1  
Bank Locator: BANK 1  
Memory Type: RAM  
Speed: 0 MHz  
Manufacturer: N/A  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: Not Specified  
Part Number: N/A

Handle: 0x0045, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff  
Locator: ChannelB-DIMM0  
Bank Locator: BANK 2  
Memory Type: DDR3  
Speed: 1333 MHz  
Manufacturer: N/A  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: 9876543210  
Part Number: N/A

Handle: 0x0046, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff  
Locator: ChannelB-DIMM1  
Bank Locator: BANK 3

Memory Type: RAM  
Speed: 0 MHz  
Manufacturer: N/A  
Serial Number: \*\* PRIVATE \*\*  
Asset Tag: Not Specified  
Part Number: N/A

Handle: 0x004b, DMI type 131, 6 bytes  
Apple specific Processor Type  
Cpu-type: 0x904

Handle: 0x004c, DMI type 132, 6 bytes  
Apple specific Processor Interconnect Speed  
QPI = 0 MT/s

Handle 0x004d, DMI type 127, 4 bytes  
End of Table

SMBIOS orig was = f04c0  
SMBIOS new is = 2647000  
ACPI Table not found: DSDT.aml  
ACPI Table not found: SSDT.aml  
FADT: ACPI Restart Fix applied!  
Found ACPI CPU: CPU0  
Found ACPI CPU: CPU1  
Found ACPI CPU: CPU2  
Found ACPI CPU: CPU3  
Found ACPI CPU: CPU4  
Found ACPI CPU: CPU5  
Found ACPI CPU: CPU6  
Found ACPI CPU: CPU7  
SSDT with CPU C-States generated successfully  
P-States: min 0x8, max 0x23  
SSDT with CPU P-States generated successfully  
RSDT: Added 2 SSDT table(s)  
FADT: ACPI Restart Fix applied!  
Added 2 SSDT table(s) into XSDT  
Starting Darwin x86\_64  
Boot Args: kext-dev-mode=1