

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.appstore" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log" with ASL Module "com.apple.asl".  
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.authd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.bookstore" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.eventmonitor" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.install" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.iokit.power" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.mail" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.MessageTracer" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.performance" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 syslogd[20]: Configuration Notice:  
ASL Module "com.apple.securityd" claims selected messages.  
Those messages may not appear in standard system log files or in the ASL database.

10.11.13 10:51:17,000 kernel[0]: Longterm timer threshold: 1000 ms

10.11.13 10:51:17,000 kernel[0]: PMAP: PCID enabled

10.11.13 10:51:17,000 kernel[0]: Darwin Kernel Version 13.0.0: Thu Sep 19 22:22:27 PDT 2013; root:xnu-2422.1.72~6/RELEASE\_X86\_64

10.11.13 10:51:17,000 kernel[0]: vm\_page\_bootstrap: 1500101 free pages and 64571 wired pages

10.11.13 10:51:17,000 kernel[0]: kext submap [0xfffff7f807a5000 - 0xfffff80000000000], kernel text [0xfffff8000200000 - 0xfffff80007a5000]

10.11.13 10:51:17,000 kernel[0]: zone leak detection enabled

10.11.13 10:51:17,000 kernel[0]: "vm\_compressor\_mode" is 4  
10.11.13 10:51:17,000 kernel[0]: standard timeslicing quantum is 10000 us  
10.11.13 10:51:17,000 kernel[0]: standard background quantum is 2500 us  
10.11.13 10:51:17,000 kernel[0]: mig\_table\_max\_displ = 74  
10.11.13 10:51:17,000 kernel[0]: TSC Deadline Timer supported and enabled  
10.11.13 10:51:17,000 kernel[0]: NullCPUPowerManagement::init: properties=0xfffff800dc0f400  
10.11.13 10:51:17,000 kernel[0]: NullCPUPowerManagement::start  
10.11.13 10:51:17,000 kernel[0]: AppleKeyStore starting (BUILT: Sep 19 2013 22:20:34)  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=1 LocalApicId=0 Enabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=2 LocalApicId=2 Enabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=3 LocalApicId=1 Enabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=4 LocalApicId=3 Enabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=5 LocalApicId=4 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=6 LocalApicId=5 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=7 LocalApicId=6 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=8 LocalApicId=7 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=9 LocalApicId=8 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=10 LocalApicId=9 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=11 LocalApicId=10 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=12 LocalApicId=11 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=13 LocalApicId=12 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=14 LocalApicId=13 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=15 LocalApicId=14 Disabled  
10.11.13 10:51:17,000 kernel[0]: AppleACPICPU: ProcessorId=16 LocalApicId=15 Disabled  
10.11.13 10:51:17,000 kernel[0]: calling mpo\_policy\_init for TMSafetyNet  
10.11.13 10:51:17,000 kernel[0]: Security policy loaded: Safety net for Time Machine (TMSafetyNet)  
10.11.13 10:51:17,000 kernel[0]: calling mpo\_policy\_init for Sandbox  
10.11.13 10:51:17,000 kernel[0]: Security policy loaded: Seatbelt sandbox policy (Sandbox)  
10.11.13 10:51:17,000 kernel[0]: calling mpo\_policy\_init for Quarantine  
10.11.13 10:51:17,000 kernel[0]: Security policy loaded: Quarantine policy (Quarantine)  
10.11.13 10:51:17,000 kernel[0]: Copyright (c) 1982, 1986, 1989, 1991, 1993  
10.11.13 10:51:17,000 kernel[0]: The Regents of the University of California. All rights reserved.  
10.11.13 10:51:17,000 kernel[0]: MAC Framework successfully initialized  
10.11.13 10:51:17,000 kernel[0]: using 16384 buffer headers and 10240 cluster IO buffer headers  
10.11.13 10:51:17,000 kernel[0]: IOAPIC: Version 0x20 Vectors 64:87  
10.11.13 10:51:17,000 kernel[0]: ACPI: System State [S0 S3 S4 S5] (S3)  
10.11.13 10:51:17,000 kernel[0]: RTC: Only single RAM bank (128 bytes)  
10.11.13 10:51:17,000 kernel[0]: AppleSmartBatteryManager Loading...  
10.11.13 10:51:17,000 kernel[0]: AppleSmartBattery loading...  
10.11.13 10:51:17,000 kernel[0]: HWSensors v5.3.820 Copyright 2013 netkas, slice, usr-sse2, kozlek, navi, The KiNG, RehabMan. All rights reserved.  
10.11.13 10:51:17,000 kernel[0]: FakeSMCDevice: 13 preconfigured keys added  
10.11.13 10:51:17,000 kernel[0]: SMC: successfully initialized  
10.11.13 10:51:17,000 kernel[0]: mcache: 4 CPU(s), 64 bytes CPU cache line size  
10.11.13 10:51:17,000 kernel[0]: mbinit: done [64 MB total pool size, (42/21) split]  
10.11.13 10:51:17,000 kernel[0]: Pthread support ABORTS when sync kernel primitives misused  
10.11.13 10:51:17,000 kernel[0]: pci (build 22:16:29 Sep 19 2013), flags 0x63008, pfm64 (36 cpu) 0xf80000000, 0x80000000  
10.11.13 10:51:17,000 kernel[0]: [ PCI configuration begin ]  
10.11.13 10:51:17,000 kernel[0]: console relocated to 0xf80000000  
10.11.13 10:51:17,000 kernel[0]: [ PCI configuration end, bridges 5, devices 12 ]  
10.11.13 10:51:17,000 kernel[0]:  
+DeviceMergeNub[0xfffff800e09e200]::MergeDictionary(0xfffff800dc6e180)IntoProvider(0xfffff800e05a500)DeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider merging  
"IOName"DeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider provider already had property IONameDeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider setting property IONameDeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider merging "AAPL,slot-name"DeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider setting property AAPL,slot-nameDeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider merging  
"model"DeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider setting property modelDeviceMergeNub[0xfffff800e09e200]::MergeDictionaryIntoProvider merging "device-

id"DeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider provider already had property device-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider setting property device-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider merging "subsystem-vendor-id"DeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider provider already had property subsystem-vendor-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider setting property subsystem-vendor-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider merging "device\_type"DeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider setting property device\_typeDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider merging "name"DeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider provider already had property nameDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider setting property nameDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider merging "subsystem-id"DeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider provider already had property subsystem-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider setting property subsystem-idDeviceMergeNub[0xffffffff800e09e200]::MergeDictionaryIntoProvider(0xffffffff800e05a500, 0xffffffff800dc6e180) result 1rooting via boot-uuid from /chosen: DF865821-CAA9-3301-A9D5-CCB22E43E75F

10.11.13 10:51:17,000 kernel[0]: Waiting on <dict ID="0"><key>IOProviderClass</key><string ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>

10.11.13 10:51:17,000 kernel[0]: com.apple.AppleFSCompressionTypeZlib kmod start

10.11.13 10:51:17,000 kernel[0]: com.apple.AppleFSCompressionTypeDataless kmod start

10.11.13 10:51:17,000 kernel[0]: com.apple.AppleFSCompressionTypeZlib load succeeded

10.11.13 10:51:17,000 kernel[0]: com.apple.AppleFSCompressionTypeDataless load succeeded

10.11.13 10:51:17,000 kernel[0]: Got boot device =

IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/IDE0@1F,2/AppleIntelPchSeriesAHCI/CHN0@0/IOAHCIDevice@0/AppleAHCIDiskDriver/IOAHCIBlockStorageDevice/IOBlockStorageDriver/WDC WD6400BPVT-80HXZT3 Media/LOGUIDPartitionScheme/Macintosh HD@2

10.11.13 10:51:17,000 kernel[0]: BSD root: disk0s2, major 1, minor 4

10.11.13 10:51:17,000 kernel[0]: ath\_get\_caps[4038] rx chainmask mismatch actual 1 sc\_chainmak 0

10.11.13 10:51:17,000 kernel[0]: 0.752926: ath\_get\_caps[4013] tx chainmask mismatch actual 1 sc\_chainmak 0

10.11.13 10:51:17,000 kernel[0]: 0.757515: Atheros: mac 192.2 phy 14.0 radio 12.0

10.11.13 10:51:17,000 kernel[0]: 0.757528: Use hw queue 0 for WME\_AC\_BE traffic

10.11.13 10:51:17,000 kernel[0]: 0.757536: Use hw queue 1 for WME\_AC\_BK traffic

10.11.13 10:51:17,000 kernel[0]: 0.757544: Use hw queue 2 for WME\_AC\_VI traffic

10.11.13 10:51:17,000 kernel[0]: 0.757552: Use hw queue 3 for WME\_AC\_VO traffic

10.11.13 10:51:17,000 kernel[0]: 0.757560: Use hw queue 8 for CAB traffic

10.11.13 10:51:17,000 kernel[0]: 0.757567: Use hw queue 9 for beacons

10.11.13 10:51:17,000 kernel[0]: 0.757712: wlan\_vap\_create : enter. devhandle=0x9dc116b8, opmode=IEEE80211\_M\_STA, flags=0x1

10.11.13 10:51:17,000 kernel[0]: 0.757764: wlan\_vap\_create : exit. devhandle=0x9dc116b8, opmode=IEEE80211\_M\_STA, flags=0x1.

10.11.13 10:51:17,000 kernel[0]: hfs: mounted Macintosh HD on device root\_device

10.11.13 10:51:17,000 kernel[0]: USBMSC Identifier (non-unique): 058F63666433 0x58f 0x6366 0x100, 2

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 2.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 3.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 4.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 5.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 6.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 7.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 8.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 9.

10.11.13 10:51:17,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -

[illegible]

[illegible]

[illegible]

10.11.13 10:51:17,000 kernel[0]: [[0xffff800e29f000] OpCode 0x1005 from: kernel\_task (0) status: 0x00 state: 2 timeout: 5000] Bluetooth warning: An HCI Req timeout occurred.  
10.11.13 10:51:17,000 kernel[0]: [SendHCIRequestFormatted] ### ERROR: [0x1005] (Read Buffer Size) -- Send request failed (err = 0x0010 (kBluetoothHCLErrorHostTimeout))  
10.11.13 10:51:17,000 kernel[0]: [[0xffff800e29f000] OpCode 0x1005 from: kernel\_task (0) status: 0x00 state: 2 timeout: 5000] Bluetooth warning: An HCI Req timeout occurred.  
10.11.13 10:51:17,000 kernel[0]: [SendHCIRequestFormatted] ### ERROR: [0x1005] (Read Buffer Size) -- Send request failed (err = 0x0010 (kBluetoothHCLErrorHostTimeout))  
10.11.13 10:51:17,000 kernel[0]: IOBluetoothHCIController::setupHardware -- failed to get the buffer size from the Bluetooth module -- re-enumerating device  
10.11.13 10:51:17,000 kernel[0]: [AppleUSBHCIController][hardwareSetupComplete] Failed setup: 0x10 resetting  
10.11.13 10:51:17,000 kernel[0]: [HCIController][hardwareSetupComplete] Failed setup: 0x0010 (kBluetoothHCLErrorHostTimeout)  
10.11.13 10:51:17,000 kernel[0]: REQUIRE\_NO\_ERR failure: 0x10 - file: /SourceCache/IOBluetoothFamily/IOBluetoothFamily-4070.4.2/Core/Family/HCI/IOBluetoothHCIController.cpp:654  
10.11.13 10:51:17,000 kernel[0]: USBF: 11.554 AppleUSBHCIC::Found a transaction past the completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:51:17,000 kernel[0]: VM Swap Subsystem is ON  
10.11.13 10:51:17,000 kernel[0]: Waiting for DSMOS...  
10.11.13 10:51:02,858 com.apple.launchd[1]: \*\*\* launchd[1] has started up. \*\*\*  
10.11.13 10:51:02,858 com.apple.launchd[1]: \*\*\* Shutdown logging is enabled. \*\*\*  
10.11.13 10:51:11,785 com.apple.SecurityServer[15]: Session 100000 created  
10.11.13 10:51:16,358 hidd[48]: void \_\_IOHIDPlugInLoadBundles(): Loaded 0 HID plugins  
10.11.13 10:51:17,416 hidd[48]: Posting 'com.apple.iokit.hid.displayStatus' notifyState=1  
10.11.13 10:51:18,000 kernel[0]: IO80211Controller::dataLinkLayerAttachComplete(): adding AppleEFINVRAM notification  
10.11.13 10:51:18,000 kernel[0]: IO80211Interface::efiNVRAMPublished():  
10.11.13 10:51:18,000 kernel[0]: 17.809195: ATHR: unknown locale: 60  
10.11.13 10:51:21,529 com.apple.usbmuxd[26]: usbmuxd-323.1 on Oct 3 2013 at 12:43:24, running 64 bit  
10.11.13 10:51:21,000 kernel[0]: AirPort: Link Down on en1. Reason 1 (Unspecified).  
10.11.13 10:51:21,000 kernel[0]: en1::IO80211Interface::postMessage bssid changed  
10.11.13 10:51:21,000 kernel[0]: Previous Shutdown Cause: 5  
10.11.13 10:51:21,000 kernel[0]: SMC::smcInitHelper ERROR: MMIO regMap == NULL - fall back to old SMC mode  
10.11.13 10:51:21,000 kernel[0]: Controller: Intel Cougar Point (vendor ID: 8086, device ID: 1c20)  
10.11.13 10:51:21,000 kernel[0]: VoodooPS2SynapticsTouchPad loaded  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 2.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 3.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 4.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 5.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 6.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 7.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 8.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 9.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 10.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 11.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - retrying: 12.

[illegible]



[illegible]

retrying: 72.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 73.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 74.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 75.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 76.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 77.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 78.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 79.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 80.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 81.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 82.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 83.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 84.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 85.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 86.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 87.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 88.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 89.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 90.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 91.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 92.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 93.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 94.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 95.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 96.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 97.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 98.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 99.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error -  
retrying: 100.  
10.11.13 10:51:21,000 kernel[0]: [InterruptReadHandler] Received kIODeviceNotResponding error - no  
more retries.  
10.11.13 10:51:22,000 kernel[0]: USBF: 21.562 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)

10.11.13 10:51:22,647 configd[18]: dhcp\_arp\_router: en1 SSID unavailable  
10.11.13 10:51:22,654 configd[18]: setting hostname to "Adems-MacBook-Pro.local"  
10.11.13 10:51:22,657 configd[18]: network changed.  
10.11.13 10:51:25,495 com.apple.SecurityServer[15]: Entering service  
10.11.13 10:51:25,611 digest-service[68]: label: default  
10.11.13 10:51:25,611 digest-service[68]: dbname: od:/Local/Default  
10.11.13 10:51:25,611 digest-service[68]: mkey\_file: /var/db/krb5kdc/m-key  
10.11.13 10:51:25,612 digest-service[68]: acl\_file: /var/db/krb5kdc/kadmind.acl  
10.11.13 10:51:25,614 digest-service[68]: digest-request: uid=0  
10.11.13 10:51:25,669 mDNSResponder[40]: mDNSResponder mDNSResponder-522.1.11 (Aug 24 2013 23:49:34) starting OSXVers 13  
10.11.13 10:51:25,719 digest-service[68]: digest-request: netr probe 0  
10.11.13 10:51:25,720 digest-service[68]: digest-request: init request  
10.11.13 10:51:25,725 UserEventAgent[11]: Failed to copy info dictionary for bundle /System/Library/UserEventPlugins/alfUIplugin.plugin  
10.11.13 10:51:25,735 UserEventAgent[11]: Captive: CNPluginHandler en1: Inactive  
10.11.13 10:51:25,738 digest-service[68]: digest-request: init return domain: BUILTIN server: ADEMS-MACBOOK-PRO indomain was: <NULL>  
10.11.13 10:51:26,021 aosnotifyd[62]: assertion failed: 13A603: liblaunch.dylib + 25164 [FCBF0A02-0B06-3F97-9248-5062A9DEB32C]: 0x25  
10.11.13 10:51:26,404 airportd[63]: \_initInterface: Unable to initialize unified temp logger  
10.11.13 10:51:26,405 airportd[63]: \_createAndRegisterReadStream: CFReadStreamOpen failed for /dev/io8logtemp (No such file or directory).  
10.11.13 10:51:26,406 airportd[63]: \_initInterface: Unable to initialize unified temporary logger  
10.11.13 10:51:26,411 airportd[63]: airportdProcessDLILEvent: en1 attached (up)  
10.11.13 10:51:26,000 kernel[0]: AtherosNewma40P2PInterface::init name <p2p0> role 1 this 0xfffff800f972000  
10.11.13 10:51:26,000 kernel[0]: AtherosNewma40P2PInterface::init() <p2p> role 1  
10.11.13 10:51:26,413 com.apple.kextd[12]: kext org.mozodojo.IntelCPUMonitor 100019000 is in exception list, allowing to load  
10.11.13 10:51:26,421 com.apple.kextd[12]: /System/Library/Extensions/IntelCPUMonitor.kext - no dependency found for org.netkas.FakeSMC.  
10.11.13 10:51:26,423 com.apple.kextd[12]: Can't load /System/Library/Extensions/IntelCPUMonitor.kext - failed to resolve dependencies.  
10.11.13 10:51:26,426 com.apple.kextd[12]: Load org.mozodojo.IntelCPUMonitor failed; removing personalities from kernel.  
10.11.13 10:51:26,000 kernel[0]: init  
10.11.13 10:51:26,000 kernel[0]: probe  
10.11.13 10:51:26,000 kernel[0]: start  
10.11.13 10:51:26,000 kernel[0]: DSMOS has arrived  
10.11.13 10:51:26,000 kernel[0]: 25.760601: performCountryCodeOperation: Not connected, scan in progress[0]  
10.11.13 10:51:26,000 kernel[0]: 25.764007: setWOW\_PARAMETERS:wowevents = 2(1)  
10.11.13 10:51:26,550 airportd[63]: \_initInterface: Unable to initialize unified temp logger  
10.11.13 10:51:26,551 airportd[63]: \_createAndRegisterReadStream: CFReadStreamOpen failed for /dev/io8logtemp (No such file or directory).  
10.11.13 10:51:26,551 airportd[63]: \_initInterface: Unable to initialize unified temporary logger  
10.11.13 10:51:26,000 kernel[0]: 25.817469: ATHR: unknown locale: 60  
10.11.13 10:51:26,000 kernel[0]: 25.825279: ATHR: unknown locale: 60  
10.11.13 10:51:26,000 kernel[0]: 25.842862: ATHR: unknown locale: 60  
10.11.13 10:51:26,000 kernel[0]: 25.844011: ATHR: unknown locale: 60  
10.11.13 10:51:26,000 kernel[0]: [[0xfffff800f53a000] OpCode 0x1005 from: kernel\_task (0) status: 0x00 state: 2 timeout: 5000] Bluetooth warning: An HCI Req timeout occurred.  
10.11.13 10:51:26,000 kernel[0]: [SendHCIRequestFormatted] ### ERROR: [0x1005] (Read Buffer Size) -- Send request failed (err = 0x0010 (kBluetoothHCLErrorHostTimeout))  
10.11.13 10:51:26,651 awacsd[59]: Starting awacsd connectivity\_executables-97 (Aug 24 2013 23:49:23)  
10.11.13 10:51:26,652 loginwindow[43]: Login Window Application Started  
10.11.13 10:51:26,778 apsd[61]: CGSLookupServerRootPort: Failed to look up the port for "com.apple.windowserver.active" (1102)  
10.11.13 10:51:26,783 awacsd[59]: InnerStore CopyAllZones: no info in Dynamic Store  
10.11.13 10:51:26,827 configd[18]: network changed.

10.11.13 10:51:26,831 configd[18]: network changed: DNS\*  
10.11.13 10:51:26,832 mDNSResponder[40]: D2D\_IPC: Loaded  
10.11.13 10:51:26,832 mDNSResponder[40]: D2DInitialize succeeded  
10.11.13 10:51:26,848 mDNSResponder[40]: 4: Listening for incoming Unix Domain Socket client requests  
10.11.13 10:51:26,878 systemkeychain[81]: done file: /var/run/systemkeychaincheck.done  
10.11.13 10:51:27,011 UserEventAgent[11]: assertion failed: 13A603: com.apple.telemetry + 21716 [19C2F49F-5C72-3429-A2B4-7EF783B7F611]: 0xffffffffffffff  
10.11.13 10:51:27,019 UserEventAgent[11]: assertion failed: 13A603: com.apple.telemetry + 17189 [19C2F49F-5C72-3429-A2B4-7EF783B7F611]: 0xffffffff0000001  
10.11.13 10:51:27,134 networkd[105]: networkd.105 built Aug 24 2013 22:08:46  
10.11.13 10:51:28,000 kernel[0]: USBF: 27.568 AppleUSBECI::Found a transaction which hasn't moved in 5000 milliseconds on bus 0x1a, timing out! (Addr: 4, EP: 0)  
10.11.13 10:51:28,000 kernel[0]: hfs: mounted Windows on device disk0s3  
10.11.13 10:51:28,000 kernel[0]: hfs: mounted Macintosh Extra on device disk0s4  
10.11.13 10:51:29,000 kernel[0]: hfs: mounted HDD 100GB on device disk0s5  
10.11.13 10:51:31,328 locationd[45]: NBB-Could not get UDID for stable refill timing, falling back on random  
10.11.13 10:51:31,000 kernel[0]: ACPI\_SMC\_PlatformPlugin::start - waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed out  
10.11.13 10:51:31,000 kernel[0]: [AGPM Controller] unknownPlatform  
10.11.13 10:51:31,000 kernel[0]: 30.767340: ATHR: unknown locale: 60  
10.11.13 10:51:31,511 locationd[45]: Location icon should now be in state 'Inactive'  
10.11.13 10:51:31,592 WindowServer[97]: Server is starting up  
10.11.13 10:51:31,000 kernel[0]: [[0xfffff800f53a000] OpCode 0x1005 from: kernel\_task (0) status: 0x00 state: 2 timeout: 5000] Bluetooth warning: An HCI Req timeout occurred.  
10.11.13 10:51:31,000 kernel[0]: [SendHCIRequestFormatted] ### ERROR: [0x1005] (Read Buffer Size) -- Send request failed (err = 0x0010 (kBluetoothHCLErrorHostTimeout))  
10.11.13 10:51:31,000 kernel[0]: IOBluetoothHCIController::setupHardware -- failed to get the buffer size from the Bluetooth module -- re-enumerating device  
10.11.13 10:51:31,000 kernel[0]: [AppleUSBHCIController][hardwareSetupComplete] Failed setup: 0x10 resetting  
10.11.13 10:51:31,000 kernel[0]: [HCIController][hardwareSetupComplete] Failed setup: 0x0010 (kBluetoothHCLErrorHostTimeout)  
10.11.13 10:51:31,000 kernel[0]: REQUIRE\_NO\_ERR failure: 0x10 - file: /SourceCache/IOBluetoothFamily/IOBluetoothFamily-4070.4.2/Core/Family/HCI/IOBluetoothHCIController.cpp:654  
10.11.13 10:51:31,000 kernel[0]: \*\*\*\* [IOBluetoothHostControllerUSBTransport][start] -- completed -- result = TRUE -- 0x0400 \*\*\*\*  
10.11.13 10:51:32,048 stackshot[29]: Timed out waiting for IOKit to finish matching.  
10.11.13 10:51:32,188 mds[39]: (Normal) FMW: FMW 0 0  
10.11.13 10:51:36,841 apsd[61]: CGSLookupServerRootPort: Failed to look up the port for "com.apple.windowserver.active" (1102)  
10.11.13 10:51:41,846 awacsd[59]: Exiting  
10.11.13 10:51:42,000 kernel[0]: USBF: 41.580 AppleUSBECI::Found a transaction past the completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:51:53,000 kernel[0]: USBF: 52.590 AppleUSBECI::Found a transaction past the completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:51:57,294 \_networkd[131]: /usr/libexec/ntpd-wrapper: scutil key State:/Network/Global/DNS not present after 30 seconds  
10.11.13 10:51:57,661 \_networkd[134]: Unable to resolve hostname(s)  
10.11.13 10:51:57,712 ntpd[109]: proto: precision = 1.000 usec  
10.11.13 10:51:59,000 kernel[0]: USBF: 58.596 AppleUSBECI::Found a transaction which hasn't moved in 5000 milliseconds on bus 0x1a, timing out! (Addr: 4, EP: 0)  
10.11.13 10:52:10,000 kernel[0]: USBF: 69.607 AppleUSBECI::Found a transaction past the completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:52:18,616 configd[18]: InterfaceNamer: timed out waiting for IOKit to quiesce  
10.11.13 10:52:18,616 configd[18]: Busy services :  
10.11.13 10:52:18,616 configd[18]: MacBookPro8,1 [1, 77727 ms]  
10.11.13 10:52:18,616 configd[18]: MacBookPro8,1/AppleACPIPlatformExpert [1, 77312 ms]  
10.11.13 10:52:18,616 configd[18]: MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0 [1, 77267 ms]

10.11.13 10:52:18,616 configd[18]: MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI [1, 77255 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A [1, 77000 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A/AppleUSBECI [1, 76759 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A/AppleUSBECI/Mass Storage Device@1a140000 [!matched, 2, 76604 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A/AppleUSBECI/Mass Storage Device@1a140000/IOUSBInterface@0 [1, 76601 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A/AppleUSBECI/Mass Storage Device@1a140000/IOUSBInterface@0/IOUSBMassStorageClass [1, 76594 ms]  
10.11.13 10:52:18,617 configd[18]:  
MacBookPro8,1/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/EHC2@1A/AppleUSBECI/Mass Storage Device@1a140000/IOUSBInterface@0/IOUSBMassStorageClass/IOCSIPeripheralDeviceNub [!matched, 1, 50009 ms]  
10.11.13 10:52:18,000 kernel[0]: en1: BSSID changed to b8:a3:86:4d:39:ae  
10.11.13 10:52:18,000 kernel[0]: en1::IO80211Interface::postMessage bssid changed  
10.11.13 10:52:18,000 kernel[0]: Airport: Link Up on en1  
10.11.13 10:52:18,000 kernel[0]: 77.959061: apple80211Request[10310] Unsupported ioctl 181  
10.11.13 10:52:18,000 kernel[0]: en1: BSSID changed to b8:a3:86:4d:39:ae  
10.11.13 10:52:18,000 kernel[0]: en1::IO80211Interface::postMessage bssid changed  
10.11.13 10:52:18,000 kernel[0]: 77.961651: apple80211Request[10310] Unsupported ioctl 111  
10.11.13 10:52:19,000 kernel[0]: Airport: RSN handshake complete on en1  
10.11.13 10:52:19,000 kernel[0]: flow\_divert\_kctl\_disconnect (0): disconnecting group 1  
10.11.13 10:52:19,000 kernel[0]: 79.235595: ATHR: unknown locale: 60  
10.11.13 10:52:19,000 kernel[0]: 79.248306: ATHR: unknown locale: 60  
10.11.13 10:52:20,000 kernel[0]: 79.327835: ATHR: unknown locale: 60  
10.11.13 10:52:21,000 kernel[0]: USBF: 80.617 AppleUSBECI::Found a transaction past the completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:52:26,037 UserEventAgent[11]: Captive: [CNInfoNetworkActive:1655] en1: SSID 'Nevsehir' making interface primary (protected network)  
10.11.13 10:52:26,038 configd[18]: network changed: DNS\* Proxy  
10.11.13 10:52:26,038 UserEventAgent[11]: Captive: CNPluginHandler en1: Evaluating  
10.11.13 10:52:26,039 UserEventAgent[11]: Captive: en1: Probing 'Nevsehir'  
10.11.13 10:52:26,043 configd[18]: network changed: v4(en1!:192.168.0.104) DNS+ Proxy+ SMB  
10.11.13 10:52:26,120 UserEventAgent[11]: Captive: CNPluginHandler en1: Authenticated  
10.11.13 10:52:30,277 sandboxd[140]: ([135]) ntpd(135) deny file-read-data /private/var/run/resolv.conf  
10.11.13 10:52:30,331 sandboxd[140]: ([135]) ntpd(135) deny file-read-data /private/var/run/resolv.conf  
10.11.13 10:52:31,596 WindowServer[97]: Set a breakpoint at CGSLogError to catch errors as they are logged.  
10.11.13 10:52:31,596 WindowServer[97]: IOKitWaitQuiet: (iokit/common) I/O Timeout  
10.11.13 10:52:31,600 WindowServer[97]: Session 256 retained (2 references)  
10.11.13 10:52:31,600 WindowServer[97]: Session 256 released (1 references)  
10.11.13 10:52:31,657 WindowServer[97]: Session 256 retained (2 references)  
10.11.13 10:52:31,659 WindowServer[97]: init\_page\_flip: page flip mode is on  
10.11.13 10:52:31,831 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]  
10.11.13 10:52:31,836 WindowServer[97]: Found 11 modes for display 0x00000000 [6, 5]  
10.11.13 10:52:31,840 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]  
10.11.13 10:52:31,843 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]  
10.11.13 10:52:31,846 WindowServer[97]: mux\_initialize: kAGCGetMuxState (kMuxControl, kMuxControl\_switchingMode) failed (0xe0000001)  
10.11.13 10:52:31,846 WindowServer[97]: mux\_initialize: Mode is safe  
10.11.13 10:52:31,847 WindowServer[97]: Found 11 modes for display 0x00000000 [6, 5]  
10.11.13 10:52:31,849 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]  
10.11.13 10:52:31,850 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]  
10.11.13 10:52:31,850 WindowServer[97]: Found 1 modes for display 0x00000000 [1, 0]

10.11.13 10:52:31,872 WindowServer[97]: WSMachineUsesNewStyleMirroring: false  
10.11.13 10:52:31,873 WindowServer[97]: Display 0x28cc9280: GL mask 0x1; bounds (0, 0)[1366 x 768], 11 modes available  
Main, Active, on-line, enabled, built-in, boot, Vendor 4ca3, Model 324a, S/N 0, Unit 0, Rotation 0  
UUID 0xf0a7dd1ab8089c2c6222b24fc64208d9  
10.11.13 10:52:31,873 WindowServer[97]: Display 0x003f0040: GL mask 0x10; bounds (0, 0)[1920 x 1200], 2 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 4, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,873 WindowServer[97]: Display 0x003f003f: GL mask 0x8; bounds (0, 0)[0 x 0], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 3, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,873 WindowServer[97]: Display 0x003f003e: GL mask 0x4; bounds (0, 0)[0 x 0], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 2, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,873 WindowServer[97]: Display 0x003f003d: GL mask 0x2; bounds (0, 0)[0 x 0], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 1, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,874 WindowServer[97]: WSSetWindowTransform: Singular matrix  
10.11.13 10:52:31,874 WindowServer[97]: WSSetWindowTransform: Singular matrix  
10.11.13 10:52:31,874 WindowServer[97]: WSSetWindowTransform: Singular matrix  
10.11.13 10:52:31,878 WindowServer[97]: Display 0x28cc9280: GL mask 0x1; bounds (0, 0)[1366 x 768], 11 modes available  
Main, Active, on-line, enabled, built-in, boot, Vendor 4ca3, Model 324a, S/N 0, Unit 0, Rotation 0  
UUID 0xf0a7dd1ab8089c2c6222b24fc64208d9  
10.11.13 10:52:31,878 WindowServer[97]: Display 0x003f0040: GL mask 0x10; bounds (2390, 0)[1 x 1], 2 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 4, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,878 WindowServer[97]: Display 0x003f003f: GL mask 0x8; bounds (2391, 0)[1 x 1], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 3, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,878 WindowServer[97]: Display 0x003f003e: GL mask 0x4; bounds (2392, 0)[1 x 1], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 2, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x003f003d: GL mask 0x2; bounds (2393, 0)[1 x 1], 1 modes available  
off-line, enabled, Vendor ffffffff, Model ffffffff, S/N ffffffff, Unit 1, Rotation 0  
UUID 0xffffffffffffffffffffffff  
10.11.13 10:52:31,879 WindowServer[97]: CGXPerformInitialDisplayConfiguration  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x28cc9280: Unit 0; Vendor 0x4ca3 Model 0x324a S/N 0 Dimensions 13.54 x 7.64; online enabled built-in, Bounds (0,0)[1366 x 768], Rotation 0, Resolution 1  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x003f0040: Unit 4; Vendor 0xffffffff Model 0xffffffff S/N -1 Dimensions 0.00 x 0.00; offline enabled, Bounds (2390,0)[1 x 1], Rotation 0, Resolution 1  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x003f003f: Unit 3; Vendor 0xffffffff Model 0xffffffff S/N -1 Dimensions 0.00 x 0.00; offline enabled, Bounds (2391,0)[1 x 1], Rotation 0, Resolution 1  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x003f003e: Unit 2; Vendor 0xffffffff Model 0xffffffff S/N -1 Dimensions 0.00 x 0.00; offline enabled, Bounds (2392,0)[1 x 1], Rotation 0, Resolution 1  
10.11.13 10:52:31,879 WindowServer[97]: Display 0x003f003d: Unit 1; Vendor 0xffffffff Model 0xffffffff S/N -1 Dimensions 0.00 x 0.00; offline enabled, Bounds (2393,0)[1 x 1], Rotation 0, Resolution 1  
10.11.13 10:52:31,879 WindowServer[97]: CGXMuxBoot: Unexpected boot switch return value (0xe00002c7)  
10.11.13 10:52:31,914 WindowServer[97]: GLCompositor: GL renderer id 0x01024301, GL mask 0x0000001f, accelerator 0x0000374f, unit 0, caps QEXIMIPMAP, vram 579 MB  
10.11.13 10:52:31,914 WindowServer[97]: GLCompositor: GL renderer id 0x01024301, GL mask

0x0000001f, texture max 8192, viewport max {8192, 8192}, extensions FPRGINPOTIGLSLIFLOAT  
10.11.13 10:52:31,914 WindowServer[97]: GLCompositor enabled for tile size [256 x 256]  
10.11.13 10:52:31,914 WindowServer[97]: CGXGLInitMipMap: mip map mode is on  
10.11.13 10:52:31,924 loginwindow[43]: \*\*DMPROXY\*\* Found '/System/Library/CoreServices/DMPProxy'.  
10.11.13 10:52:32,113 WindowServer[97]: Display 0x28cc9280: Unit 0; ColorProfile { 2, "Display"};  
TransferFormula (1.000000, 1.000000, 1.000000)  
10.11.13 10:52:32,231 launchctl[146]: com.apple.findmymacmessenger: Already loaded  
10.11.13 10:52:32,257 com.apple.SecurityServer[15]: Session 100007 created  
10.11.13 10:52:32,301 UserEventAgent[147]: Failed to copy info dictionary for bundle  
/System/Library/UserEventPlugins/alfUIplugin.plugin  
10.11.13 10:52:32,000 kernel[0]: USBF: 91.627 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:52:33,875 WindowServer[97]: \*\*DMPROXY\*\* (2) Found  
'/System/Library/CoreServices/DMPProxy'.  
10.11.13 10:52:33,902 WindowServer[97]: Display 0x28cc9280: Unit 0; ColorProfile { 2, "Display"};  
TransferFormula (1.000000, 1.000000, 1.000000)  
10.11.13 10:52:33,917 WindowServer[97]: Display 0x28cc9280: Unit 0; ColorProfile { 2, "Display"};  
TransferFormula (1.000000, 1.000000, 1.000000)  
10.11.13 10:52:34,923 WindowServer[97]: \_CGXGLDisplayContextForDisplayDevice: acquired display  
context (0x7fa35250bd50) - enabling OpenGL  
10.11.13 10:52:43,000 kernel[0]: USBF: 102.638 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:52:47,440 warmd[25]: [warmctl\_evt\_timer\_bc\_activation\_timeout:287] BC activation bcstop  
timer fired!  
10.11.13 10:52:54,000 kernel[0]: USBF: 113.648 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:01,871 hidd[48]: void \_\_IOHIDEventQueueRegister(): Timeout waiting for IOKit to be  
quiet  
10.11.13 10:53:02,123 loginwindow[43]: void \_\_IOHIDEventQueueRegister(): Timeout waiting for IOKit  
to be quiet  
10.11.13 10:53:02,000 kernel[0]: 121.529649: ATHR: unknown locale: 60  
10.11.13 10:53:02,279 airportd[63]: \_doAutoJoin: Already associated to "Nevsehir". Bailing on auto-join.  
10.11.13 10:53:02,877 loginwindow[43]: Login Window Started Security Agent  
10.11.13 10:53:03,074 SecurityAgent[165]: This is the first run  
10.11.13 10:53:03,074 SecurityAgent[165]: MacBuddy was run = 0  
10.11.13 10:53:05,000 kernel[0]: USBF: 124.657 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:11,127 distnoted[175]: # distnote server agent absolute time: 130.384537132 civil time:  
Sun Nov 10 10:53:11 2013 pid: 175 uid: 501 root: no  
10.11.13 10:53:16,000 kernel[0]: USBF: 135.666 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:27,000 kernel[0]: USBF: 146.677 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:29,258 com.apple.SecurityServer[15]: Session 100004 created  
10.11.13 10:53:29,259 com.apple.SecurityServer[15]: Session 100009 created  
10.11.13 10:53:31,873 WindowServer[97]: void \_\_IOHIDEventQueueRegister(): Timeout waiting for  
IOKit to be quiet  
10.11.13 10:53:38,000 kernel[0]: USBF: 157.687 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:49,000 kernel[0]: USBF: 168.697 AppleUSBECI::Found a transaction past the  
completion deadline on bus 0x1a, timing out! (Addr: 4, EP: 2)  
10.11.13 10:53:49,000 kernel[0]: IOUSBMassStorageClass[0xfffff800e2ac800]: The device is still  
unresponsive after 6 consecutive USB Device Resets; it will be terminated.  
10.11.13 10:53:49,000 kernel[0]: [0xfffff800e2ac800](6)/(5) Device not responding  
10.11.13 10:55:26,971 mds[39]: (Normal) Volume: volume:0x7ffb2c061000 \*\*\*\*\* Bootstrapped  
Creating a default store:0 SpotLoc:(null) SpotVerLoc:(null) occlude:0 /Volumes/firmwaresyncd.DU0fPF  
10.11.13 10:55:52,069 ntpd[109]: ntpd: time set +0.328639 s  
10.11.13 10:59:21,751 ntpd[109]: FREQ state ignoring +0.000233 s  
10.11.13 10:59:39,600 SecurityAgent[165]: User info context values set for AdemSalih  
10.11.13 10:59:40,100 SecurityAgent[165]: Login Window login proceeding  
10.11.13 10:59:40,506 loginwindow[43]: Login Window - Returned from Security Agent

```

10.11.13 10:59:40,537 loginwindow[43]: USER_PROCESS: 43 console
10.11.13 10:59:40,000 kernel[0]: 519.466355: ATHR: unknown locale: 60
10.11.13 10:59:40,560 airportd[63]: _doAutoJoin: Already associated to "Nevsehir". Bailing on auto-join.
10.11.13 10:59:40,000 kernel[0]: AppleKeyStore:Sending lock change 0
10.11.13 10:59:40,786 com.apple.launchd.peruser.501[172]: Background: Aqua: Registering new GUI session.
10.11.13 10:59:40,810 com.apple.launchd.peruser.501[172]: (com.apple.cmfsyncagent) Ignored this key: UserName
10.11.13 10:59:40,811 com.apple.launchd.peruser.501[172]: (com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles
10.11.13 10:59:40,812 com.apple.launchd.peruser.501[172]: (com.apple.ReportCrash) Falling back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self
10.11.13 10:59:40,816 launchctl[195]: com.apple.pluginkit.pkd: Already loaded
10.11.13 10:59:40,816 launchctl[195]: com.apple.sbd: Already loaded
10.11.13 10:59:41,281 WindowServer[97]: **DMPROXY** (2) Found
/System/Library/CoreServices/DMPProxy'.
10.11.13 10:59:41,381 WindowServer[97]: Display 0x28cc9280: Unit 0; ColorProfile { 2, "Display"}; TransferFormula (1.000000, 1.000000, 1.000000)
10.11.13 10:59:41,596 SystemUIServer[204]: Cannot find executable for CFBundle 0x7fc9b8716670 </System/Library/CoreServices/Menu Extras/Clock.menu> (not loaded)
10.11.13 10:59:41,600 sharingd[214]: Starting Up...
10.11.13 10:59:41,722 SystemUIServer[204]: Cannot find executable for CFBundle 0x7fc9b8719070 </System/Library/CoreServices/Menu Extras/Battery.menu> (not loaded)
10.11.13 10:59:41,724 SystemUIServer[204]: Cannot find executable for CFBundle 0x7fc9b871bd50 </System/Library/CoreServices/Menu Extras/Volume.menu> (not loaded)
10.11.13 10:59:42,816 com.apple.IconServicesAgent[226]: IconServicesAgent launched.
10.11.13 10:59:43,378 xpcproxy[244]: assertion failed: 13A603: xpcproxy + 3438 [EE7817B0-1FA1-3603-B88A-BD5E595DA86F]: 0x2
10.11.13 10:59:43,534 accountsd[248]: assertion failed: 13A603: liblaunch.dylib + 25164 [FCBF0A02-0B06-3F97-9248-5062A9DEB32C]: 0x25
10.11.13 10:59:43,592 com.apple.SecurityServer[15]: Session 100012 created
10.11.13 10:59:43,600 WiFiKeychainProxy[227]: [NO client logger] <Aug 30 2013 23:40:46>
WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...
10.11.13 10:59:43,600 WiFiKeychainProxy[227]: [NO client logger] <Aug 30 2013 23:40:46>
WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks version - 0, bundle id - com.apple.wifi.WiFiKeychainProxy
10.11.13 10:59:43,957 com.apple.IconServicesAgent[226]: Error: Failed to add value to tree: Invalid node at index: 220.
1 IconServices          0x00007fff8d01c9f5
_ZN11SharedCache9_addValueEyR15SharedCacheItem + 391
2 IconServices          0x00007fff8d01c78c
_ZN11SharedCache8addValueEyR15SharedCacheItem + 56
3 IconServices          0x00007fff8d020cb7
___ZN18IconImageGenerator4mainEv_block_invoke7 + 940
4 libdispatch.dylib    0x00007fff8cf0f2ad _dispatch_client_callout + 8
5 libdispatch.dylib    0x00007fff8cf10166 _dispatch_barrier_sync_f_invoke + 39
6 IconServices          0x00007fff8d0205ba _ZN18IconImageGenerator4mainEv + 734
7 IconServices          0x00007fff8d021ea8 _ZN11WorkManager11processWorkEP4Work + 112
8 IconServices          0x00007fff8d021e1f
___ZN11WorkManager11enqueueWorkEP4WorkU13block_pointerFvS1_E_block_invoke_5 + 26
9 libdispatch.dylib    0x00007fff8cf121d7 _dispatch_call_block_and_release + 12
10 libdispatch.dylib    0x00007fff8cf0f2ad _dispatch_client_callout + 8
11 libdispatch.dylib    0x00007fff8cf137ff _dispatch_async_redirect_invoke + 154
12 libdispatch.dylib    0x00007fff8cf0f2ad _dispatch_client_callout + 8
13 libdispatch.dylib    0x00007fff8cf1109e _dispatch_root_queue_drain + 326
14 libdispatch.dylib    0x00007fff8cf12193 _dispatch_worker_thread2 + 40
15 libsystem_pthread.dylib 0x00007fff9109cef8 _pthread_wqthread + 314
16 libsystem_pthread.dylib 0x00007fff9109ffb9 start_wqthread + 13
10.11.13 10:59:44,725 syncdefaults[241]: ApplePushService: Timed out making blocking call, failed to perform call via XPC connection to 'com.apple.apsd'
10.11.13 10:59:45,487 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires

```



extending the sandbox for the IOKit user-client class AMDRadeonX4000\_AMDAccelDevice.  
10.11.13 10:59:45,488 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class AMDRadeonX4000\_AMDAccelSharedUserClient.  
10.11.13 10:59:45,488 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class AMDSIVideoContext.  
10.11.13 10:59:45,488 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IGAccelDevice.  
10.11.13 10:59:45,488 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IGAccelSharedUserClient.  
10.11.13 10:59:45,489 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IGAccelVideoContextMain.  
10.11.13 10:59:45,489 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IGAccelVideoContextMedia.  
10.11.13 10:59:45,489 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IGAccelVideoContextVEBox.  
10.11.13 10:59:45,491 com.apple.audio.DriverHelper[219]: The plug-in named AirPlay.driver requires extending the sandbox for the IOKit user-client class IOHIDParamUserClient.

|