

26/08/2016 9:32:35.914 AM com.apple.kextcache[870] /
locked; waiting for lock.
26/08/2016 9:32:36.000 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:37.324 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.359 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.391 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.414 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:37.425 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.458 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.491 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.522 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.556 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.589 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:37.621 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:39.281 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:40.431 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:42.326 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:43.494 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:45.330 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:46.534 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:47.193 AM com.apple.kextcache[870] Lock
acquired; proceeding.
26/08/2016 9:32:47.195 AM com.apple.kextcache[870] /:
no supported helper partitions to update.
26/08/2016 9:32:47.906 AM UserEventAgent[22] Failed to
send message because the port couldn't be created.

26/08/2016 9:32:47.907 AM UserEventAgent[334]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:32:48.348 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.420 AM apsd[55] Certificate not yet
generated
26/08/2016 9:32:48.577 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.592 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.627 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.640 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.655 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:48.669 AM UserEventAgent[334]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:32:48.669 AM UserEventAgent[22] Failed to
send message because the port couldn't be created.
26/08/2016 9:32:49.574 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.592 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.607 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.624 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.652 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.668 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.683 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.700 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.715 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.731 AM networkd[159] -

[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:49.735 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:51.694 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:52.339 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.374 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.406 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.439 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.473 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.481 AM com.apple.kextcache[888] /
locked; waiting for lock.
26/08/2016 9:32:52.505 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.538 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.572 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.604 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.636 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:32:52.894 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:54.757 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:56.177 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:57.885 AM apsd[55] Certificate not yet generated
26/08/2016 9:32:59.291 AM apsd[55] Certificate not yet generated
26/08/2016 9:33:01.153 AM apsd[55] Certificate not yet generated
26/08/2016 9:33:02.178 AM com.apple.kextcache[888] Lock acquired; proceeding.
26/08/2016 9:33:02.180 AM com.apple.kextcache[888] /:
no supported helper partitions to update.

26/08/2016 9:33:02.459 AM apsd[55] Certificate not yet generated
26/08/2016 9:33:02.797 AM UserEventAgent[22] Failed to send message because the port couldn't be created.
26/08/2016 9:33:02.799 AM UserEventAgent[334] com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:33:03.710 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.061 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.075 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.143 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.156 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.171 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:04.185 AM UserEventAgent[22] Failed to send message because the port couldn't be created.
26/08/2016 9:33:04.185 AM UserEventAgent[334] com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:33:04.360 AM apsd[55] Certificate not yet generated
26/08/2016 9:33:05.017 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.035 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.050 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.066 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.116 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.130 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.145 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.162 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as bundle ID (this is expected for daemons without bundle ID

26/08/2016 9:33:05.177 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.192 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:05.669 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:07.460 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:07.464 AM com.apple.kextcache[896] /
locked; waiting for lock.
26/08/2016 9:33:07.771 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.805 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.837 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.870 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.906 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.937 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:07.970 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:08.003 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:08.036 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:08.067 AM networkd[159] -
[NETClientConnection effectiveBundleID] using process name ocspd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:08.877 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:10.665 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:12.168 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:13.880 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:15.244 AM apsd[55] Certificate not yet
generated
26/08/2016 9:33:17.169 AM apsd[55] Certificate not yet
generated

```

26/08/2016 9:33:17.546 AM      com.apple.kextcache[896]      Lock
acquired; proceeding.
26/08/2016 9:33:17.548 AM      com.apple.kextcache[896]      /:
no supported helper partitions to update.
26/08/2016 9:33:18.225 AM      UserEventAgent[334]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:33:18.227 AM      UserEventAgent[22]      Failed to
send message because the port couldn't be created.
26/08/2016 9:33:18.260 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:19.232 AM      networkd[159]      -
[NETClientConnection effectiveBundleID] using process name ocspsd as
bundle ID (this is expected for daemons without bundle ID
26/08/2016 9:33:20.359 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:21.471 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:23.437 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:24.477 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:26.444 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:27.478 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:29.626 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:30.644 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:32.869 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:33.911 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:35.877 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:37.176 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:38.884 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:40.177 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:41.994 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:43.477 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:45.078 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:46.482 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:48.097 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:49.483 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:51.155 AM      apsd[55]      Certificate not yet

```

```

generated
26/08/2016 9:33:52.483 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:54.156 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:55.484 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:57.156 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:33:58.484 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:34:00.157 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:34:01.350 AM      warmd[39]
[_bootcachectl_create_merged_playlist:2509] User 501 has no login
playlist
26/08/2016 9:34:01.376 AM      lsd[339]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:34:01.381 AM      lsd[339]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:34:01.485 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:34:03.377 AM      apsd[55]      Certificate not yet
generated
26/08/2016 9:34:03.839 AM      WindowServer[142]
CGXGetConnectionProperty: Invalid connection 45047
26/08/2016 9:34:03.844 AM      loginwindow[315]      Login Window
point of no return
26/08/2016 9:34:03.850 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent[443]) Service exited due to signal:
Killed: 9
26/08/2016 9:34:03.850 AM      AirPlayXPCHelper[77]      2016-08-26
09:34:03.850126 AM [APBrowser] IPv4 listener stopped.
26/08/2016 9:34:03.850 AM      com.apple.xpc.launchd[1]
(com.apple.lateragent[476]) Service exited due to signal: Killed: 9
26/08/2016 9:34:03.858 AM      loginwindow[315]      ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x1e01e}
26/08/2016 9:34:03.860 AM      loginwindow[315]      ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x1f01f}
26/08/2016 9:34:03.860 AM      loginwindow[315]      ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x21021}

```

```
26/08/2016 9:34:03.860 AM      appleeventsd[29]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:34:03.860 AM      appleeventsd[29]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:34:03.861 AM      appleeventsd[29]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:34:03.861 AM      appleeventsd[29]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:34:03.863 AM      com.apple.xpc.launchd[1]
(com.apple.cloudphotosd[581]) Service exited due to signal: Killed:
9
26/08/2016 9:34:03.865 AM      com.apple.xpc.launchd[1]
(com.apple.FolderActionsDispatcher[429]) Service exited due to
signal: Killed: 9
26/08/2016 9:34:03.925 AM      sessionlogoutd[912]
sessionlogoutd Launched
26/08/2016 9:34:03.933 AM      sessionlogoutd[912]
DEAD_PROCESS: 315 console
26/08/2016 9:34:04.027 AM      shutdown[915]      reboot by monster:
26/08/2016 9:34:04.000 AM      kernel[0]          Kext loading now
disabled.
26/08/2016 9:34:04.000 AM      kernel[0]          Kext unloading now
disabled.
26/08/2016 9:34:04.000 AM      kernel[0]          Kext autounloading
now disabled.
26/08/2016 9:34:04.000 AM      kernel[0]          Kernel requests now
disabled.
26/08/2016 9:34:04.000 AM      kernel[0]          Process launchd [1]
disabling system-wide I/O Throttling
26/08/2016 9:34:04.000 AM      kernel[0]          Process launchd [1]
disabling system-wide CPU Throttling
26/08/2016 9:34:54.000 AM      bootlog[0]         BOOT_TIME 1472175294
0
26/08/2016 9:34:58.000 AM      syslogd[35]        Configuration
Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]        Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
asl" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
specified in ASL Module "com.apple.authd".
```

26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.authkit.osx.asl".
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.awdd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.cloud" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration
Notice:
ASL Module "com.apple.cloud" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.commerce.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.corecdp.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".

Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.corecdp.osx.asl".

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.corecdp.osx.asl" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.CoreDuetAdmissionControl" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.corespotlight" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.eventmonitor" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.family.asl" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.ical" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.install" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.iokit.power" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.mail" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.MessageTracer" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp/FindMyFriendsApp.asl" with ASL Module "com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp" with ASL Module

"com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.performance" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.secinitd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:34:58.000 AM syslogd[35] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

```

26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      syslogd[35]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:34:58.000 AM      kernel[0]        Longterm timer
threshold: 1000 ms
26/08/2016 9:34:58.000 AM      kernel[0]        PMAP: PCID enabled
26/08/2016 9:34:58.000 AM      kernel[0]        PMAP: Supervisor
Mode Execute Protection enabled
26/08/2016 9:34:58.000 AM      kernel[0]        PMAP: Supervisor
Mode Access Protection enabled
26/08/2016 9:34:58.000 AM      kernel[0]        Darwin Kernel
Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/
RELEASE_X86_64
26/08/2016 9:34:58.000 AM      kernel[0]        vm_page_bootstrap:
1982405 free pages and 98363 wired pages
26/08/2016 9:34:58.000 AM      kernel[0]        kext submap [0x<ptr>
- 0x<ptr>], kernel text [0x<ptr> - 0x<ptr>]
26/08/2016 9:34:58.000 AM      kernel[0]        zone leak detection
enabled
26/08/2016 9:34:58.000 AM      kernel[0]        "vm_compressor_mode"
is 4
26/08/2016 9:34:58.000 AM      kernel[0]        multiq scheduler
config: deep-drain 0, ceiling 47, depth limit 4, band limit 127,
sanity check 0
26/08/2016 9:34:58.000 AM      kernel[0]        standard timeslicing
quantum is 10000 us
26/08/2016 9:34:58.000 AM      kernel[0]        standard background

```

```
quantum is 2500 us
26/08/2016 9:34:58.000 AM kernel[0] WQ[lt_init]: init
linktable with max:262144 elements (8388608 bytes)
26/08/2016 9:34:58.000 AM kernel[0] WQ[wqp_init]: init
prepost table with max:262144 elements (8388608 bytes)
26/08/2016 9:34:58.000 AM kernel[0] mig_table_max_displ
= 16
26/08/2016 9:34:58.000 AM kernel[0] TSC Deadline Timer
supported and enabled
26/08/2016 9:34:58.000 AM kernel[0] kdp_core zlib memory
0x7000
26/08/2016 9:34:58.000 AM kernel[0] FakeSMCKeystore:
started
26/08/2016 9:34:58.000 AM kernel[0] AppleACPICPU:
ProcessorId=1 LocalApicId=0 Enabled
26/08/2016 9:34:58.000 AM kernel[0] AppleACPICPU:
ProcessorId=2 LocalApicId=2 Enabled
26/08/2016 9:34:58.000 AM kernel[0] AppleACPICPU:
ProcessorId=3 LocalApicId=4 Enabled
26/08/2016 9:34:58.000 AM kernel[0] AppleACPICPU:
ProcessorId=4 LocalApicId=6 Enabled
26/08/2016 9:34:58.000 AM kernel[0] calling
mpo_policy_init for TMSafetyNet
26/08/2016 9:34:58.000 AM kernel[0] Security policy
loaded: Safety net for Time Machine (TMSafetyNet)
26/08/2016 9:34:58.000 AM kernel[0] calling
mpo_policy_init for AMFI
26/08/2016 9:34:58.000 AM kernel[0] Security policy
loaded: Apple Mobile File Integrity (AMFI)
26/08/2016 9:34:58.000 AM kernel[0] calling
mpo_policy_init for Sandbox
26/08/2016 9:34:58.000 AM kernel[0] Security policy
loaded: Seatbelt sandbox policy (Sandbox)
26/08/2016 9:34:58.000 AM kernel[0] calling
mpo_policy_init for Quarantine
26/08/2016 9:34:58.000 AM kernel[0] Security policy
loaded: Quarantine policy (Quarantine)
26/08/2016 9:34:58.000 AM kernel[0] Copyright (c) 1982,
1986, 1989, 1991, 1993
26/08/2016 9:34:58.000 AM kernel[0] The Regents of the
University of California. All rights reserved.
26/08/2016 9:34:58.000 AM kernel[0] MAC Framework
successfully initialized
26/08/2016 9:34:58.131 AM com.apple.xpc.launchd[1]
(com.apple.alf) The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.
26/08/2016 9:34:58.000 AM kernel[0] using 16384 buffer
headers and 10240 cluster IO buffer headers
26/08/2016 9:34:58.000 AM kernel[0]
AppleCredentialManager::start called
26/08/2016 9:34:58.000 AM kernel[0] AssertMacros:
tmpData (value: 0x0), file: /BuildRoot/Library/Caches/
com.apple.xbs/Sources/AppleCredentialManager/
AppleCredentialManager-83.40.3/AppleCredentialManager/
```

```

AppleCredentialManager.cpp, line: 785
26/08/2016 9:34:58.000 AM kernel[0] AppleKeyStore
starting (BUILT: Jun 23 2016 18:53:27)
26/08/2016 9:34:58.000 AM kernel[0] IOAPIC: Version 0x20
Vectors 64:111
26/08/2016 9:34:58.000 AM kernel[0] ACPI: sleep states
S3 S4 S5
26/08/2016 9:34:58.000 AM kernel[0] pci (build 18:43:02
Jun 23 2016), flags 0xe3000, pfm64 (39 cpu) 0x7f80000000, 0x80000000
26/08/2016 9:34:58.000 AM kernel[0] [ PCI configuration
begin ]
26/08/2016 9:34:58.000 AM kernel[0] FakeSMC v6.18-313-
g671f31c.1707 Copyright 2015 netkas, slice, usr-sse2, kozlek, navi,
The KiNG, RehabMan. All rights reserved.
26/08/2016 9:34:58.000 AM kernel[0] FakeSMC: 14
preconfigured keys added
26/08/2016 9:34:58.000 AM kernel[0] FakeSMC: 5 keys
exported by Clover EFI
26/08/2016 9:34:58.000 AM kernel[0] SMC: successfully
initialized
26/08/2016 9:34:58.000 AM kernel[0] console relocated to
0x7f80000000
26/08/2016 9:34:58.000 AM kernel[0] [ PCI configuration
end, bridges 5, devices 12 ]
26/08/2016 9:34:58.000 AM kernel[0] 000000.711588
AppleUSBLegacyRoot@: AppleUSBLegacyRoot::init: enabling legacy
matching
26/08/2016 9:34:58.000 AM kernel[0] mcache: 4 CPU(s), 64
bytes CPU cache line size
26/08/2016 9:34:58.000 AM kernel[0] mbinit: done [96 MB
total pool size, (64/32) split]
26/08/2016 9:34:58.000 AM kernel[0] rooting via boot-
uuid from /chosen: 11BDFA42-97A0-340D-B776-569D22E0478F
26/08/2016 9:34:58.000 AM kernel[0] Waiting on <dict
ID="0"><key>IOProviderClass</key><string ID="1">IOResources</
string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</
string></dict>
26/08/2016 9:34:58.000 AM kernel[0]
com.apple.AppleFSCompressionTypeZlib kmod start
26/08/2016 9:34:58.000 AM kernel[0]
com.apple.AppleFSCompressionTypeDataless kmod start
26/08/2016 9:34:58.000 AM kernel[0]
com.apple.AppleFSCompressionTypeZlib load succeeded
26/08/2016 9:34:58.000 AM kernel[0]
com.apple.AppleFSCompressionTypeDataless load succeeded
26/08/2016 9:34:58.000 AM kernel[0] Got boot device =
IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SAT0@17/
AppleIntelPchSeriesAHCI/PRT4@4/IOAHCIDevice@0/AppleAHCIDiskDriver/
IOAHCIBlockStorageDevice/IOBlockStorageDriver/Samsung SSD 850 EVO
250GB Media/IOGUIDPartitionScheme/OSX@2
26/08/2016 9:34:58.000 AM kernel[0] BSD root: disk0s2,
major 1, minor 2
26/08/2016 9:34:58.000 AM kernel[0] hfs: mounted OSX on
device root_device

```

```

26/08/2016 9:34:58.000 AM      kernel[0]      XCPM: registered
26/08/2016 9:34:58.000 AM      kernel[0]      VM Swap Subsystem is
ON
26/08/2016 9:34:58.000 AM      kernel[0]      hfs: Removed 0
orphaned / unlinked files and 4 directories
26/08/2016 9:34:58.000 AM      kernel[0]      Sandbox: launchd(1)
System Policy: allow(0) file-write-flags /private/var/run/
diagnosticd/dyld_shared_cache_i386
26/08/2016 9:34:58.000 AM      kernel[0]      Sandbox: launchd(1)
System Policy: allow(0) file-write-flags /private/var/run/
diagnosticd/dyld_shared_cache_i386.map
26/08/2016 9:34:58.000 AM      kernel[0]      Sandbox: launchd(1)
System Policy: allow(0) file-write-flags /private/var/run/
diagnosticd/dyld_shared_cache_x86_64h
26/08/2016 9:34:58.000 AM      kernel[0]      Sandbox: launchd(1)
System Policy: allow(0) file-write-flags /private/var/run/
diagnosticd/dyld_shared_cache_x86_64h.map
26/08/2016 9:34:58.131 AM      com.apple.xpc.launchd[1]
(com.apple.airplaydiagnostics.server) Unrecognized MachService
property: ResetAtClose
26/08/2016 9:34:58.131 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayXPCHelper) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:34:58.131 AM      com.apple.xpc.launchd[1]
(com.apple.auditd) The Timeout key is no longer respected. It never
did anything anyway.
26/08/2016 9:34:58.131 AM      com.apple.xpc.launchd[1]
(com.apple.autofs) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:34:58.133 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.AVCAssistant) ThrottleInterval set to zero. You're
not that important. Ignoring.
26/08/2016 9:34:58.210 AM      watchdogd[53]  [watchdog_daemon]
@(      wd_watchdog_open) - IOIteratorNext failed (kr=0)
26/08/2016 9:34:58.210 AM      watchdogd[53]  [watchdog_daemon]
@(      wd_daemon_init) - could not open connection with the kernel
watchdog
26/08/2016 9:34:58.000 AM      syslogd[35]    ASL Sender
Statistics
26/08/2016 9:34:58.210 AM      watchdogd[53]  [watchdog_daemon]
@(      main) - cannot initialize the watchdog service
26/08/2016 9:34:58.211 AM      hidd[88]      void
__IOHIDPlugInLoadBundles(): Loaded 0 HID plugins
26/08/2016 9:34:58.218 AM      hidd[88]
____IOHIDSessionScheduleAsync_block_invoke: thread_id=0x700000081000
26/08/2016 9:34:58.218 AM      hidd[88]      HID Session async
scheduling initiated.
26/08/2016 9:34:58.218 AM      hidd[88]      HID Session async
root queue running at priority 63 and schedule 2.
26/08/2016 9:34:58.253 AM      hidd[88]      HID Session async
scheduling complete.
26/08/2016 9:34:58.253 AM      hidd[88]      Successfully opened
the IOHIDSession
26/08/2016 9:34:58.133 AM      com.apple.xpc.launchd[1]

```

(com.apple.bsd.dirhelper) The Timeout key is no longer respected. It never did anything anyway.
26/08/2016 9:34:58.133 AM com.apple.xpc.launchd[1]
(com.apple.backupd.status.xpc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:34:58.134 AM com.apple.xpc.launchd[1]
(com.apple.cmio.IIDCVideoAssistant) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:34:58.134 AM com.apple.xpc.launchd[1]
(com.apple.cmio.VDCAssistant) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:34:58.134 AM com.apple.xpc.launchd[1]
(com.apple.colorsyncd) Unknown key for string: RunLoopType
26/08/2016 9:34:58.134 AM com.apple.xpc.launchd[1]
(com.apple.configd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:34:58.134 AM com.apple.xpc.launchd[1]
(com.apple.CommCenterRootHelper) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:34:58.251 AM com.apple.SecurityServer[71]
Session 100000 created
26/08/2016 9:34:58.256 AM powerd[45] Registering for UPS devices
26/08/2016 9:34:58.258 AM powerd[45] UPSDeviceAdded.
_alreadyRunningIOUPSD:0
26/08/2016 9:34:58.382 AM iconservicesagent[59]
iconservicesagent launched.
26/08/2016 9:34:58.000 AM kernel[0] Waiting for DSMOS...
26/08/2016 9:34:58.483 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:34:58.493 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand
26/08/2016 9:34:58.494 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand
26/08/2016 9:34:58.496 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:34:58.496 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 9:34:58.857 AM com.apple.xpc.launchd[1]
(com.apple.CoreRAID[40]) Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.CoreRAID
26/08/2016 9:34:59.126 AM com.apple.SecurityServer[71]
Entering service
26/08/2016 9:34:59.145 AM com.apple.usbmuxd[70] log filter changed from 4 to 6
26/08/2016 9:34:59.145 AM mDNSResponder[81]
mDNSResponder mDNSResponder-625.60.2 (Jun 1 2016 21:57:20) starting
OSXVers 15

```

26/08/2016 9:34:59.000 AM      kernel[0]      IOGraphics flags
0x43
26/08/2016 9:34:59.000 AM      kernel[0]      [IOBluetoothFamily]
[start] -- completed
26/08/2016 9:34:59.000 AM      kernel[0]      ****
[IOBluetoothHostControllerUSBTransport][start] -- completed --
result = TRUE -- 0xa800 ****
26/08/2016 9:34:59.000 AM      kernel[0]      [IOBluetoothFamily]
[staticBluetoothTransportShowsUp] -- Received Bluetooth Controller
register service notification -- 0xa800
26/08/2016 9:34:59.000 AM      kernel[0]
[IOBluetoothHostController][start] -- completed
26/08/2016 9:34:59.000 AM      kernel[0]      Previous shutdown
cause: 5
26/08/2016 9:34:59.000 AM      kernel[0]      DSMOS has arrived
26/08/2016 9:34:59.181 AM      blued[76]     Delete logs
26/08/2016 9:34:59.185 AM      iconservicesd[58]
iconservicesd launched.
26/08/2016 9:34:59.185 AM      iconservicesd[58]      Cache
path: /Library/Caches/com.apple.iconservices.store
26/08/2016 9:34:59.189 AM      apsd[68]
CGSLookupServerRootPort: Failed to look up the port for
"com.apple.windowserver.active" (1102)
26/08/2016 9:34:59.225 AM      configd[44]   preference: no
sharing preferences
26/08/2016 9:34:59.225 AM      loginwindow[84] Login Window
Application Started
26/08/2016 9:34:59.000 AM      kernel[0]
[IOBluetoothHostController::setConfigState] calling registerService
26/08/2016 9:34:59.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
calling IOBluetoothFamily's registerService() -- 0xa760 -- 0x3200 --
0xa800 ****
26/08/2016 9:34:59.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
Connected to the transport successfully -- 0xa760 -- 0x3200 --
0xa800 ****
26/08/2016 9:34:59.228 AM      blued[76]     INIT -- Host
controller is published
26/08/2016 9:34:59.229 AM      configd[44]   setting hostname to
"Ms-iMac.local"
26/08/2016 9:34:59.231 AM      blued[76]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:34:59.231 AM      blued[76]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:34:59.231 AM      blued[76]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:34:59.231 AM      blued[76]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:34:59.235 AM      apsd[68]     Certificate not yet
generated
26/08/2016 9:34:59.235 AM      apsd[68]
<APSCertificateManager: 0x7fc3da511510>: Certificate does not exist
26/08/2016 9:34:59.247 AM      com.apple.usbmuxd[70]  usbmuxd-364

```

```
on Mar  2 2016 at 15:12:39, running 64 bit
26/08/2016 9:34:59.252 AM      UserEventAgent[36]      Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:34:59.255 AM      secinitd[131]    UID[0]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 9:34:59.256 AM      secinitd[131]    ctkd[126]: unable to
get root path for bundle of main executable: /System/Library/
Frameworks/CryptoTokenKit.framework/ctkd
26/08/2016 9:34:59.301 AM      blued[76]        hciControllerOnline;
HID devices? 0
26/08/2016 9:34:59.343 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:34:59.351 AM      systemkeychain[130]    done file: /
var/run/systemkeychaincheck.done
26/08/2016 9:34:59.363 AM      configd[44]      network changed
26/08/2016 9:34:59.365 AM      configd[44]      network changed:
DNS*
26/08/2016 9:34:59.384 AM      mDNSResponder[81]    D2D_IPC:
Loaded
26/08/2016 9:34:59.384 AM      mDNSResponder[81]
D2DInitialize succeeded
26/08/2016 9:34:59.399 AM      iconservicesagent[59]  Starting
service with cache path: /var/folders/zz/
zyxvpxvq6csfxvn_n0000000000000/C/com.apple.iconservices
26/08/2016 9:34:59.453 AM      networkd[148]    main
networkd-583.50.1 pid 148
26/08/2016 9:34:59.459 AM      networkd[148]    -[NETPowerManager
setupPowerPolicyTable] created power policy table from defaults with
5 timeslots
26/08/2016 9:34:59.464 AM      networkd[148]    -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:34:59.465 AM      networkd[148]
nw_nat64_post_new_ifstate successfully changed NAT64 ifstate from
0x0 to 0x8000000000000000
26/08/2016 9:34:59.474 AM      networkd[148]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:34:59.474 AM      networkd[148]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:34:59.492 AM      mds[54] (ImportServer.Normal:1808)
UseBulkImporter 0 ForceBulkImporter 0
26/08/2016 9:34:59.707 AM      com.apple.kextd[38]    kext-dev-
mode allowing invalid signature -67062 0xFFFFFFFFFEFA0A for kext
"/Library/Extensions/IntelMausiEthernet.kext"
26/08/2016 9:34:59.766 AM      WindowServer[134]    Server is
starting up
26/08/2016 9:34:59.772 AM      apsd[68]          Certificate not yet
generated
26/08/2016 9:34:59.774 AM      apsd[68]          Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
```

user 0: Unknown service name
26/08/2016 9:34:59.775 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:34:59.782 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:34:59.788 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:34:59.789 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:34:59.790 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:34:59.790 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:34:59.790 AM apsd[68] Unable to
bootstrap_look_up connection port
'com.apple.CallHistorySyncHelper.aps' for user 248: Unknown service
name
26/08/2016 9:34:59.791 AM apsd[68] Unexpected per-app
id for token 248, topic com.apple.icloud-
container.com.apple.callhistory.sync-helper, identifier
26/08/2016 9:34:59.792 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:34:59.792 AM apsd[68] Unable to
bootstrap_look_up connection port 'com.apple.icloud.fmf.aps' for
user 248: Unknown service name
26/08/2016 9:34:59.794 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:34:59.799 AM AirPlayXPCHelper[89] 2016-08-26
09:34:59.798776 AM [AirPlayEndpointManagerMeta]
metaManager_createAirPlayEndpointManager Using NAPS Endpoint Manager
26/08/2016 9:34:59.801 AM AirPlayXPCHelper[89] 2016-08-26
09:34:59.800518 AM [WiFiManagerCore] ### Get interfaces failed:
-3903/0xFFFFF0C1 kA11NotSupportedErr
26/08/2016 9:34:59.801 AM AirPlayXPCHelper[89] 2016-08-26
09:34:59.800772 AM [APTransportTrafficRegistrar]
APTransportTrafficRegistrar: Deregister AirPlay traffic for AWDL at
MAC 00:00:00:00:00:00 with target infra non critical
PeerIndication=0 err=-3903
26/08/2016 9:34:59.801 AM mds[54] (FMW.Normal:1428) FMW 0 0
26/08/2016 9:34:59.802 AM AirPlayXPCHelper[89] 2016-08-26
09:34:59.801942 AM [AirPlay]
trafficRegistrar_resetRegistrationInternal signalled
-3903/0xFFFFF0C1 kA11NotSupportedErr: APTransportTrafficRegistrar:
reset registration failed
26/08/2016 9:34:59.812 AM apsd[68] Got connection error
Error Domain=NSURLErrorDomain Code=-1009 "The Internet connection
appears to be offline." UserInfo={NSUnderlyingError=0x7fc3da6037b0
{Error Domain=kCFErrorDomainCFNetwork Code=-1009 "The Internet
connection appears to be offline."}

```
UserInfo={NSErrorFailingURLStringKey=https://albert.apple.com/
deviceservices/deviceActivation?device=MacOS,
NSErrorFailingURLKey=https://albert.apple.com/deviceservices/
deviceActivation?device=MacOS, _kCFStreamErrorCodeKey=8,
_kCFStreamErrorDomainKey=12, NSLocalizedDescription=The Internet
connection appears to be offline.}},
NSErrorFailingURLStringKey=https://albert.apple.com/deviceservices/
deviceActivation?device=MacOS, NSErrorFailingURLKey=https://
albert.apple.com/deviceservices/deviceActivation?device=MacOS,
_kCFStreamErrorDomainKey=12, _kCFStreamErrorCodeKey=8,
NSLocalizedDescription=The Internet connection appears to be
offline.}
26/08/2016 9:34:59.812 AM      apsd[68]
<APSCertificateManager: 0x7fc3da511510>: Failed to get client cert
on attempt 1, will retry in 15 seconds
26/08/2016 9:34:59.832 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:34:59.838 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:34:59.839 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:34:59.839 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:34:59.839 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:34:59.881 AM      com.apple.audio.DriverHelper[154]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.AirPlayXPCHelper.
26/08/2016 9:34:59.882 AM      com.apple.audio.DriverHelper[154]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointmanager.xpc.
26/08/2016 9:34:59.882 AM      com.apple.audio.DriverHelper[154]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.coremedia.endpoint.xpc.
26/08/2016 9:34:59.882 AM      com.apple.audio.DriverHelper[154]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointstream.xpc.
26/08/2016 9:34:59.884 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
RootDomainUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
```

```
IOHIDLibUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothL2CAPChannelUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothHCIUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothDeviceUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDResourceDeviceUserClient.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named com.apple.blued.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.bluetoothaudiod.
26/08/2016 9:34:59.894 AM      com.apple.audio.DriverHelper[154]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.BluetoothD0Server.
26/08/2016 9:34:59.921 AM      digest-service[121]      label:
default
26/08/2016 9:34:59.921 AM      digest-service[121]
dbname: od:/Local/Default
26/08/2016 9:34:59.921 AM      digest-service[121]
mkey_file: /var/db/krb5kdc/m-key
26/08/2016 9:34:59.921 AM      digest-service[121]
acl_file: /var/db/krb5kdc/kadmind.acl
26/08/2016 9:34:59.936 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 9:34:59.957 AM      digest-service[121]      digest-
request: uid=0
26/08/2016 9:34:59.968 AM      com.apple.kextd[38]      kext
signature failure override allowing invalid signature -67062
0xFFFFFFFFFEFA0A for kext "/Library/Extensions/
IntelMausiEthernet.kext"
26/08/2016 9:34:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv4 segmentation offload enabled.
26/08/2016 9:34:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 segmentation offload enabled.
26/08/2016 9:34:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 checksum offload enabled.
26/08/2016 9:34:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: Version 2.1.0d0 using max interrupt rate 7000.
```

26/08/2016 9:35:00.010 AM locationd[73] Logging binary sensor data to /var/folders/zz/zyxvpxvq6csfxvn_n00000sm00006d/C/locationdSensors.bin

26/08/2016 9:35:00.049 AM locationd[73] Location icon should now be in state 'Inactive'

26/08/2016 9:35:00.053 AM UserEventAgent[36] Received XPC_ERROR_CONNECTION_INVALID for connection com.apple.backupd.xpc

26/08/2016 9:35:00.055 AM UserEventAgent[36] Failed to send message because the port couldn't be created.

26/08/2016 9:35:00.086 AM com.apple.xpc.launchd[1] (com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:00.093 AM com.apple.xpc.launchd[1] (com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand

26/08/2016 9:35:00.094 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:35:00.094 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:35:00.095 AM com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand

26/08/2016 9:35:00.138 AM UserEventAgent[36] assertion failed: 15G31: com.apple.telemetry + 19557 [63FA30F5-D35A-3A8D-95C4-EB83EC961467]: 0x0

26/08/2016 9:35:00.142 AM UserEventAgent[36] nsurlsessiond_events plugin: adding token 1 for client softwareupdate_download_service

26/08/2016 9:35:00.153 AM nehelper[160] objc[160]: Class NEHelperSystemProviderManager is implemented in both /System/Library/Frameworks/NetworkExtension.framework/Versions/A/NetworkExtension and /usr/libexec/nehelper. One of the two will be used. Which one is undefined.

26/08/2016 9:35:00.000 AM kernel[0] Ethernet [IntelMausi]: I219V2 (Rev. 49), d0:17:c2:86:10:ef

26/08/2016 9:35:00.358 AM diskmanagementstartup[50] started Windows Installer Partition removal

26/08/2016 9:35:00.359 AM diskmanagementstartup[50] Windows Installer Partition removal: No trigger, so doing nothing

26/08/2016 9:35:00.359 AM diskmanagementstartup[50] finished Windows Installer Partition removal; error = 0

26/08/2016 9:35:00.392 AM digest-service[121] digest-request: netr probe 0

26/08/2016 9:35:00.393 AM digest-service[121] digest-request: init request

26/08/2016 9:35:00.398 AM digest-service[121] digest-request: init return domain: BUILTIN server: MS-IMAC indomain was: <NULL>

26/08/2016 9:35:00.498 AM com.apple.CDScheduler[36] Initial power state set to AC Power

26/08/2016 9:35:05.000 AM kernel[0] ACPI_SMC_PlatformPlugin::start -

```
waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed
out
26/08/2016 9:35:05.000 AM      kernel[0]      WARNING:
IOPlatformPluginUtil : getCPUIDInfo: this is an unknown CPU model
0x5e
26/08/2016 9:35:05.000 AM      kernel[0]      -- power management
may be incomplete or unsupported
26/08/2016 9:35:05.000 AM      kernel[0]
AppleIntelPCHPMC::publishedIOPPF - return false
26/08/2016 9:35:05.046 AM      WindowServer[134]      Session 257
retained (2 references)
26/08/2016 9:35:05.046 AM      WindowServer[134]      Session 257
released (1 references)
26/08/2016 9:35:05.060 AM      configd[44]      New network
configuration saved
26/08/2016 9:35:05.063 AM      configd[44]      network changed
26/08/2016 9:35:05.111 AM      WindowServer[134]      Session 257
retained (2 references)
26/08/2016 9:35:05.112 AM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDuser
26/08/2016 9:35:05.113 AM      WindowServer[134]
init_page_flip: page flip mode is on
26/08/2016 9:35:05.000 AM      kernel[0]      ATY,Futomaki: Not
usable
26/08/2016 9:35:05.124 AM      WindowServer[134]      Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:35:05.125 AM      WindowServer[134]
mux_initialize: Couldn't find any matches
26/08/2016 9:35:05.127 AM      WindowServer[134]      Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:35:05.135 AM      WindowServer[134]
update_gl_acceleration: device (0x7f94914161d0) is unsuitable for gl
- disabling OpenGL
26/08/2016 9:35:05.360 AM      WindowServer[134]
WSMachineIsAMD: false
26/08/2016 9:35:05.370 AM      com.apple.AmbientDisplayAgent[172]
    AmbientDisplayAgent started
26/08/2016 9:35:05.430 AM      WindowServer[134]
WSMachineUsesNewStyleMirroring: true
26/08/2016 9:35:05.430 AM      WindowServer[134]
start_deferring_display_reconfiguration
26/08/2016 9:35:05.431 AM      WindowServer[134]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
```

```
26/08/2016 9:35:05.543 AM      networkd[148]  -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:35:05.000 AM      kernel[0]      in6_unlink_ifa: IPv6
address 0xa8b2efb84dee3fef has no prefix
26/08/2016 9:35:05.672 AM      networkd[148]  -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:35:05.888 AM      WindowServer[134]
update_gl_acceleration: device (0x7f94914161d0) is unsuitable for gl
- disabling OpenGL
26/08/2016 9:35:05.889 AM      WindowServer[134]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 9:35:05.889 AM      WindowServer[134]
CGXPerformInitialDisplayConfiguration
26/08/2016 9:35:05.889 AM      WindowServer[134]      Display
0x5b81c5c0: Unit 0; Vendor 0x756e6b6e Model 0x717 S/N 0 Dimensions
0.00 x 0.00; online enabled, Bounds (0,0)[1920 x 1080], Rotation 0,
Resolution 1
26/08/2016 9:35:05.889 AM      WindowServer[134]
initialize_display_context: dev counts are zero (0, 0) - disabling
OpenGL
26/08/2016 9:35:05.889 AM      WindowServer[134]      GLCompositor
enabled for tile size [256 x 256]
26/08/2016 9:35:05.889 AM      WindowServer[134]
CGXGLInitMipMap: mip map mode is on
26/08/2016 9:35:05.890 AM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:35:05.893 AM      com.apple.AmbientDisplayAgent[172]
AMBD initializing devices
26/08/2016 9:35:05.915 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:35:05.919 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:35:05.919 AM      com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 9:35:05.920 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 9:35:05.921 AM      com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 9:35:05.924 AM      com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 9:35:05.928 AM      com.apple.xpc.launchd[1]
```

(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:35:05.929 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:35:05.929 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:35:05.930 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:35:05.931 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:35:05.940 AM PowerChime[180] objc[180]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 9:35:05.976 AM com.apple.SecurityServer[71]
Session 100007 created
26/08/2016 9:35:05.991 AM askpermissiond[176]
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 9:35:06.008 AM UserEventAgent[182] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:35:06.028 AM UserEventAgent[182] user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 9:35:06.036 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:35:06.045 AM loginwindow[84] Login Window Started
Security Agent
26/08/2016 9:35:06.078 AM WiFiAgent[183]
securityd_message_with_reply_sync Failed to talk to secd after 4
attempts.
26/08/2016 9:35:06.081 AM WiFiAgent[183] No Wi-Fi hardware,

```
terminating WiFiAgent
26/08/2016 9:35:06.109 AM      SecurityAgent[185]      This is the
first run
26/08/2016 9:35:06.109 AM      SecurityAgent[185]      MacBuddy was
run = 0
26/08/2016 9:35:06.844 AM      SecurityAgent[185]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:35:06.000 AM      kernel[0]      Ethernet
[IntelMausi]: Link up on en0, 100-Megabit, Full-duplex, Rx/Tx flow-
control
26/08/2016 9:35:07.034 AM      WindowServer[134]
stop_deferring_display_reconfiguration
26/08/2016 9:35:07.098 AM      mDNSResponder[81]
mDNS_RegisterInterface: Frequent transitions for interface en0
(FE80:0000:0000:0000:D217:C2FF:FE86:10EF)
26/08/2016 9:35:07.102 AM      networkd[148]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:35:07.887 AM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
discovery
26/08/2016 9:35:07.888 AM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:35:07.909 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:35:09.139 AM      networkd[148]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:35:09.857 AM      configd[44]      network changed:
v4(en0+:192.168.1.113) DNS+ Proxy+ SMB
26/08/2016 9:35:09.864 AM      networkd[148]      BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:35:09.894 AM      configd[44]      BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:35:09.905 AM      configd[44]      setting hostname to
"Ms-iMac"
26/08/2016 9:35:10.299 AM      com.apple.xpc.launchd[1]
(com.apple.bsd.dirhelper[199]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.bsd.dirhelper
26/08/2016 9:35:11.140 AM      sntp[196]      time set -0.212771 s
26/08/2016 9:35:11.189 AM      ntpd[161]      peer
time.asia.apple.com @ 17.253.82.125
26/08/2016 9:35:13.036 AM      apsd[68]      [Warning] Setting up
a new database at path /Library/Application Support/
ApplePushService/aps.db.
26/08/2016 9:35:13.037 AM      apsd[68]      [Warning] Setting up
a new database at path /Library/Application Support/
ApplePushService/aps.db.
26/08/2016 9:35:13.455 AM      apsd[68]      Unable to
bootstrap_look_up connection port
```

'com.apple.CallHistorySyncHelper.aps' for user 248: Unknown service name
26/08/2016 9:35:13.455 AM apsd[68]
<APSCONNECTIONSERVER: 0x7fc3da446e80> Invalid mach port - Cleaning up this named port's topics. com.apple.CallHistorySyncHelper.aps
26/08/2016 9:35:13.456 AM apsd[68] Unable to bootstrap_look_up connection port 'com.apple.icloud.fmf.aps' for user 248: Unknown service name
26/08/2016 9:35:13.456 AM apsd[68]
<APSCONNECTIONSERVER: 0x7fc3da705b00> Invalid mach port - Cleaning up this named port's topics. com.apple.icloud.fmf.aps
26/08/2016 9:35:13.850 AM apsd[68] Unexpected app token generate response
26/08/2016 9:35:15.759 AM WindowServer[134] BUG in libdispatch client: dispatch_mig_server: mach_msg() failed (ipc/send) msg too small - 0x10000008
26/08/2016 9:35:33.325 AM SecurityAgent[185] User info context values set for monster
26/08/2016 9:35:33.353 AM com.apple.xpc.launchd[1] (com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:33.359 AM com.apple.xpc.launchd[1] (com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand
26/08/2016 9:35:33.360 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:35:33.360 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 9:35:33.360 AM com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand
26/08/2016 9:35:33.918 AM SecurityAgent[185] Login Window login proceeding
26/08/2016 9:35:33.982 AM loginwindow[84] Login Window - Returned from Security Agent
26/08/2016 9:35:34.321 AM loginwindow[84] USER_PROCESS: 84 console
26/08/2016 9:35:34.333 AM com.apple.xpc.launchd[1] (com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.339 AM com.apple.xpc.launchd[1] (com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand
26/08/2016 9:35:34.340 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:35:34.340 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 9:35:34.340 AM com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand

26/08/2016 9:35:34.384 AM symptomsd[173] __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 9:35:34.384 AM symptomsd[173] __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 9:35:34.000 AM kernel[0]
AppleKeyStore::handleUserClientCommandGated: asking for specific bag
501 (eff -501)
26/08/2016 9:35:34.000 AM kernel[0]
AppleKeyStore::handleUserClientCommandGated: set handle 1 as special
bag -501
26/08/2016 9:35:34.000 AM kernel[0]
AppleKeyStore:Sending lock change 1 for handle 1
26/08/2016 9:35:34.000 AM kernel[0]
AppleKeyStore:Sending lock change 0 for handle -501
26/08/2016 9:35:34.419 AM com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 9:35:34.420 AM com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:35:34.420 AM com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 9:35:34.422 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.CommCenter-osx.plist, caller = loginwindow.84, error =
138: Service cannot be loaded on this hardware
26/08/2016 9:35:34.422 AM com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 9:35:34.423 AM com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent) This key does not do anything:
OnDemand
26/08/2016 9:35:34.423 AM com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:35:34.424 AM com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.424 AM com.apple.xpc.launchd[1]
(com.apple.dock.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.424 AM com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.424 AM com.apple.xpc.launchd[1]
(com.apple.dock.appstore) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.424 AM com.apple.xpc.launchd[1]

(com.apple.dock.remotedesktoppicture) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.425 AM com.apple.xpc.launchd[1]

(com.apple.dock.launchpad) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.426 AM com.apple.xpc.launchd[1]

(com.apple.dock.downloads) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.426 AM com.apple.xpc.launchd[1]

(com.apple.EscrowSecurityAlert) Unknown key for string: seatbelt-profiles

26/08/2016 9:35:34.427 AM com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100007.Aqua) Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.FirmwareUpdateHelper.plist, caller = loginwindow.84, error = 138: Service cannot be loaded on this hardware

26/08/2016 9:35:34.428 AM com.apple.xpc.launchd[1]

(com.apple.FontRegistryUIAgent) This key does not do anything: OnDemand

26/08/2016 9:35:34.428 AM com.apple.xpc.launchd[1]

(com.apple.ATS.FontValidator) This key does not do anything: OnDemand

26/08/2016 9:35:34.428 AM com.apple.xpc.launchd[1]

(com.apple.ATS.FontValidatorConduit) This key does not do anything: OnDemand

26/08/2016 9:35:34.428 AM com.apple.xpc.launchd[1]

(com.apple.gamed) This key does not do anything: OnDemand

26/08/2016 9:35:34.429 AM com.apple.xpc.launchd[1]

(com.apple.gamed) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:35:34.429 AM com.apple.xpc.launchd[1]

(com.apple.helpd) This key does not do anything: OnDemand

26/08/2016 9:35:34.429 AM com.apple.xpc.launchd[1]

(com.apple.icdd) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 9:35:34.429 AM com.apple.xpc.launchd[1]

(com.apple.midiserver.io) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.430 AM com.apple.xpc.launchd[1]

(com.apple.notificationcenterui.alerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.430 AM com.apple.xpc.launchd[1]

(com.apple.notificationcenterui.customalerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]

(com.apple.notificationcenterui.extension-trampoline) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]

(com.apple.notificationcenterui.tcc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from

it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/
com.apple.pluginkit.pkd.plist, caller = loginwindow.84
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.rtcreportingd) The UserName key is not supported for non-System services.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent) The UserName key is not supported for non-System services.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.sharingd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): events/array
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): bundleid/string
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechdatainstaller) This key does not do anything: OnDemand
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/
com.apple.storeinstallagent.plist, caller = loginwindow.84
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.dockextra.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]

(com.apple.SUIMessaging) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.ipodserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.screencapture) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.tsm.uiserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.dockling.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies.startup) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.431 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100007.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller = loginwindow.84
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string: LSBackgroundOnly
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-Aqua) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.usernoted) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:35:34.432 AM com.apple.xpc.launchd[1]
(org.openbsd.ssh-agent) The ServiceIPC key is no longer respected. Please remove it.

```
26/08/2016 9:35:34.444 AM      distnoted[207] # distnote server
agent absolute time: 41.376535158  civil time: Fri Aug 26 09:35:34
2016  pid: 207 uid: 501  root: no
26/08/2016 9:35:34.452 AM      lsd[210]          LaunchServices:
Scheme mapping file does not exist, creating file.
26/08/2016 9:35:34.491 AM      otherbsd[206]    Could not copy
LoginItems URL.
26/08/2016 9:35:34.607 AM      sharingd[218]    09:35:34.606 :
Starting Up...
26/08/2016 9:35:34.609 AM      sharingd[218]    09:35:34.609 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)
26/08/2016 9:35:34.878 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:35:34.887 AM      UserEventAgent[205] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:35:34.903 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:35:34.933 AM      UserEventAgent[205] user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 9:35:34.995 AM      UserEventAgent[205] received an
unknown event from daemon
26/08/2016 9:35:35.004 AM      com.apple.CDScheduler[205]
Initial power state set to AC Power
26/08/2016 9:35:35.046 AM      secinitd[224]    UID[501]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 9:35:35.049 AM      com.apple.SecurityServer[71]
Session 100010 created
26/08/2016 9:35:35.000 AM      kernel[0]        ignored
is_io_service_close(0x100000372,IOHIDParamUserClient)
26/08/2016 9:35:35.276 AM      WindowServer[134] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
login
26/08/2016 9:35:35.277 AM      WindowServer[134] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:35:35.294 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:35:35.315 AM      DMPProxy[231]    AMBD Services:
_CFXPCCreateXCPCObjectFromCFObject failed!!
26/08/2016 9:35:35.369 AM      sharingd[218]    09:35:35.368 : No
delegate parameters from account, account exists = NO
26/08/2016 9:35:35.369 AM      sharingd[218]    09:35:35.368 :
Tethering: Identifier needs fixing
26/08/2016 9:35:35.370 AM      sharingd[218]    09:35:35.370 : No
delegate parameters from account, account exists = NO
26/08/2016 9:35:35.373 AM      sharingd[218]    09:35:35.372 : No
delegate parameters from account, account exists = NO
26/08/2016 9:35:36.520 AM      iconservicesagent[241]
iconservicesagent launched.
```

```
26/08/2016 9:35:36.526 AM      identityservicesd[228]
<IMMacNotificationCenterManager: 0x7fe8f3f19f20>: Configuring
notification center for identifier: com.apple.iChat  topics: (
    "com.apple.private.ids"
)
26/08/2016 9:35:36.527 AM      iconservicesagent[241] Starting
service with cache path: /var/folders/
k4/9rlmcf592jv3xvxfl7t4qk4m0000gn/C/com.apple.iconservices
26/08/2016 9:35:36.544 AM      Spotlight[238] spot: agent checkin
26/08/2016 9:35:36.550 AM      identityservicesd[228]
<IMMacNotificationCenterManager: 0x7fe8f3f19f20>: NC Disabled: NO
26/08/2016 9:35:36.564 AM      identityservicesd[228]
<IMMacNotificationCenterManager: 0x7fe8f3f19f20>: DND Enabled: NO
26/08/2016 9:35:36.564 AM      identityservicesd[228]
<IMMacNotificationCenterManager: 0x7fe8f3f19f20>: Updating enabled:
YES (Topics: (
    "com.apple.private.ids"
))
26/08/2016 9:35:36.567 AM      sharingd[218] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:35:36.623 AM      SpotlightNetHelper[244]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:35:36.623 AM      SpotlightNetHelper[244] Invalid
Connection ID 0
26/08/2016 9:35:36.731 AM      logind[85]      -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
dictionary for audit session 100010
26/08/2016 9:35:36.731 AM      logind[85]      _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 9:35:36.731 AM      IMDPersistenceAgent[252]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 9:35:36.746 AM      accountsd[234] [Warning] Services
all disappeared, removing all accounts
26/08/2016 9:35:36.746 AM      accountsd[234] [Warning] Services
all disappeared, removing all enabled accounts
26/08/2016 9:35:36.746 AM      accountsd[234] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:35:36.751 AM      Finder[214]      assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89
26/08/2016 9:35:36.778 AM      imagent[251] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:35:36.791 AM      PowerChime[265] objc[265]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 9:35:36.815 AM      PowerChime[265] PowerChime: chime
enabled by hardware: 0
26/08/2016 9:35:36.815 AM      PowerChime[265] PowerChime disabled
- ChimeOnNoHardware default: 0
26/08/2016 9:35:36.826 AM      apsd[68]      Unexpected per-app
id for token 501, topic com.apple.icloud-
container.com.apple.callhistory.sync-helper, identifier
```

26/08/2016 9:35:36.827 AM imagent[251] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:35:36.827 AM imagent[251] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:35:36.827 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:35:36.833 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:35:36.836 AM apsd[68] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:35:36.905 AM imagent[251] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:35:36.905 AM imagent[251] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:35:36.914 AM logind[85] -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
dictionary for audit session 100012
26/08/2016 9:35:36.914 AM logind[85] _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 9:35:36.914 AM IMRemoteURLConnectionAgent[245]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 9:35:36.956 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:35:36.990 AM deleted[278]
normalizeUserMountpoint:791 volRoot failed for /Volumes/ESP
26/08/2016 9:35:36.990 AM deleted[278] _validateVolume:813
unable to normalize volume: "/Volumes/ESP", vol: (null)
26/08/2016 9:35:36.974 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:35:36.977 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:35:36.977 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:35:36.977 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:35:37.009 AM fmfed[279] Initialized sandbox
26/08/2016 9:35:37.000 AM kernel[0] Sandbox:
coreduetd(62) deny(1) file-read-metadata /usr/libexec
26/08/2016 9:35:37.085 AM apsd[68] Peer [pid=279]
requested push wake but lacks APSPushWakeEntitlement
26/08/2016 9:35:37.121 AM fmfed[279] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:35:37.174 AM MRT[274] Agent finished.
26/08/2016 9:35:37.174 AM MRT[274] Finished MRT run
26/08/2016 9:35:37.318 AM CalNCService[229] [Warning]
Cannot listen to battery level change notification.
26/08/2016 9:35:37.325 AM cloudpaired[268] DEBUG cloudpaired:
system supports Continuity
26/08/2016 9:35:37.427 AM askpermissiond[266]

```
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 9:35:37.433 AM      diagnostics_agent[272]
AutoSubmitPreference is 1
26/08/2016 9:35:37.438 AM      WiFiAgent[271] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC WiFiCloudSyncEngineCreate:
created...
26/08/2016 9:35:37.438 AM      WiFiAgent[271] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC
WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks
version - 0, bundle id - com.apple.wifi.WiFiAgent
26/08/2016 9:35:37.440 AM      WiFiAgent[271] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 9:35:37.443 AM      sandboxd[225] ([222])
CalendarAgent(222) allow mach-register
com.apple.CalendarStore.lock.init
26/08/2016 9:35:37.448 AM      cloudpaired[268] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:35:37.457 AM      secdd[233]
securityd_xpc_dictionary_handler No such file or directory[271] View
Error Domain=com.apple.security.sos.error Code=1032 "No Peer for
Account" UserInfo={NSDescription=No Peer for Account}
26/08/2016 9:35:37.459 AM      callservicesd[240] [Warning]
Services all disappeared, removing all dependent devices
26/08/2016 9:35:37.468 AM      CloudKeychainProxy[283] __45-
[UbiquitousKVSPProxy doEnsurePeerRegistration]_block_invoke <UB---e-
C---> ensurePeerRegistration called, success ((null))
26/08/2016 9:35:37.469 AM      secdd[233]
securityd_xpc_dictionary_handler IDSKeychainSyncci[282] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 9:35:37.470 AM      secdd[233]
securityd_xpc_dictionary_handler IDSKeychainSyncci[282] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 9:35:37.503 AM      sandboxd[225] ([158])
rpcsvchost(158) deny file-read-metadata /usr
26/08/2016 9:35:37.528 AM      Keychain Circle Notification[258]
    Posted at launch: (
)
26/08/2016 9:35:37.530 AM      Keychain Circle Notification[258]
    rawStatus -1, #applicants 0, #peers 0, err=Error
Domain=com.apple.security.sos.error Code=2 "Public Key not available
- failed to register before call" UserInfo={NSDescription=Public Key
not available - failed to register before call}
26/08/2016 9:35:37.531 AM      Keychain Circle Notification[258]
    {ChangeCallback}
26/08/2016 9:35:37.539 AM      diagnostics_agent[272]
AutoSubmitPreference is 1
26/08/2016 9:35:37.555 AM      sandboxd[225] ([152])
coreaudiod(152) deny file-read-metadata /usr
26/08/2016 9:35:37.609 AM      Keychain Circle Notification[258]
    {ChangeCallback} scheduleActivity 4001-01-01 00:00:00 +0000
26/08/2016 9:35:37.609 AM      Keychain Circle Notification[258]
```

```

    {ChangeCallback} Applicants
26/08/2016 9:35:37.609 AM      Keychain Circle Notification[258]
    Checking validity of 0 notes
26/08/2016 9:35:37.610 AM      Keychain Circle Notification[258]
    writeToStorage plist={
    absentCircleWithNoReason = 0;
    applicationDate = "0000-12-30 00:00:00 +0000";
    lastCircleStatus = "-1";
    lastWritten = "2016-08-26 01:35:37 +0000";
    pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
    pendingApplicationReminderInterval = 86400;
}
26/08/2016 9:35:37.617 AM      diagnostics_agent[272]
AutoSubmitPreference is 1
26/08/2016 9:35:37.631 AM      sandboxd[225]    ([76]) blued(76)
deny file-read-metadata /usr
26/08/2016 9:35:37.645 AM      pkd[219]        client 260 plug-in
com.apple.ncplugin.WorldClock election := (null)
26/08/2016 9:35:37.646 AM      pkd[219]        client 260 plug-in
com.apple.share.SocialWidget election := (null)
26/08/2016 9:35:37.646 AM      pkd[219]        client 260 plug-in
com.apple.ncplugin.FindMyFriends election := (null)
26/08/2016 9:35:37.647 AM      pkd[219]        client 260 plug-in
com.apple.ncplugin.calculator election := (null)
26/08/2016 9:35:37.686 AM      Spotlight[238]  applications query -
started
26/08/2016 9:35:37.000 AM      kernel[0]       Sandbox:
storeaccountd(249) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:35:37.000 AM      kernel[0]       Sandbox:
storeaccountd(249) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:35:37.747 AM      SubmitDiagInfo[285]  Couldn't
load config file from on-disk location. Falling back to default
location. Reason: Won't serialize in _readDictionaryFromJSONData due
to nil object
26/08/2016 9:35:37.790 AM      com.apple.geod[277]  2016-08-26
09:35:37.782, 277, c151f860, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 9:35:37.848 AM      Spotlight[238]  applications query -
finished in 0.16 seconds
26/08/2016 9:35:37.000 AM      kernel[0]       Sandbox:
SocialPushAgent(256) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 9:35:37.000 AM      kernel[0]       Sandbox:
SocialPushAgent(256) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 9:35:37.961 AM      sandboxd[225]  ([249])
storeaccountd(249) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:35:37.965 AM      sandboxd[225]  ([249])
storeaccountd(249) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight

```

26/08/2016 9:35:37.968 AM sandboxd[225] ([198])
netbiosd(198) deny file-read-metadata /usr
26/08/2016 9:35:37.995 AM sandboxd[225] ([62]) coreduetd(62)
deny file-read-metadata /usr/libexec
26/08/2016 9:35:38.452 AM com.apple.geod[277] 2016-08-26
09:35:38.452, 277, c151f860, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 9:35:38.452 AM com.apple.geod[277] 2016-08-26
09:35:38.452, 277, c151f860, [LogMessageLogging]: _serverLogAdaptors
is empty, adaptors not setup (geod restart), Send a message back to
the app, to setup adaptors and resend the logMessage
26/08/2016 9:35:38.478 AM cloudphotosd[223] Unable to
register with launch services, result = -10819
26/08/2016 9:35:38.552 AM cloudphotosd[223] +[CSLogger
preferencesChanged:] reconfiguring logging
26/08/2016 9:35:38.555 AM cloudphotosd[223] Determine
service transition start:
service=com.apple.photo.icloud.myphotostream personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:35:38.555 AM cloudphotosd[223] Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:35:38.555 AM cloudphotosd[223] Determine
service transition start:
service=com.apple.photo.icloud.sharedstreams personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:35:38.556 AM cloudphotosd[223] Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:35:38.631 AM cloudphotosd[223] Unable to
resolve library URL for key because of error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 9:35:38.631 AM cloudphotosd[223] No canonical
library is set, disabling service. error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 9:35:38.633 AM
com.apple.CloudPhotosConfiguration[288] Request
62F9FDAA-0988-4E3B-93D8-1EF8BBFC3402: New and old state identical
for service com.apple.photo.icloud.cloudphoto: 0, ignoring request
26/08/2016 9:35:38.635 AM cloudphotosd[223] Determine
service transition start: service=com.apple.photo.icloud.cloudphoto
personId=(null) lastKnownPersonId=(null) targetState=0
26/08/2016 9:35:38.635 AM cloudphotosd[223] Determine
service transition end: 2, currentState: 2, shouldEnableService: 0
26/08/2016 9:35:39.000 AM kernel[0] ignored
is_io_service_close(0x100000372, IOHIDParamUserClient)
26/08/2016 9:35:39.240 AM pkd[219] enabling pid=260 for

```
plug-in com.apple.iCal.CalendarNC(1.0) C70D6B7A-
D78A-49D8-9D9D-78ED6AAA94AC /Applications/Calendar.app/Contents/
PlugIns/com.apple.iCal.CalendarNC.appex
26/08/2016 9:35:39.385 AM      NotificationCenter[260] plugin
com.apple.iCal.CalendarNC invalidated
26/08/2016 9:35:39.385 AM      com.apple.iCal.CalendarNC[290] host
connection <NSXPCCConnection: 0x7ffdb2d19ea0> connection from pid 260
invalidated
26/08/2016 9:35:40.104 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:35:40.109 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:35:40.115 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:35:40.117 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:35:40.117 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:35:40.117 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:35:40.129 AM      com.apple.xpc.launchd[1]
(com.apple.bsd.dirhelper[295]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.bsd.dirhelper
26/08/2016 9:35:42.085 AM      com.apple.geod[277]      2016-08-26
09:35:42.085, 277, c163e5a0, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 9:35:42.085 AM      com.apple.geod[277]      2016-08-26
09:35:42.085, 277, c163e5a0, [LogMessageLogging]: _serverLogAdaptors
is empty, adaptors not setup (geod restart), Send a message back to
the app, to setup adaptors and resend the logMessage
26/08/2016 9:35:48.399 AM      cloudd[321]      Could not create
primary backing account
26/08/2016 9:35:50.557 AM      SubmitDiagInfo[285]      Error while
setting the 'os_version' of the external whitelist file
26/08/2016 9:35:50.700 AM      SubmitDiagInfo[285]      Main Config:
currentInvestigationID has changed to 96cfe438-d5bd-495d-
a258-2728d6c55549
26/08/2016 9:35:51.080 AM      com.apple.xpc.launchd[1]
(com.apple.quicklook[324]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook
26/08/2016 9:35:51.850 AM      QuickLookSatellite[325]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:35:51.850 AM      QuickLookSatellite[325] Invalid
Connection ID 0
26/08/2016 9:35:52.001 AM      QuickLookSatellite[325]
```

CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:35:52.001 AM QuickLookSatellite[325]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:35:52.001 AM QuickLookSatellite[325]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:35:52.002 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018f102b0>.
26/08/2016 9:35:52.004 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.019 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018c0e1b0>.
26/08/2016 9:35:52.019 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.024 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018d09ae0>.
26/08/2016 9:35:52.024 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.027 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018f102b0>.
26/08/2016 9:35:52.027 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.031 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018f10250>.
26/08/2016 9:35:52.031 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.058 AM iconservicesagent[241] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8018f10250>.
26/08/2016 9:35:52.059 AM quicklookd[324] Error returned from
iconservicesagent: (null)
26/08/2016 9:35:52.000 AM kernel[0] hfs: mounted
Recovery HD on device disk0s3
26/08/2016 9:35:52.680 AM mds[54] (Volume.Normal:2464) volume:
0x7fb361023e00 ***** Bootstrapped Creating a default store:0
SpotLoc:(null) SpotVerLoc:(null) occlude:0 /Volumes/Recovery HD
26/08/2016 9:35:52.699 AM mdworker[310]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 9:35:52.700 AM mdworker[311]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 9:35:52.700 AM mdworker[312]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 9:35:52.701 AM mdworker[313]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 9:35:52.701 AM mdworker[314]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 9:35:52.726 AM fsevents[39] Logging disabled
completely for device:1: /Volumes/Recovery HD
26/08/2016 9:35:52.000 AM kernel[0] hfs: unmount
initiated on Recovery HD on device disk0s3

```
26/08/2016 9:35:52.970 AM      deleted[278]
normalizeUserMountpoint:791 volRoot failed for /Volumes/Recovery HD
26/08/2016 9:35:52.970 AM      deleted[278]      _validateVolume:813
unable to normalize volume: "/Volumes/Recovery HD", vol: (null)
26/08/2016 9:35:53.202 AM      com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.00000000-0000-0000-0000-000000000000)
Service only ran for 7 seconds. Pushing respawn out by 3 seconds.
26/08/2016 9:35:53.789 AM      launchd[1]      BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:36:04.000 AM      kernel[0]      Sandbox:
systemsoundserve(189) deny(1) file-read-data /private/var/root/
Library/Preferences/.GlobalPreferences.plist
26/08/2016 9:36:04.105 AM      login[342]      USER_PROCESS: 342
ttys000
26/08/2016 9:36:04.171 AM      login[342]      DEAD_PROCESS: 342
ttys000
26/08/2016 9:36:04.467 AM      lsd[210]      LaunchServices:
Currently 0 installed placeholders: (
)
26/08/2016 9:36:04.853 AM      com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.02000000-0000-0000-0000-000000000000)
Service only ran for 2 seconds. Pushing respawn out by 8 seconds.
26/08/2016 9:36:04.868 AM      cloudd[321]      Could not create
primary backing account
26/08/2016 9:36:07.029 AM      SpotlightNetHelper[244]
tcp_connection_destination_handle_tls_close_notify 8 closing socket
due to TLS CLOSE_NOTIFY alert
26/08/2016 9:36:07.029 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 8
__tcp_connection_tls_session_callback_write_block_invoke.434 error
32
26/08/2016 9:36:36.798 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 9
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.799 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 6
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.799 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 15
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.799 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 13
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.799 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 11
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.800 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 12
__tcp_connection_tls_session_callback_write_block_invoke.434 error
```

```
22
26/08/2016 9:36:36.800 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 14
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.800 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 7
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.800 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 16
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:36.801 AM      SpotlightNetHelper[244]
tcp_connection_tls_session_error_callback_imp 10
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:36:52.000 AM      kernel[0]
considerRebuildOfPrelinkedKernel com.insanelymac.IntelMausiEthernet
triggered rebuild
26/08/2016 9:36:58.726 AM      SecurityAgent[397]
activateIgnoringOtherApps:1
26/08/2016 9:36:58.727 AM      SecurityAgent[397]
makeKeyAndOrderFront
26/08/2016 9:36:58.748 AM      SecurityAgent[397]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:37:05.072 AM      authexec[400]   executing /System/
Library/ScriptingAdditions/StandardAdditions.osax/Contents/MacOS/uid
26/08/2016 9:37:06.029 AM      fseventsd[39]   could not open <</
Volumes/EFI/.fseventsd/fseventsd-uuid>> (No such file or directory)
26/08/2016 9:37:06.029 AM      fseventsd[39]   Failed to load UUID.
Removing all old log files in /Volumes/EFI/.fseventsd
26/08/2016 9:37:06.029 AM      fseventsd[39]   log dir: /Volumes/
EFI/.fseventsd getting new uuid:
4CEDFEF9-5C52-4BA6-9857-8DDFFCC6D066
26/08/2016 9:37:17.357 AM      login[411]      USER_PROCESS: 411
ttys000
26/08/2016 9:37:17.496 AM      login[411]      DEAD_PROCESS: 411
ttys000
26/08/2016 9:37:23.444 AM      login[436]      USER_PROCESS: 436
ttys000
26/08/2016 9:37:26.584 AM      com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.03000000-0000-0000-0000-000000000000)
Service only ran for 6 seconds. Pushing respawn out by 4 seconds.
26/08/2016 9:37:31.360 AM      sudo[459]       monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/usr/libexec/
PlistBuddy -c Print ':CFBundleShortVersionString' /System/Library/
Extensions/AppleHDA.kext/Contents/Info.plist
26/08/2016 9:37:31.392 AM      sudo[474]       monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/bin/rm -R /
tmp/HDEF.txt
26/08/2016 9:37:31.407 AM      login[436]      DEAD_PROCESS: 436
ttys000
26/08/2016 9:37:52.495 AM      login[486]      USER_PROCESS: 486
```

```
ttys000
26/08/2016 9:37:52.546 AM      login[486]      DEAD_PROCESS: 486
ttys000
26/08/2016 9:38:02.967 AM      lsd[210]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:38:03.011 AM      lsd[210]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:38:03.056 AM      com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent[514]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.ipc
26/08/2016 9:38:03.056 AM      com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent[514]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.notification
26/08/2016 9:38:03.065 AM      lsd[210]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:38:03.089 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 2
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:03.121 AM      PubSubAgent[514]      SQL Error:
SQLITE_CANTOPEN[14.0]: Database file not found
26/08/2016 9:38:03.411 AM      com.apple.WebKit.WebContent[511]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:38:03.432 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 3
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:04.490 AM      sandboxd[225]      ([249])
storeaccountd(249) deny file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 9:38:05.637 AM      Safari[509]
CVCGDisplayLink::setCurrentDisplay didn't find a valid display -
falling back to 60Hz
26/08/2016 9:38:05.735 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 10
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:05.736 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 11
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:05.736 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 9
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:05.736 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 4
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
```

```
26/08/2016 9:38:05.827 AM      sandboxd[225]   ([249])
storeaccountd(249) deny file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 9:38:07.090 AM      com.apple.SecurityServer[71]
Session 100017 created
26/08/2016 9:38:12.747 AM      WindowServer[134]   Set a
breakpoint at CGSLogError to catch errors as they are logged.
26/08/2016 9:38:12.747 AM      WindowServer[134]
_CGXRRemoveWindowFromWindowMovementGroup: window 0x38 is not attached
to window 0x39
26/08/2016 9:38:12.866 AM      Safari[509]
tcp_connection_tls_session_error_callback_imp 19
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:38:14.047 AM      Safari[509]   CoreAnimation:
failed to create OpenGL context
26/08/2016 9:38:14.467 AM      com.apple.WebKit.WebContent[526]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:38:21.258 AM      com.apple.WebKit.WebContent[526]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:38:21.328 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.328 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.330 AM      com.apple.WebKit.WebContent[526]
[09:38:21.330] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
[09:38:21.373] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.373 AM      com.apple.WebKit.WebContent[526]
<<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
```

```
codec 1
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.374] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.374] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.374 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:21.559 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.566] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.566] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
```

```
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.566] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.566] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.566 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.573] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
    [09:38:21.573] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
```

```
<<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  [09:38:21.573] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  [09:38:21.573] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:38:21.573 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:38:52.988 AM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[534]) Service exited due
to signal: Killed: 9
26/08/2016 9:38:59.151 AM      firmwaresyncd[57]      /sbin/mount
exited with 71
26/08/2016 9:38:59.151 AM      firmwaresyncd[57]      Command /
sbin/mount output: mount_msdos: /dev/disk0s1: Resource busy
26/08/2016 9:38:59.499 AM      com.apple.WebKit.WebContent[526]
  CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:38:59.900 AM      com.apple.WebKit.WebContent[526]
  CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:01.104 AM      com.apple.WebKit.WebContent[526]
  CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
  <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
  [09:39:01.108] mv_LowLevelCheckIfVideoPlayableUsingDecoder
```

```
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    [09:39:01.108] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    [09:39:01.108] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    [09:39:01.108] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:39:01.108 AM      com.apple.WebKit.WebContent[526]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:39:02.536 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:06.863 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
```

```
26/08/2016 9:39:26.787 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:28.396 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:48.411 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:51.465 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:39:51.955 AM      com.apple.WebKit.WebContent[526]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:40:47.205 AM      SecurityAgent[543]
activateIgnoringOtherApps:1
26/08/2016 9:40:47.206 AM      SecurityAgent[543]
makeKeyAndOrderFront
26/08/2016 9:40:47.229 AM      SecurityAgent[543]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:40:53.710 AM      authexec[545]   executing /bin/rm
26/08/2016 9:40:53.766 AM      com.apple.xpc.launchd[1]
(com.tonymacx86.InstallHelper) This key does not do anything:
OnDemand
26/08/2016 9:40:55.238 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:40:55.238 AM      UserEventAgent[36]      Failed to
send message because the port couldn't be created.
26/08/2016 9:40:58.472 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:40:58.473 AM      UserEventAgent[36]      Failed to
send message because the port couldn't be created.
26/08/2016 9:41:00.254 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:41:00.254 AM      UserEventAgent[36]      Failed to
send message because the port couldn't be created.
26/08/2016 9:41:00.942 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:41:00.942 AM      UserEventAgent[36]      Failed to
send message because the port couldn't be created.
26/08/2016 9:41:01.656 AM      UserEventAgent[36]      Failed to
send message because the port couldn't be created.
26/08/2016 9:41:01.656 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:41:05.652 AM      com.apple.kextcache[1067]      /
locked; waiting for lock.
26/08/2016 9:41:18.066 AM      com.apple.kextcache[1067]      Lock
acquired; proceeding.
26/08/2016 9:41:18.068 AM      com.apple.kextcache[1067]      /:
no supported helper partitions to update.
26/08/2016 9:41:18.683 AM      UserEventAgent[205]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:41:18.683 AM      UserEventAgent[36]      Failed to
```

```
send message because the port couldn't be created.
26/08/2016 9:41:47.346 AM      com.apple.xpc.launchd[1]
(com.apple.Terminal.16992[341]) Service exited due to signal:
Killed: 9
26/08/2016 9:41:52.389 AM      lsd[210]          LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:41:52.391 AM      lsd[210]          LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:41:54.011 AM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.12E8C445-B5DE-4549-
BD2D-9B517DEA6223[512]) Service exited with abnormal code: 1
26/08/2016 9:41:54.013 AM      com.apple.xpc.launchd[1]
(com.apple.Safari.10592[509]) Service exited due to signal: Killed:
9
26/08/2016 9:41:54.232 AM      WindowServer[134]
CGXGetConnectionProperty: Invalid connection 28939
26/08/2016 9:41:54.236 AM      loginwindow[84] Login Window point
of no return
26/08/2016 9:41:54.242 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent[267]) Service exited due to signal:
Killed: 9
26/08/2016 9:41:54.241 AM      SystemUIServer[213] Spotlight:
Service connection interrupted!
26/08/2016 9:41:54.245 AM      com.apple.xpc.launchd[1]
(com.apple.lateragent[372]) Service exited due to signal: Killed: 9
26/08/2016 9:41:54.246 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent[510]) Service exited due to signal:
Killed: 9
26/08/2016 9:41:54.249 AM      AirPlayXPCHelper[89] 2016-08-26
09:41:54.249480 AM [APBrowser] IPv4 listener stopped.
26/08/2016 9:41:54.252 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.252 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.253 AM      loginwindow[84] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x8008}
26/08/2016 9:41:54.253 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.253 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.253 AM      loginwindow[84] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x10010}
```

```
26/08/2016 9:41:54.254 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.254 AM      appleeventsd[43]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:41:54.256 AM      com.apple.xpc.launchd[1]
(com.apple.cloudphotosd[223]) Service exited due to signal: Killed:
9
26/08/2016 9:41:54.257 AM      com.apple.xpc.launchd[1]
(com.apple.ViewBridgeAuxiliary[535]) Service exited due to signal:
Killed: 9
26/08/2016 9:41:54.257 AM      com.apple.xpc.launchd[1]
(com.apple.FolderActionsDispatcher[253]) Service exited due to
signal: Killed: 9
26/08/2016 9:41:54.306 AM      sessionlogoutd[1087]
sessionlogoutd Launched
26/08/2016 9:41:54.312 AM      sessionlogoutd[1087]
DEAD_PROCESS: 84 console
26/08/2016 9:41:54.346 AM      shutdown[1088]  reboot by monster:
26/08/2016 9:41:54.000 AM      kernel[0]      Kext loading now
disabled.
26/08/2016 9:41:54.000 AM      kernel[0]      Kext unloading now
disabled.
26/08/2016 9:41:54.000 AM      kernel[0]      Kext autounloading
now disabled.
26/08/2016 9:41:54.000 AM      kernel[0]      Kernel requests now
disabled.
26/08/2016 9:41:54.346 AM      shutdown[1088] SHUTDOWN_TIME:
1472175714 345947
26/08/2016 9:41:54.000 AM      kernel[0]      Process launchd [1]
disabling system-wide I/O Throttling
26/08/2016 9:41:54.000 AM      kernel[0]      Process launchd [1]
disabling system-wide CPU Throttling
26/08/2016 9:42:23.000 AM      bootlog[0]     BOOT_TIME 1472175743
0
26/08/2016 9:42:27.000 AM      syslogd[37]    Configuration
Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]    Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]    Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]    Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
asl" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
```

specified in ASL Module "com.apple.authd".
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.authkit.osx.asl".
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.awdd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.clouddd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.clouddocs" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.commerce.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" sharing output destination "
var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any
specified in ASL Module "com.apple.corecdp.osx.asl".

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.CoreDuetAdmissionControl" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corespotlight" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.eventmonitor" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.family.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.ical" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.icloud.FindMyDevice" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.install" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.iokit.power" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mail" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.MessageTracer" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp/FindMyFriendsApp.asl" with ASL Module "com.apple.mobileme.fmf1". Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 9:42:27.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output


```

ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:42:27.000 AM      kernel[0]        Longterm timer
threshold: 1000 ms
26/08/2016 9:42:27.000 AM      kernel[0]        PMAP: PCID enabled
26/08/2016 9:42:27.000 AM      kernel[0]        PMAP: Supervisor
Mode Execute Protection enabled
26/08/2016 9:42:27.000 AM      kernel[0]        PMAP: Supervisor
Mode Access Protection enabled
26/08/2016 9:42:27.000 AM      kernel[0]        Darwin Kernel
Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/
RELEASE_X86_64
26/08/2016 9:42:27.000 AM      kernel[0]        vm_page_bootstrap:
1888701 free pages and 192067 wired pages
26/08/2016 9:42:27.000 AM      kernel[0]        kext submap [0x<ptr>
- 0x<ptr>], kernel text [0x<ptr> - 0x<ptr>]
26/08/2016 9:42:27.000 AM      kernel[0]        zone leak detection
enabled
26/08/2016 9:42:27.000 AM      kernel[0]        "vm_compressor_mode"
is 4
26/08/2016 9:42:27.000 AM      kernel[0]        multiq scheduler
config: deep-drain 0, ceiling 47, depth limit 4, band limit 127,
sanity check 0
26/08/2016 9:42:27.000 AM      kernel[0]        standard timeslicing
quantum is 10000 us

```

```

26/08/2016 9:42:27.000 AM      kernel[0]      standard background
quantum is 2500 us
26/08/2016 9:42:27.000 AM      kernel[0]      WQ[lt_init]: init
linktable with max:262144 elements (8388608 bytes)
26/08/2016 9:42:27.000 AM      kernel[0]      WQ[wqp_init]: init
prepost table with max:262144 elements (8388608 bytes)
26/08/2016 9:42:27.000 AM      kernel[0]      mig_table_max_displ
= 16
26/08/2016 9:42:27.000 AM      kernel[0]      TSC Deadline Timer
supported and enabled
26/08/2016 9:42:27.000 AM      kernel[0]      kdp_core zlib memory
0x7000
26/08/2016 9:42:27.000 AM      kernel[0]      FakeSMCKeystore:
started
26/08/2016 9:42:27.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=1 LocalApicId=0 Enabled
26/08/2016 9:42:27.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=2 LocalApicId=2 Enabled
26/08/2016 9:42:27.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=3 LocalApicId=4 Enabled
26/08/2016 9:42:27.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=4 LocalApicId=6 Enabled
26/08/2016 9:42:27.000 AM      kernel[0]      calling
mpo_policy_init for TMSafetyNet
26/08/2016 9:42:27.000 AM      kernel[0]      Security policy
loaded: Safety net for Time Machine (TMSafetyNet)
26/08/2016 9:42:27.000 AM      kernel[0]      calling
mpo_policy_init for AMFI
26/08/2016 9:42:27.000 AM      kernel[0]      Security policy
loaded: Apple Mobile File Integrity (AMFI)
26/08/2016 9:42:27.000 AM      kernel[0]      calling
mpo_policy_init for Sandbox
26/08/2016 9:42:27.000 AM      kernel[0]      Security policy
loaded: Seatbelt sandbox policy (Sandbox)
26/08/2016 9:42:27.000 AM      kernel[0]      calling
mpo_policy_init for Quarantine
26/08/2016 9:42:27.000 AM      kernel[0]      Security policy
loaded: Quarantine policy (Quarantine)
26/08/2016 9:42:27.000 AM      kernel[0]      Copyright (c) 1982,
1986, 1989, 1991, 1993
26/08/2016 9:42:27.000 AM      kernel[0]      The Regents of the
University of California. All rights reserved.
26/08/2016 9:42:27.000 AM      kernel[0]      MAC Framework
successfully initialized
26/08/2016 9:42:27.000 AM      kernel[0]      using 16384 buffer
headers and 10240 cluster IO buffer headers
26/08/2016 9:42:27.000 AM      kernel[0]
AppleCredentialManager::start called
26/08/2016 9:42:27.127 AM      com.apple.xpc.launchd[1]
(com.apple.alf) The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.
26/08/2016 9:42:27.127 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayXPCHelper) This service is defined to be
constantly running and is inherently inefficient.

```

```

26/08/2016 9:42:27.128 AM      com.apple.xpc.launchd[1]
(com.apple.airplaydiagnostics.server) Unrecognized MachService
property: ResetAtClose
26/08/2016 9:42:27.208 AM      watchdogd[54]      [watchdog_daemon]
@(      wd_watchdog_open) - IOIteratorNext failed (kr=0)
26/08/2016 9:42:27.000 AM      kernel[0]      AssertMacros:
tmpData (value: 0x0), file: /BuildRoot/Library/Caches/
com.apple.xbs/Sources/AppleCredentialManager/
AppleCredentialManager-83.40.3/AppleCredentialManager/
AppleCredentialManager.cpp, line: 785
26/08/2016 9:42:27.208 AM      hidd[90]      void
__IOHIDPlugInLoadBundles(): Loaded 0 HID plugins
26/08/2016 9:42:27.208 AM      watchdogd[54]      [watchdog_daemon]
@(      wd_daemon_init) - could not open connection with the kernel
watchdog
26/08/2016 9:42:27.000 AM      kernel[0]      AppleKeyStore
starting (BUILT: Jun 23 2016 18:53:27)
26/08/2016 9:42:27.000 AM      kernel[0]      IOAPIC: Version 0x20
Vectors 64:111
26/08/2016 9:42:27.000 AM      kernel[0]      ACPI: sleep states
S3 S4 S5
26/08/2016 9:42:27.000 AM      kernel[0]      pci (build 18:43:02
Jun 23 2016), flags 0xe3000, pfm64 (39 cpu) 0x7f80000000, 0x80000000
26/08/2016 9:42:27.000 AM      kernel[0]      [ PCI configuration
begin ]
26/08/2016 9:42:27.000 AM      kernel[0]      FakeSMC v6.18-313-
g671f31c.1707 Copyright 2015 netkas, slice, usr-sse2, kozlek, navi,
The KiNG, RehabMan. All rights reserved.
26/08/2016 9:42:27.000 AM      kernel[0]      FakeSMC: 14
preconfigured keys added
26/08/2016 9:42:27.000 AM      kernel[0]      FakeSMC: 5 keys
exported by Clover EFI
26/08/2016 9:42:27.000 AM      kernel[0]      SMC: successfully
initialized
26/08/2016 9:42:27.000 AM      kernel[0]      console relocated to
0x7f80000000
26/08/2016 9:42:27.000 AM      kernel[0]      [ PCI configuration
end, bridges 5, devices 12 ]
26/08/2016 9:42:27.000 AM      kernel[0]      000000.769599
AppleUSBLegacyRoot@: AppleUSBLegacyRoot::init: enabling legacy
matching
26/08/2016 9:42:27.000 AM      kernel[0]      mcache: 4 CPU(s), 64
bytes CPU cache line size
26/08/2016 9:42:27.000 AM      kernel[0]      mbinit: done [96 MB
total pool size, (64/32) split]
26/08/2016 9:42:27.000 AM      kernel[0]      rooting via boot-
uuid from /chosen: 11BDF442-97A0-340D-B776-569D22E0478F
26/08/2016 9:42:27.000 AM      kernel[0]      Waiting on <dict
ID="0"><key>IOProviderClass</key><string ID="1">IOResources</
string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</
string></dict>
26/08/2016 9:42:27.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeZlib kmod start
26/08/2016 9:42:27.000 AM      kernel[0]

```

```
com.apple.AppleFSCompressionTypeDataless kmod start
26/08/2016 9:42:27.000 AM kernel[0]
com.apple.AppleFSCompressionTypeZlib load succeeded
26/08/2016 9:42:27.000 AM kernel[0]
com.apple.AppleFSCompressionTypeDataless load succeeded
26/08/2016 9:42:27.000 AM kernel[0] Ethernet
[IntelMausi]: TCP/IPv4 segmentation offload enabled.
26/08/2016 9:42:27.000 AM kernel[0] Ethernet
[IntelMausi]: TCP/IPv6 segmentation offload enabled.
26/08/2016 9:42:27.000 AM kernel[0] Ethernet
[IntelMausi]: TCP/IPv6 checksum offload enabled.
26/08/2016 9:42:27.000 AM kernel[0] Ethernet
[IntelMausi]: Version 2.1.0d0 using max interrupt rate 7000.
26/08/2016 9:42:27.000 AM kernel[0] Ethernet
[IntelMausi]: I219V2 (Rev. 49), d0:17:c2:86:10:ef
26/08/2016 9:42:27.000 AM kernel[0] Got boot device =
IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SAT0@17/
AppleIntelPchSeriesAHCI/PRT4@4/IOAHCIDevice@0/AppleAHCIDiskDriver/
IOAHCIBlockStorageDevice/IOBlockStorageDriver/Samsung SSD 850 EVO
250GB Media/IOGUIDPartitionScheme/OSX@2
26/08/2016 9:42:27.000 AM kernel[0] BSD root: disk0s2,
major 1, minor 2
26/08/2016 9:42:27.000 AM kernel[0] hfs: mounted OSX on
device root_device
26/08/2016 9:42:27.000 AM kernel[0] XCPM: registered
26/08/2016 9:42:27.000 AM kernel[0] VM Swap Subsystem is
ON
26/08/2016 9:42:27.000 AM kernel[0] hfs: Removed 0
orphaned / unlinked files and 3 directories
26/08/2016 9:42:27.208 AM watchdogd[54] [watchdog_daemon]
@ ( main) - cannot initialize the watchdog service
26/08/2016 9:42:27.215 AM hidd[90]
___IOHIDSessionScheduleAsync_block_invoke: thread_id=0x700000081000
26/08/2016 9:42:27.215 AM hidd[90] HID Session async
scheduling initiated.
26/08/2016 9:42:27.215 AM hidd[90] HID Session async
root queue running at priority 63 and schedule 2.
26/08/2016 9:42:27.128 AM com.apple.xpc.launchd[1]
(com.apple.auditd) The Timeout key is no longer respected. It never
did anything anyway.
26/08/2016 9:42:27.255 AM hidd[90] HID Session async
scheduling complete.
26/08/2016 9:42:27.255 AM hidd[90] Successfully opened
the IOHIDSession
26/08/2016 9:42:27.128 AM com.apple.xpc.launchd[1]
(com.apple.autofs) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:42:27.130 AM com.apple.xpc.launchd[1]
(com.apple.backupd-status) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:27.130 AM com.apple.xpc.launchd[1]
(com.apple.backupd.status.xpc) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:27.130 AM com.apple.xpc.launchd[1]
```

(com.apple.cmio.AVCAssistant) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:42:27.241 AM com.apple.SecurityServer[73]
Session 100000 created
26/08/2016 9:42:27.131 AM com.apple.xpc.launchd[1]
(com.apple.cmio.IIDCVideoAssistant) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:42:27.131 AM com.apple.xpc.launchd[1]
(com.apple.cmio.VDCAssistant) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:42:27.131 AM com.apple.xpc.launchd[1]
(com.apple.colorsyncd) Unknown key for string: RunLoopType
26/08/2016 9:42:27.131 AM com.apple.xpc.launchd[1]
(com.apple.configd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:42:27.000 AM syslogd[37] ASL Sender
Statistics
26/08/2016 9:42:27.131 AM com.apple.xpc.launchd[1]
(com.apple.CommCenterRootHelper) ThrottleInterval set to zero. You're not that important. Ignoring.
26/08/2016 9:42:27.258 AM powerd[47] Registering for UPS devices
26/08/2016 9:42:27.261 AM powerd[47] UPSDeviceAdded.
_alreadyRunningIOUPSD:0
26/08/2016 9:42:27.335 AM iconservicesagent[61]
iconservicesagent launched.
26/08/2016 9:42:27.000 AM kernel[0] Waiting for DSMOS...
26/08/2016 9:42:27.475 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:27.487 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand
26/08/2016 9:42:27.488 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand
26/08/2016 9:42:27.490 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:27.490 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 9:42:27.886 AM com.apple.xpc.launchd[1]
(com.apple.CoreRAID[42]) Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.CoreRAID
26/08/2016 9:42:28.075 AM com.apple.SecurityServer[73]
Entering service
26/08/2016 9:42:28.083 AM apsd[70]
CGSLookupServerRootPort: Failed to look up the port for "com.apple.windowserver.active" (1102)
26/08/2016 9:42:28.000 AM kernel[0] IOGraphics flags
0x43
26/08/2016 9:42:28.000 AM kernel[0] [IOBluetoothFamily]

```
[start] -- completed
26/08/2016 9:42:28.000 AM      kernel[0]      ****
[IOBluetoothHostControllerUSBTransport][start] -- completed --
result = TRUE -- 0xe000 ****
26/08/2016 9:42:28.000 AM      kernel[0]      [IOBluetoothFamily]
[staticBluetoothTransportShowsUp] -- Received Bluetooth Controller
register service notification -- 0xe000
26/08/2016 9:42:28.000 AM      kernel[0]
[IOBluetoothHostController][start] -- completed
26/08/2016 9:42:28.000 AM      kernel[0]      Previous shutdown
cause: 5
26/08/2016 9:42:28.000 AM      kernel[0]      DSMOS has arrived
26/08/2016 9:42:28.132 AM      blued[78]     Delete logs
26/08/2016 9:42:28.000 AM      kernel[0]
[IOBluetoothHostController::setConfigState] calling registerService
26/08/2016 9:42:28.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
calling IOBluetoothFamily's registerService() -- 0x2fd0 -- 0x0200 --
0xe000 ****
26/08/2016 9:42:28.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
Connected to the transport successfully -- 0x2fd0 -- 0x0200 --
0xe000 ****
26/08/2016 9:42:28.158 AM      mDNSResponder[83]
mDNSResponder mDNSResponder-625.60.2 (Jun  1 2016 21:57:20) starting
OSXVers 15
26/08/2016 9:42:28.159 AM      blued[78]     INIT -- Host
controller is published
26/08/2016 9:42:28.162 AM      com.apple.usbmuxd[72]  log filter
changed from 4 to 6
26/08/2016 9:42:28.162 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:42:28.162 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:42:28.163 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:42:28.163 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:42:28.163 AM      loginwindow[86] Login Window
Application Started
26/08/2016 9:42:28.178 AM      configd[46]   preference: no
sharing preferences
26/08/2016 9:42:28.204 AM      UserEventAgent[38]   Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:42:28.211 AM      secinitd[136]  UID[0]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 9:42:28.212 AM      secinitd[136]  ctkd[132]: unable to
get root path for bundle of main executable: /System/Library/
Frameworks/CryptoTokenKit.framework/ctkd
26/08/2016 9:42:28.230 AM      com.apple.usbmuxd[72]  usbmuxd-364
on Mar  2 2016 at 15:12:39, running 64 bit
26/08/2016 9:42:28.248 AM      blued[78]     hciControllerOnline;
HID devices? 0
```

```
26/08/2016 9:42:28.294 AM      iconservicesagent[61]  Starting
service with cache path: /var/folders/zz/
zyxvpxvq6csfxvn_n0000000000000/C/com.apple.iconservices
26/08/2016 9:42:28.296 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:42:28.305 AM      systemkeychain[133]   done file: /
var/run/systemkeychaincheck.done
26/08/2016 9:42:28.335 AM      mDNSResponder[83]     D2D_IPC:
Loaded
26/08/2016 9:42:28.335 AM      mDNSResponder[83]
D2DInitialize succeeded
26/08/2016 9:42:28.358 AM      iconservicesd[60]
iconservicesd launched.
26/08/2016 9:42:28.359 AM      iconservicesd[60]     Cache
path: /Library/Caches/com.apple.iconservices.store
26/08/2016 9:42:28.401 AM      networkd[152]         main
networkd-583.50.1 pid 152
26/08/2016 9:42:28.407 AM      networkd[152]         -[NETPowerManager
setupPowerPolicyTable] created power policy table from defaults with
5 timeslots
26/08/2016 9:42:28.412 AM      networkd[152]         -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:42:28.414 AM      networkd[152]
nw_nat64_post_new_ifstate successfully changed NAT64 ifstate from
0x0 to 0x8000000000000000
26/08/2016 9:42:28.422 AM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:42:28.423 AM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:42:28.435 AM      mds[56] (ImportServer.Normal:1808)
UseBulkImporter 0 ForceBulkImporter 0
26/08/2016 9:42:28.483 AM      configd[46]           setting hostname to
"Ms-iMac.local"
26/08/2016 9:42:28.484 AM      configd[46]           network changed:
DNS*
26/08/2016 9:42:28.646 AM      WindowServer[134]     Server is
starting up
26/08/2016 9:42:28.000 AM      kernel[0]             in6_unlink_ifa: IPv6
address 0xfe522f30fabd3c1d has no prefix
26/08/2016 9:42:28.672 AM      networkd[152]         -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:42:28.675 AM      apsd[70]              Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 9:42:28.676 AM      apsd[70]              Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:42:28.676 AM      apsd[70]              Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
```

26/08/2016 9:42:28.676 AM apsd[70]
<APSCConnectionServer: 0x7f810af31ec0> Invalid mach port - Cleaning
up this named port's topics. com.apple.askpermission.aps
26/08/2016 9:42:28.700 AM mds[56] (FMW.Normal:1428) FMW 0 0
26/08/2016 9:42:28.802 AM AirPlayXPCHelper[91] 2016-08-26
09:42:28.800898 AM [AirPlayEndpointManagerMeta]
metaManager_createAirPlayEndpointManager Using NAPS Endpoint Manager
26/08/2016 9:42:28.803 AM AirPlayXPCHelper[91] 2016-08-26
09:42:28.802663 AM [WiFiManagerCore] ### Get interfaces failed:
-3903/0xFFFFF0C1 kA11NotSupportedErr
26/08/2016 9:42:28.803 AM AirPlayXPCHelper[91] 2016-08-26
09:42:28.802942 AM [APTransportTrafficRegistrar]
APTransportTrafficRegistrar: Deregister AirPlay traffic for AWDL at
MAC 00:00:00:00:00:00 with target infra non critical
PeerIndication=0 err=-3903
26/08/2016 9:42:28.803 AM AirPlayXPCHelper[91] 2016-08-26
09:42:28.803161 AM [AirPlay]
trafficRegistrar_resetRegistrationInternal signalled
-3903/0xFFFFF0C1 kA11NotSupportedErr: APTransportTrafficRegistrar:
reset registration failed
26/08/2016 9:42:28.832 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:42:28.839 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:42:28.840 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:28.841 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:42:28.841 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:42:28.872 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.AirPlayXPCHelper.
26/08/2016 9:42:28.872 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointmanager.xpc.
26/08/2016 9:42:28.872 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.coremedia.endpoint.xpc.
26/08/2016 9:42:28.872 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointstream.xpc.
26/08/2016 9:42:28.874 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:42:28.891 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires

```
extending the sandbox for the IOKit user-client class
RootDomainUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDLibUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothL2CAPChannelUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothHCIUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothDeviceUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDResourceDeviceUserClient.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named com.apple.blued.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.bluetoothaudiod.
26/08/2016 9:42:28.891 AM      com.apple.audio.DriverHelper[158]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.BluetoothDOServer.
26/08/2016 9:42:28.893 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 9:42:28.912 AM      locationd[75]  Logging binary
sensor data to /var/folders/zz/zyxvpxvq6csfxvn_n00000sm00006d/C/
locationdSensors.bin
26/08/2016 9:42:28.928 AM      UserEventAgent[38]      Received
XPC_ERROR_CONNECTION_INVALID for connection com.apple.backupd.xpc
26/08/2016 9:42:28.931 AM      UserEventAgent[38]      Failed to
send message because the port couldn't be created.
26/08/2016 9:42:28.934 AM      digest-service[128]     label:
default
26/08/2016 9:42:28.934 AM      digest-service[128]
dbname: od:/Local/Default
26/08/2016 9:42:28.934 AM      digest-service[128]
mkey_file: /var/db/krb5kdc/m-key
26/08/2016 9:42:28.934 AM      digest-service[128]
acl_file: /var/db/krb5kdc/kadmind.acl
26/08/2016 9:42:28.939 AM      digest-service[128]     digest-
request: uid=0
```

26/08/2016 9:42:28.955 AM locationd[75] Location icon should now be in state 'Inactive'

26/08/2016 9:42:28.968 AM com.apple.xpc.launchd[1] (com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:42:28.976 AM com.apple.xpc.launchd[1] (com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand

26/08/2016 9:42:28.977 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:42:28.977 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:42:28.977 AM com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand

26/08/2016 9:42:29.012 AM UserEventAgent[38] assertion failed: 15G31: com.apple.telemetry + 19557 [63FA30F5-D35A-3A8D-95C4-EB83EC961467]: 0x0

26/08/2016 9:42:29.015 AM UserEventAgent[38] nsurlsessiond_events plugin: adding token 1 for client softwareupdate_download_service

26/08/2016 9:42:29.028 AM nehelper[163] objc[163]: Class NEHelperSystemProviderManager is implemented in both /System/Library/Frameworks/NetworkExtension.framework/Versions/A/NetworkExtension and /usr/libexec/nehelper. One of the two will be used. Which one is undefined.

26/08/2016 9:42:29.073 AM digest-service[128] digest-request: netr probe 0

26/08/2016 9:42:29.074 AM digest-service[128] digest-request: init request

26/08/2016 9:42:29.079 AM digest-service[128] digest-request: init return domain: BUILTIN server: MS-IMAC indomain was: <NULL>

26/08/2016 9:42:29.174 AM diskmanagementstartup[52] started Windows Installer Partition removal

26/08/2016 9:42:29.175 AM diskmanagementstartup[52] Windows Installer Partition removal: No trigger, so doing nothing

26/08/2016 9:42:29.175 AM diskmanagementstartup[52] finished Windows Installer Partition removal; error = 0

26/08/2016 9:42:29.179 AM com.apple.CDScheduler[38] Initial power state set to AC Power

26/08/2016 9:42:30.000 AM kernel[0] Ethernet [IntelMausi]: Link up on en0, 100-Megabit, Full-duplex, Rx/Tx flow-control

26/08/2016 9:42:30.209 AM mDNSResponder[83] mDNS_RegisterInterface: Frequent transitions for interface en0 (FE80:0000:0000:0000:D217:C2FF:FE86:10EF)

26/08/2016 9:42:30.280 AM networkd[152] - [NETInterfaceManager updateInterfaces] nwi_state_copy() returned NULL

26/08/2016 9:42:31.179 AM configd[46] network changed: v4(en0+:192.168.1.113) DNS+ Proxy+ SMB

```

26/08/2016 9:42:31.185 AM      networkd[152]  BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:42:31.255 AM      configd[46]   BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:42:31.271 AM      configd[46]   setting hostname to
"Ms-iMac"
26/08/2016 9:42:32.299 AM      sntp[177]     time set -0.443028 s
26/08/2016 9:42:32.321 AM      ntpd[164]     peer
time.asia.apple.com @ 17.253.68.253
26/08/2016 9:42:33.000 AM      kernel[0]
ACPI_SMC_PlatformPlugin::start -
waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed
out
26/08/2016 9:42:33.000 AM      kernel[0]     WARNING:
IOPlatformPluginUtil : getCPUIDInfo: this is an unknown CPU model
0x5e
26/08/2016 9:42:33.000 AM      kernel[0]     -- power management
may be incomplete or unsupported
26/08/2016 9:42:33.000 AM      kernel[0]
AppleIntelPCHPMC::publishedIOPPF - return false
26/08/2016 9:42:33.735 AM      WindowServer[134]  Session 257
retained (2 references)
26/08/2016 9:42:33.736 AM      WindowServer[134]  Session 257
released (1 references)
26/08/2016 9:42:33.000 AM      kernel[0]     Sound assertion in
AppleHDADriver at line 1601
26/08/2016 9:42:33.000 AM      kernel[0]     Sound assertion in
AppleHDADriver at line 2275
26/08/2016 9:42:33.000 AM      kernel[0]     Sound assertion in
AppleHDADriver at line 212
26/08/2016 9:42:33.778 AM      configd[46]   network changed
26/08/2016 9:42:33.803 AM      WindowServer[134]  Session 257
retained (2 references)
26/08/2016 9:42:33.804 AM      WindowServer[134]  **DMPROXY**
(2) Found `~/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDuser
26/08/2016 9:42:33.805 AM      WindowServer[134]
init_page_flip: page flip mode is on
26/08/2016 9:42:33.000 AM      kernel[0]     ATY,Futomaki: Not
usable
26/08/2016 9:42:33.816 AM      WindowServer[134]  Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:42:33.816 AM      WindowServer[134]
mux_initialize: Couldn't find any matches
26/08/2016 9:42:33.819 AM      WindowServer[134]  Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:42:33.827 AM      WindowServer[134]
update_gl_acceleration: device (0x7fa16a6009a0) is unsuitable for gl

```

```
- disabling OpenGL
26/08/2016 9:42:34.050 AM      WindowServer[134]
WSMachineIsAMD: false
26/08/2016 9:42:34.059 AM      com.apple.AmbientDisplayAgent[181]
    AmbientDisplayAgent started
26/08/2016 9:42:34.119 AM      WindowServer[134]
WSMachineUsesNewStyleMirroring: true
26/08/2016 9:42:34.119 AM      WindowServer[134]
start_deferring_display_reconfiguration
26/08/2016 9:42:34.120 AM      WindowServer[134]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffff
26/08/2016 9:42:34.577 AM      WindowServer[134]
update_gl_acceleration: device (0x7fa16a6009a0) is unsuitable for gl
- disabling OpenGL
26/08/2016 9:42:34.578 AM      WindowServer[134]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffff
26/08/2016 9:42:34.578 AM      WindowServer[134]
CGXPerformInitialDisplayConfiguration
26/08/2016 9:42:34.578 AM      WindowServer[134]      Display
0x5b81c5c0: Unit 0; Vendor 0x756e6b6e Model 0x717 S/N 0 Dimensions
0.00 x 0.00; online enabled, Bounds (0,0)[1920 x 1080], Rotation 0,
Resolution 1
26/08/2016 9:42:34.578 AM      WindowServer[134]
initialize_display_context: dev counts are zero (0, 0) - disabling
OpenGL
26/08/2016 9:42:34.578 AM      WindowServer[134]      GLCompositor
enabled for tile size [256 x 256]
26/08/2016 9:42:34.578 AM      WindowServer[134]
CGXGLInitMipMap: mip map mode is on
26/08/2016 9:42:34.579 AM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:42:34.582 AM      com.apple.AmbientDisplayAgent[181]
    AMBD initializing devices
26/08/2016 9:42:34.604 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:42:34.608 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:42:34.608 AM      com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 9:42:34.609 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
```

DrainMessagesAfterFailedInit
26/08/2016 9:42:34.610 AM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 9:42:34.613 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 9:42:34.616 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:42:34.618 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:34.620 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:34.630 AM PowerChime[188] objc[188]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 9:42:34.667 AM com.apple.SecurityServer[73]
Session 100006 created
26/08/2016 9:42:34.687 AM askpermissiond[184]
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 9:42:34.701 AM apsd[70] Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 9:42:34.722 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:42:34.728 AM loginwindow[86] Login Window Started

```

Security Agent
26/08/2016 9:42:34.747 AM      WiFiAgent[191]
securityd_message_with_reply_sync Failed to talk to secd after 4
attempts.
26/08/2016 9:42:34.753 AM      WiFiAgent[191]  No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 9:42:34.771 AM      UserEventAgent[190]  Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:42:34.781 AM      UserEventAgent[190]  user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 9:42:34.794 AM      SecurityAgent[193]  This is the
first run
26/08/2016 9:42:34.794 AM      SecurityAgent[193]  MacBuddy was
run = 0
26/08/2016 9:42:35.499 AM      SecurityAgent[193]  com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:42:35.692 AM      WindowServer[134]
stop_deferring_display_reconfiguration
26/08/2016 9:42:36.576 AM      WindowServer[134]  **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
discovery
26/08/2016 9:42:36.577 AM      WindowServer[134]  **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:42:36.597 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:42:38.568 AM      WindowServer[134]  BUG in
libdispatch client: dispatch_mig_server: mach_msg() failed (ipc/
send) msg too small - 0x10000008
26/08/2016 9:42:41.807 AM      SecurityAgent[193]  User info
context values set for monster
26/08/2016 9:42:41.838 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:42:41.844 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:42:41.845 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:41.845 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:42:41.845 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:42:42.252 AM      SecurityAgent[193]  Login Window
login proceeding
26/08/2016 9:42:42.334 AM      loginwindow[86]  Login Window -
Returned from Security Agent
26/08/2016 9:42:42.340 AM      loginwindow[86]  USER_PROCESS: 86

```

```
console
26/08/2016 9:42:42.355 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:42:42.361 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:42:42.363 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:42.363 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:42:42.363 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:42:42.000 AM      kernel[0]
AppleKeyStore::handleUserClientCommandGated: asking for specific bag
501 (eff -501)
26/08/2016 9:42:42.000 AM      kernel[0]
AppleKeyStore::handleUserClientCommandGated: set handle 1 as special
bag -501
26/08/2016 9:42:42.000 AM      kernel[0]
AppleKeyStore:Sending lock change 1 for handle 1
26/08/2016 9:42:42.000 AM      kernel[0]
AppleKeyStore:Sending lock change 0 for handle -501
26/08/2016 9:42:42.440 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 9:42:42.442 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:42:42.443 AM      com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 9:42:42.444 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.CommCenter-osx.plist, caller = loginwindow.86, error =
138: Service cannot be loaded on this hardware
26/08/2016 9:42:42.474 AM      distnoted[209] # distnote server
agent absolute time: 20.696723204  civil time: Fri Aug 26 09:42:42
2016  pid: 209 uid: 501  root: no
26/08/2016 9:42:42.445 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 9:42:42.445 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent) This key does not do anything:
OnDemand
26/08/2016 9:42:42.447 AM      com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:42:42.449 AM      com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen) The HideUntilCheckIn property is an
```

architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.appstore) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.remotedesktoppicture) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.launchpad) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.dock.downloads) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.EscrowSecurityAlert) Unknown key for string: seatbelt-
profiles
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.FirmwareUpdateHelper.plist, caller = loginwindow.86, error
= 138: Service cannot be loaded on this hardware
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.FontRegistryUIAgent) This key does not do anything:
OnDemand
26/08/2016 9:42:42.449 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidator) This key does not do anything:
OnDemand
26/08/2016 9:42:42.450 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidatorConduit) This key does not do anything:
OnDemand
26/08/2016 9:42:42.451 AM com.apple.xpc.launchd[1]
(com.apple.gamed) This key does not do anything: OnDemand
26/08/2016 9:42:42.452 AM com.apple.xpc.launchd[1]
(com.apple.gamed) The ServiceIPC key is no longer respected. Please
remove it.
26/08/2016 9:42:42.452 AM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 9:42:42.452 AM com.apple.xpc.launchd[1]
(com.apple.icdd) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:42:42.453 AM com.apple.xpc.launchd[1]
(com.apple.midiserver.io) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.454 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 9:42:42.454 AM com.apple.xpc.launchd[1]

(com.apple.notificationcenterui.alerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.454 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.customalerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.454 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.extension-trampoline) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.454 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.tcc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.455 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:42:42.455 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.pluginkit.pkd.plist, caller = loginwindow.86
26/08/2016 9:42:42.455 AM com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 9:42:42.455 AM com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.456 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.
26/08/2016 9:42:42.457 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.rtcreportingd) The UserName key is not supported for non-System services.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent) The UserName key is not supported for non-System services.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.sharingd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): events/array
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): bundleid/string
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechdatainstallerd) This key does not do anything: OnDemand
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]

(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.storeinstallagent.plist, caller = loginwindow.86
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.dockextra.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.SUIMessaging) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.ipodserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.screencapture) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.tsm.uiserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.dockling.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies.startup) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller = loginwindow.86
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string: LSBackgroundOnly
26/08/2016 9:42:42.458 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-Aqua) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 9:42:42.459 AM com.apple.xpc.launchd[1]

```
(com.apple.usernoted) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 9:42:42.459 AM      com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.461 AM      com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:42:42.461 AM      com.apple.xpc.launchd[1]
(org.openbsd.ssh-agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:42:42.484 AM      lsd[212]          LaunchServices:
Scheme mapping file does not exist, creating file.
26/08/2016 9:42:42.502 AM      otherbsd[208]    Could not copy
LoginItems URL.
26/08/2016 9:42:42.625 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:42:42.638 AM      UserEventAgent[207]    Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:42:42.654 AM      UserEventAgent[207]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:42:42.684 AM      UserEventAgent[207]    user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 9:42:42.716 AM      UserEventAgent[207]    received an
unknown event from daemon
26/08/2016 9:42:42.725 AM      com.apple.CDScheduler[207]
Initial power state set to AC Power
26/08/2016 9:42:42.772 AM      secinitd[217]    UID[501]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 9:42:42.776 AM      com.apple.SecurityServer[73]
Session 100009 created
26/08/2016 9:42:42.905 AM      sharingd[226]    09:42:42.903 :
Starting Up...
26/08/2016 9:42:42.906 AM      sharingd[226]    09:42:42.906 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)
26/08/2016 9:42:43.569 AM      WindowServer[134]    **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
login
26/08/2016 9:42:43.570 AM      WindowServer[134]    **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:42:43.641 AM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:42:43.679 AM      DMPProxy[235]    AMBD Services:
_CFXPCCreateXPCObjectFromCFObject failed!!
26/08/2016 9:42:43.728 AM      sharingd[226]    09:42:43.728 : No
delegate parameters from account, account exists = NO
26/08/2016 9:42:43.728 AM      sharingd[226]    09:42:43.728 :
Tethering: Identifier needs fixing
```

```
26/08/2016 9:42:43.730 AM      sharingd[226]    09:42:43.729 : No
delegate parameters from account, account exists = NO
26/08/2016 9:42:43.740 AM      sharingd[226]    09:42:43.739 : No
delegate parameters from account, account exists = NO
26/08/2016 9:42:43.000 AM      kernel[0]       Sound assertion in
AppleHDADriver at line 3685
26/08/2016 9:42:43.000 AM      kernel[0]       Sound assertion in
AppleHDADriver at line 1103
26/08/2016 9:42:44.486 AM      symptomsd[175]  __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 9:42:44.826 AM      Spotlight[236]  spot: agent checkin
26/08/2016 9:42:44.853 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7fede34230e0>: Configuring
notification center for identifier: com.apple.iChat  topics: (
    "com.apple.private.ids"
)
26/08/2016 9:42:44.864 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7fede34230e0>: NC Disabled: NO
26/08/2016 9:42:44.868 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7fede34230e0>: DND Enabled: NO
26/08/2016 9:42:44.868 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7fede34230e0>: Updating enabled:
YES (Topics: (
    "com.apple.private.ids"
))
26/08/2016 9:42:44.869 AM      sharingd[226]  [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:42:44.873 AM      Finder[223]    assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89
26/08/2016 9:42:44.883 AM      SpotlightNetHelper[248]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:42:44.883 AM      SpotlightNetHelper[248] Invalid
Connection ID 0
26/08/2016 9:42:44.934 AM      accountsd[240] [Warning] Services
all disappeared, removing all accounts
26/08/2016 9:42:44.934 AM      accountsd[240] [Warning] Services
all disappeared, removing all enabled accounts
26/08/2016 9:42:44.934 AM      accountsd[240] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:42:44.935 AM      iconservicesagent[250]
iconservicesagent launched.
26/08/2016 9:42:44.943 AM      iconservicesagent[250] Starting
service with cache path: /var/folders/
k4/9r1mcf592jv3xvxfl7t4qk4m0000gn/C/com.apple.iconservices
26/08/2016 9:42:44.957 AM      syncdefaultsd[242] accountsd
has been removed from syncing apps.
26/08/2016 9:42:45.094 AM      deleted[255]
normalizeUserMountpoint:791 volRoot failed for /Volumes/EFI
26/08/2016 9:42:45.094 AM      deleted[255]  _validateVolume:813
unable to normalize volume: "/Volumes/EFI", vol: (null)
26/08/2016 9:42:45.098 AM      com.apple.geod[252]    2016-08-26
```

09:42:45.058, 252, 82d717a0, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 9:42:45.219 AM logind[87] -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
dictionary for audit session 100009
26/08/2016 9:42:45.219 AM logind[87] _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 9:42:45.219 AM IMDPersistenceAgent[262]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 9:42:45.243 AM imagent[260] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:42:45.258 AM imagent[260] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:42:45.258 AM imagent[260] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:42:45.261 AM imagent[260] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:42:45.261 AM imagent[260] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:42:45.000 AM kernel[0] Sandbox:
netbiosd(179) deny(1) file-read-metadata /usr
26/08/2016 9:42:45.000 AM kernel[0] Sandbox:
coreduetd(64) deny(1) file-read-metadata /usr/libexec
26/08/2016 9:42:45.000 AM kernel[0] Sandbox:
coreduetd(64) deny(1) file-read-metadata /usr/libexec
26/08/2016 9:42:45.298 AM fmfed[263] Initialized sandbox
26/08/2016 9:42:45.377 AM apsd[70] Peer [pid=263]
requested push wake but lacks APSPushWakeEntitlement
26/08/2016 9:42:45.387 AM fmfed[263] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:42:45.433 AM sandboxd[229] ([214])
CalendarAgent(214) allow mach-register
com.apple.CalendarStore.lock.init
26/08/2016 9:42:45.464 AM sandboxd[229] ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:42:45.482 AM callservicesd[244] [Warning]
Services all disappeared, removing all dependent devices
26/08/2016 9:42:45.497 AM sandboxd[229] ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:42:45.588 AM com.apple.geod[252] 2016-08-26
09:42:45.587, 252, 82e3e370, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 9:42:45.588 AM com.apple.geod[252] 2016-08-26
09:42:45.587, 252, 82e3e370, [LogMessageLogging]: _serverLogAdaptors
is empty, adaptors not setup (geod restart), Send a message back to
the app, to setup adaptors and resend the logMessage
26/08/2016 9:42:45.773 AM CalNCService[230] [Warning]
Cannot listen to battery level change notification.
26/08/2016 9:42:45.789 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn

property is an architectural performance issue. Please transition away from it.

26/08/2016 9:42:45.796 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 9:42:45.798 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:42:45.798 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 9:42:45.798 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 9:42:45.831 AM PowerChime[280] objc[280]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.

26/08/2016 9:42:45.872 AM PowerChime[280] PowerChime: chime
enabled by hardware: 0

26/08/2016 9:42:45.872 AM PowerChime[280] PowerChime disabled
- ChimeOnNoHardware default: 0

26/08/2016 9:42:45.890 AM apsd[70] Attempt to set push
wake topics without dark wake enabled: ()

26/08/2016 9:42:45.893 AM apsd[70] Attempt to set push
wake topics without dark wake enabled: ()

26/08/2016 9:42:45.913 AM CloudKeychainProxy[292] __45-
[UbiquitousKVSPProxy doEnsurePeerRegistration]_block_invoke <UB---e-
C---> ensurePeerRegistration called, success ((null))

26/08/2016 9:42:45.918 AM askpermissiond[281]
StoreTransport: Resetting APS Connection using environment name
production

26/08/2016 9:42:45.971 AM cloudphotosd[215] Unable to
register with launch services, result = -10819

26/08/2016 9:42:46.044 AM cloudd[294] Could not create
primary backing account

26/08/2016 9:42:46.112 AM secdd[239]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[291] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}

26/08/2016 9:42:46.000 AM kernel[0] Sandbox:
storeaccountd(246) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag

26/08/2016 9:42:46.207 AM secdd[239]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[291] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}

26/08/2016 9:42:46.208 AM cloudd[294] Could not create
primary backing account

26/08/2016 9:42:46.000 AM kernel[0] Sandbox:
SocialPushAgent(271) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist

26/08/2016 9:42:46.000 AM kernel[0] Sandbox:
SocialPushAgent(271) deny(1) file-write-data /Users/monster/Library/

```
Preferences/com.apple.socialpushagent.plist
26/08/2016 9:42:46.235 AM      MRT[289]      Agent finished.
26/08/2016 9:42:46.235 AM      MRT[289]      Finished MRT run
26/08/2016 9:42:46.244 AM      WiFiAgent[286] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC WiFiCloudSyncEngineCreate:
created...
26/08/2016 9:42:46.244 AM      WiFiAgent[286] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC
WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks
version - 0, bundle id - com.apple.wifi.WiFiAgent
26/08/2016 9:42:46.245 AM      secd[239]
securityd_xpc_dictionary_handler WiFiAgent[286] View Error
Domain=com.apple.security.sos.error Code=1032 "No Peer for Account"
UserInfo={NSDescription=No Peer for Account}
26/08/2016 9:42:46.246 AM      WiFiAgent[286] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 9:42:46.262 AM      diagnostics_agent[287]
AutoSubmitPreference is 1
26/08/2016 9:42:46.286 AM      cloudphotosd[215]      Determine
service transition start:
service=com.apple.photo.icloud.sharedstreams personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:42:46.286 AM      cloudphotosd[215]      Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:42:46.287 AM      cloudphotosd[215]      Determine
service transition start:
service=com.apple.photo.icloud.myphotostream personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:42:46.287 AM      cloudphotosd[215]      Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:42:46.288 AM      cloudphotosd[215]      +[CSLogger
preferencesChanged:] reconfiguring logging
26/08/2016 9:42:46.290 AM      cloudpaired[283] DEBUG cloudpaired:
system supports Continuity
26/08/2016 9:42:46.298 AM      cloudpaired[283] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:42:46.343 AM      cloudphotosd[215]      Unable to
resolve library URL for key because of error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedDescription=RDErrorNoValueForLibraryKey}
26/08/2016 9:42:46.344 AM      cloudphotosd[215]      No canonical
library is set, disabling service. error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedDescription=RDErrorNoValueForLibraryKey}
26/08/2016 9:42:46.344 AM
com.apple.CloudPhotosConfiguration[295] Request
32A84605-8085-4A8B-8626-69F60367346B: New and old state identical
for service com.apple.photo.icloud.cloudphoto: 0, ignoring request
26/08/2016 9:42:46.346 AM      cloudphotosd[215]      Determine
service transition start: service=com.apple.photo.icloud.cloudphoto
personId=(null) lastKnownPersonId=(null) targetState=0
26/08/2016 9:42:46.346 AM      cloudphotosd[215]      Determine
service transition end: 2, currentState: 2, shouldEnableService: 0
26/08/2016 9:42:46.357 AM      Keychain Circle Notification[273]
```

```

    Posted at launch: (
)
26/08/2016 9:42:46.359 AM      Keychain Circle Notification[273]
    rawStatus -1, #applicants 0, #peers 0, err=Error
Domain=com.apple.security.sos.error Code=2 "Public Key not available
- failed to register before call" UserInfo={NSDescription=Public Key
not available - failed to register before call}
26/08/2016 9:42:46.359 AM      Keychain Circle Notification[273]
    {ChangeCallback}
26/08/2016 9:42:46.364 AM      Safari[218]
tcp_connection_tls_session_error_callback_imp 6
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:42:46.364 AM      Safari[218]
tcp_connection_tls_session_error_callback_imp 2
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:42:46.372 AM      diagnostics_agent[287]
AutoSubmitPreference is 1
26/08/2016 9:42:46.390 AM      Spotlight[236]  applications query -
started
26/08/2016 9:42:46.428 AM      diagnostics_agent[287]
AutoSubmitPreference is 1
26/08/2016 9:42:46.496 AM      Keychain Circle Notification[273]
    {ChangeCallback} scheduleActivity 4001-01-01 00:00:00 +0000
26/08/2016 9:42:46.496 AM      Keychain Circle Notification[273]
    {ChangeCallback} Applicants
26/08/2016 9:42:46.497 AM      Keychain Circle Notification[273]
    Checking validity of 0 notes
26/08/2016 9:42:46.497 AM      Keychain Circle Notification[273]
    writeToStorage plist={
    absentCircleWithNoReason = 0;
    applicationDate = "0000-12-30 00:00:00 +0000";
    lastCircleStatus = "-1";
    lastWritten = "2016-08-26 01:42:46 +0000";
    pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
    pendingApplicationReminderInterval = 86400;
}
26/08/2016 9:42:46.535 AM      Spotlight[236]  applications query -
finished in 0.15 seconds
26/08/2016 9:42:46.610 AM      pkd[228]        client 275 plug-in
com.apple.ncplugin.WorldClock election := (null)
26/08/2016 9:42:46.611 AM      pkd[228]        client 275 plug-in
com.apple.share.SocialWidget election := (null)
26/08/2016 9:42:46.611 AM      pkd[228]        client 275 plug-in
com.apple.ncplugin.FindMyFriends election := (null)
26/08/2016 9:42:46.612 AM      pkd[228]        client 275 plug-in
com.apple.ncplugin.calculator election := (null)
26/08/2016 9:42:46.652 AM      sandboxd[229]  ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:42:46.699 AM      sandboxd[229]  ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight

```

26/08/2016 9:42:46.745 AM sandboxd[229] ([78]) blued(78)
deny file-read-metadata /usr
26/08/2016 9:42:46.792 AM sandboxd[229] ([157])
coreaudioid(157) deny file-read-metadata /usr
26/08/2016 9:42:46.838 AM sandboxd[229] ([169])
rpcsvchost(169) deny file-read-metadata /usr
26/08/2016 9:42:48.251 AM pkd[228] enabling pid=275 for
plug-in com.apple.iCal.CalendarNC(1.0) C70D6B7A-
D78A-49D8-9D9D-78ED6AAA94AC /Applications/Calendar.app/Contents/
PlugIns/com.apple.iCal.CalendarNC.appex
26/08/2016 9:42:48.399 AM NotificationCenter[275] plugin
com.apple.iCal.CalendarNC invalidated
26/08/2016 9:42:48.399 AM com.apple.iCal.CalendarNC[300] host
connection <NSXPCCConnection: 0x7fb8a161e960> connection from pid 275
invalidated
26/08/2016 9:42:54.238 AM com.apple.xpc.launchd[1]
(com.apple.quicklook[303]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook
26/08/2016 9:42:54.640 AM iconservicesagent[250] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fa30bc07500>.
26/08/2016 9:42:54.640 AM quicklookd[303] Error returned from
iconservicesagent: (null)
26/08/2016 9:42:54.643 AM iconservicesagent[250] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fa30bc06bf0>.
26/08/2016 9:42:54.644 AM quicklookd[303] Error returned from
iconservicesagent: (null)
26/08/2016 9:42:54.646 AM iconservicesagent[250] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fa30bc089b0>.
26/08/2016 9:42:54.646 AM quicklookd[303] Error returned from
iconservicesagent: (null)
26/08/2016 9:42:54.650 AM iconservicesagent[250] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fa30be0d520>.
26/08/2016 9:42:54.650 AM quicklookd[303] Error returned from
iconservicesagent: (null)
26/08/2016 9:42:56.958 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:42:56.962 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:42:56.969 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:42:56.970 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:42:56.970 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 9:42:56.970 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 9:43:02.000 AM kernel[0] Sandbox:
systemsoundserve(197) deny(1) file-read-data /private/var/root/
Library/Preferences/.GlobalPreferences.plist

26/08/2016 9:43:02.416 AM login[323] USER_PROCESS: 323
ttys000

26/08/2016 9:43:02.512 AM login[323] DEAD_PROCESS: 323
ttys000

26/08/2016 9:43:04.358 AM com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.01000000-0000-0000-0000-000000000000)
Service only ran for 7 seconds. Pushing respawn out by 3 seconds.

26/08/2016 9:43:04.912 AM com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.04000000-0000-0000-0000-000000000000)
Service only ran for 8 seconds. Pushing respawn out by 2 seconds.

26/08/2016 9:43:04.912 AM com.apple.xpc.launchd[1]
(com.apple.mdworker.shared.02000000-0000-0000-0000-000000000000)
Service only ran for 8 seconds. Pushing respawn out by 2 seconds.

26/08/2016 9:43:12.502 AM lsd[212] LaunchServices:
Currently 0 installed placeholders: (
)

26/08/2016 9:43:15.960 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 6
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:15.960 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 4
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:22.558 AM launchd[1] BUG in libdispatch:
15G31 - 1718 - 0x0

26/08/2016 9:43:42.000 AM kernel[0]
considerRebuildOfPrelinkedKernel com.apple.kext.OSvKernDSPLib
triggered rebuild

26/08/2016 9:43:45.961 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 10
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:45.961 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 7
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:45.961 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 8
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:45.961 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 11
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 9:43:45.962 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 9
__tcp_connection_tls_session_callback_write_block_invoke.434 error

22
26/08/2016 9:43:45.962 AM SpotlightNetHelper[248]
tcp_connection_tls_session_error_callback_imp 5
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:43:51.859 AM SecurityAgent[383]
activateIgnoringOtherApps:1
26/08/2016 9:43:51.860 AM SecurityAgent[383]
makeKeyAndOrderFront
26/08/2016 9:43:51.882 AM SecurityAgent[383]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:43:53.000 AM kernel[0] ignored
is_io_service_close(0x10000037f,IOHIDParamUserClient)
26/08/2016 9:43:53.000 AM kernel[0] ignored
is_io_service_close(0x10000037f,IOHIDParamUserClient)
26/08/2016 9:43:58.159 AM authexec[386] executing /bin/rm
26/08/2016 9:43:58.215 AM com.apple.xpc.launchd[1]
(com.tonymacx86.InstallHelper) This key does not do anything:
OnDemand
26/08/2016 9:43:58.858 AM fseventsd[41]
check_vol_last_mod_time:XXX failed to get mount time (25;
&mount_time == 0x700000198478)
26/08/2016 9:43:58.858 AM fseventsd[41] log dir: /Volumes/
EFI/.fseventsd getting new uuid: 1BC20010-3CE9-4E89-
BC09-72ADCC5B4162
26/08/2016 9:43:59.598 AM UserEventAgent[207]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:43:59.598 AM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 9:43:59.737 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-create /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout1.zml.zlib
26/08/2016 9:43:59.741 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-flags /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout1.zml.zlib
26/08/2016 9:43:59.743 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-create /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout2.zml.zlib
26/08/2016 9:43:59.747 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-flags /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout2.zml.zlib
26/08/2016 9:43:59.750 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-create /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout3.zml.zlib
26/08/2016 9:43:59.753 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-flags /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/layout3.zml.zlib
26/08/2016 9:43:59.755 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-create /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/Platforms.zml.zlib
26/08/2016 9:43:59.756 AM sandboxd[229] ([416]) shove(416)
System Policy: allow file-write-flags /System/Library/Extensions/
AppleHDA.kext/Contents/Resources/Platforms.zml.zlib
26/08/2016 9:44:15.458 AM UserEventAgent[207]

```
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 9:44:15.459 AM      UserEventAgent[38]      Failed to
send message because the port couldn't be created.
26/08/2016 9:44:24.882 AM      lsd[212]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:44:24.887 AM      lsd[212]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 9:44:26.322 AM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.8240AEFA-5D73-4728-8BC8-
C99D6EB0B68C[266]) Service exited with abnormal code: 1
26/08/2016 9:44:26.323 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.oneshot.0x10000001.Safari[218]) Service
exited due to signal: Killed: 9
26/08/2016 9:44:26.528 AM      WindowServer[134]      Set a
breakpoint at CGSLogError to catch errors as they are logged.
26/08/2016 9:44:26.528 AM      WindowServer[134]
CGXGetConnectionProperty: Invalid connection 32043
26/08/2016 9:44:26.529 AM      WindowServer[134]
CGXGetConnectionProperty: Invalid connection 32043
26/08/2016 9:44:26.535 AM      loginwindow[86] Login Window point
of no return
26/08/2016 9:44:26.540 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent[282]) Service exited due to signal:
Killed: 9
26/08/2016 9:44:26.541 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent[264]) Service exited due to signal:
Killed: 9
26/08/2016 9:44:26.541 AM      AirPlayXPCHelper[91]      2016-08-26
09:44:26.541258 AM [APBrowser] IPv4 listener stopped.
26/08/2016 9:44:26.548 AM      com.apple.xpc.launchd[1]
(com.apple.lateragent[318]) Service exited due to signal: Killed: 9
26/08/2016 9:44:26.549 AM      com.apple.xpc.launchd[1]
(com.apple.TMHelperAgent.SetupOffer[408]) Service exited due to
signal: Killed: 9
26/08/2016 9:44:26.549 AM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:44:26.550 AM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:44:26.550 AM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x10010}
26/08/2016 9:44:26.551 AM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:44:26.551 AM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 9:44:26.552 AM      loginwindow[86] ERROR | -
```

```
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x17017}
26/08/2016 9:44:26.553 AM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x1c01c}
26/08/2016 9:44:26.553 AM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x22022}
26/08/2016 9:44:26.554 AM      com.apple.xpc.launchd[1]
(com.apple.cloudphotosd[215]) Service exited due to signal: Killed:
9
26/08/2016 9:44:26.556 AM      com.apple.xpc.launchd[1]
(com.apple.FolderActionsDispatcher[268]) Service exited due to
signal: Killed: 9
26/08/2016 9:44:26.612 AM      sessionlogoutd[443]
sessionlogoutd Launched
26/08/2016 9:44:26.617 AM      sessionlogoutd[443]
DEAD_PROCESS: 86 console
26/08/2016 9:44:26.650 AM      shutdown[444]      reboot by monster:
26/08/2016 9:44:26.000 AM      kernel[0]          Kext loading now
disabled.
26/08/2016 9:44:26.000 AM      kernel[0]          Kext unloading now
disabled.
26/08/2016 9:44:26.000 AM      kernel[0]          Kext autounloading
now disabled.
26/08/2016 9:44:26.000 AM      kernel[0]          Kernel requests now
disabled.
26/08/2016 9:44:26.650 AM      shutdown[444]      SHUTDOWN_TIME:
1472175866 649907
26/08/2016 9:44:26.000 AM      kernel[0]          Process launchd [1]
disabling system-wide I/O Throttling
26/08/2016 9:44:26.000 AM      kernel[0]          Process launchd [1]
disabling system-wide CPU Throttling
26/08/2016 9:44:55.000 AM      bootlog[0]         BOOT_TIME 1472175895
0
26/08/2016 9:44:59.000 AM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
asl" with ASL Module "com.apple.asl".
```

Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any specified in ASL Module "com.apple.authd".
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.authkit.osx.asl".
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.awdd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.clouddd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.clouddocs" claims selected messages.
Those messages may not appear in standard system log files or in the

ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.commerce.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" sharing output destination "
var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any
specified in ASL Module "com.apple.corecdp.osx.asl".
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.CoreDuetAdmissionControl" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corespotlight" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.eventmonitor" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.family.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.ical" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.install" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.iokit.power" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.mail" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.MessageTracer" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.mobileme.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.mobileme.fmf1.internal" sharing output
destination "/var/log/FindMyFriendsApp/FindMyFriendsApp.asl" with
ASL Module "com.apple.mobileme.fmf1".
Output parameters from ASL Module "com.apple.mobileme.fmf1" override
any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp" with ASL Module "com.apple.mobileme.fmf1".
Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.mobileme.fmf1.internal" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.performance" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.secinitd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 9:44:59.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.xpc.activity" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.xpc.activity" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 9:44:59.000 AM kernel[0] Longterm timer

threshold: 1000 ms

26/08/2016 9:44:59.000 AM kernel[0] PMAP: PCID enabled

26/08/2016 9:44:59.000 AM kernel[0] PMAP: Supervisor

Mode Execute Protection enabled

26/08/2016 9:44:59.000 AM kernel[0] PMAP: Supervisor

Mode Access Protection enabled

26/08/2016 9:44:59.000 AM kernel[0] Darwin Kernel

Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/RELEASE_X86_64

26/08/2016 9:44:59.000 AM kernel[0] vm_page_bootstrap:

1986401 free pages and 94367 wired pages

26/08/2016 9:44:59.000 AM kernel[0] kext submap [0x<ptr>

- 0x<ptr>], kernel text [0x<ptr> - 0x<ptr>]

26/08/2016 9:44:59.000 AM kernel[0] zone leak detection

enabled

26/08/2016 9:44:59.000 AM kernel[0] "vm_compressor_mode"

is 4

26/08/2016 9:44:59.000 AM kernel[0] multiq scheduler

config: deep-drain 0, ceiling 47, depth limit 4, band limit 127,

sanity check 0

26/08/2016 9:44:59.000 AM kernel[0] standard timeslicing

```
quantum is 10000 us
26/08/2016 9:44:59.163 AM      com.apple.xpc.launchd[1]
(com.apple.alf) The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.
26/08/2016 9:44:59.000 AM      kernel[0]      standard background
quantum is 2500 us
26/08/2016 9:44:59.000 AM      kernel[0]      WQ[lt_init]: init
linktable with max:262144 elements (8388608 bytes)
26/08/2016 9:44:59.000 AM      kernel[0]      WQ[wqp_init]: init
prepost table with max:262144 elements (8388608 bytes)
26/08/2016 9:44:59.000 AM      kernel[0]      mig_table_max_displ
= 16
26/08/2016 9:44:59.000 AM      kernel[0]      TSC Deadline Timer
supported and enabled
26/08/2016 9:44:59.000 AM      kernel[0]      kdp_core zlib memory
0x7000
26/08/2016 9:44:59.000 AM      kernel[0]      FakeSMCKeystore:
started
26/08/2016 9:44:59.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=1 LocalApicId=0 Enabled
26/08/2016 9:44:59.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=2 LocalApicId=2 Enabled
26/08/2016 9:44:59.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=3 LocalApicId=4 Enabled
26/08/2016 9:44:59.000 AM      kernel[0]      AppleACPICPU:
ProcessorId=4 LocalApicId=6 Enabled
26/08/2016 9:44:59.000 AM      kernel[0]      calling
mpo_policy_init for TMSafetyNet
26/08/2016 9:44:59.000 AM      kernel[0]      Security policy
loaded: Safety net for Time Machine (TMSafetyNet)
26/08/2016 9:44:59.000 AM      kernel[0]      calling
mpo_policy_init for AMFI
26/08/2016 9:44:59.000 AM      kernel[0]      Security policy
loaded: Apple Mobile File Integrity (AMFI)
26/08/2016 9:44:59.000 AM      kernel[0]      calling
mpo_policy_init for Sandbox
26/08/2016 9:44:59.000 AM      kernel[0]      Security policy
loaded: Seatbelt sandbox policy (Sandbox)
26/08/2016 9:44:59.000 AM      kernel[0]      calling
mpo_policy_init for Quarantine
26/08/2016 9:44:59.000 AM      kernel[0]      Security policy
loaded: Quarantine policy (Quarantine)
26/08/2016 9:44:59.000 AM      kernel[0]      Copyright (c) 1982,
1986, 1989, 1991, 1993
26/08/2016 9:44:59.000 AM      kernel[0]      The Regents of the
University of California. All rights reserved.
26/08/2016 9:44:59.000 AM      kernel[0]      MAC Framework
successfully initialized
26/08/2016 9:44:59.000 AM      kernel[0]      using 16384 buffer
headers and 10240 cluster IO buffer headers
26/08/2016 9:44:59.000 AM      kernel[0]
AppleCredentialManager::start called
26/08/2016 9:44:59.000 AM      kernel[0]      AssertMacros:
tmpData (value: 0x0), file: /BuildRoot/Library/Caches/
```

```

com.apple.xbs/Sources/AppleCredentialManager/
AppleCredentialManager-83.40.3/AppleCredentialManager/
AppleCredentialManager.cpp, line: 785
26/08/2016 9:44:59.000 AM      kernel[0]      AppleKeyStore
starting (BUILT: Jun 23 2016 18:53:27)
26/08/2016 9:44:59.000 AM      kernel[0]      IOAPIC: Version 0x20
Vectors 64:111
26/08/2016 9:44:59.000 AM      kernel[0]      ACPI: sleep states
S3 S4 S5
26/08/2016 9:44:59.000 AM      kernel[0]      pci (build 18:43:02
Jun 23 2016), flags 0xe3000, pfm64 (39 cpu) 0x7f80000000, 0x80000000
26/08/2016 9:44:59.000 AM      kernel[0]      [ PCI configuration
begin ]
26/08/2016 9:44:59.000 AM      kernel[0]      FakeSMC v6.18-313-
g671f31c.1707 Copyright 2015 netkas, slice, usr-sse2, kozlek, navi,
The KiNG, RehabMan. All rights reserved.
26/08/2016 9:44:59.000 AM      kernel[0]      FakeSMC: 14
preconfigured keys added
26/08/2016 9:44:59.000 AM      kernel[0]      FakeSMC: 5 keys
exported by Clover EFI
26/08/2016 9:44:59.000 AM      kernel[0]      SMC: successfully
initialized
26/08/2016 9:44:59.000 AM      kernel[0]      console relocated to
0x7f80000000
26/08/2016 9:44:59.000 AM      kernel[0]      [ PCI configuration
end, bridges 5, devices 12 ]
26/08/2016 9:44:59.000 AM      kernel[0]      000000.720121
AppleUSBLegacyRoot@: AppleUSBLegacyRoot::init: enabling legacy
matching
26/08/2016 9:44:59.000 AM      kernel[0]      mcache: 4 CPU(s), 64
bytes CPU cache line size
26/08/2016 9:44:59.000 AM      kernel[0]      mbinit: done [96 MB
total pool size, (64/32) split]
26/08/2016 9:44:59.000 AM      kernel[0]      rooting via boot-
uuid from /chosen: 11BDFA42-97A0-340D-B776-569D22E0478F
26/08/2016 9:44:59.163 AM      com.apple.xpc.launchd[1]
(com.apple.airplaydiagnostics.server) Unrecognized MachService
property: ResetAtClose
26/08/2016 9:44:59.000 AM      kernel[0]      Waiting on <dict
ID="0"><key>IOProviderClass</key><string ID="1">IOResources</
string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</
string></dict>
26/08/2016 9:44:59.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeZlib kmod start
26/08/2016 9:44:59.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeDataless kmod start
26/08/2016 9:44:59.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeZlib load succeeded
26/08/2016 9:44:59.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeDataless load succeeded
26/08/2016 9:44:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv4 segmentation offload enabled.
26/08/2016 9:44:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 segmentation offload enabled.

```

```
26/08/2016 9:44:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 checksum offload enabled.
26/08/2016 9:44:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: Version 2.1.0d0 using max interrupt rate 7000.
26/08/2016 9:44:59.000 AM      kernel[0]      Ethernet
[IntelMausi]: I219V2 (Rev. 49), d0:17:c2:86:10:ef
26/08/2016 9:44:59.163 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayXPCHelper) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:44:59.000 AM      kernel[0]      Got boot device =
IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SAT0@17/
AppleIntelPchSeriesAHCI/PRT4@4/IOAHCIDevice@0/AppleAHCIDiskDriver/
IOAHCIBlockStorageDevice/IOBlockStorageDriver/Samsung SSD 850 EVO
250GB Media/IOGUIDPartitionScheme/OSX@2
26/08/2016 9:44:59.000 AM      kernel[0]      BSD root: disk0s2,
major 1, minor 2
26/08/2016 9:44:59.000 AM      kernel[0]      hfs: mounted OSX on
device root_device
26/08/2016 9:44:59.000 AM      kernel[0]      XCPM: registered
26/08/2016 9:44:59.000 AM      kernel[0]      VM Swap Subsystem is
ON
26/08/2016 9:44:59.000 AM      kernel[0]      hfs: Removed 0
orphaned / unlinked files and 1 directories
26/08/2016 9:44:59.163 AM      com.apple.xpc.launchd[1]
(com.apple.auditd) The Timeout key is no longer respected. It never
did anything anyway.
26/08/2016 9:44:59.163 AM      com.apple.xpc.launchd[1]
(com.apple.autofs) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:44:59.165 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.AVCAssistant) ThrottleInterval set to zero. You're
not that important. Ignoring.
26/08/2016 9:44:59.166 AM      com.apple.xpc.launchd[1]
(com.apple.bsd.dirhelper) The Timeout key is no longer respected. It
never did anything anyway.
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.IIDCVideoAssistant) ThrottleInterval set to zero.
You're not that important. Ignoring.
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.VDCAssistant) ThrottleInterval set to zero. You're
not that important. Ignoring.
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.colorsyncd) Unknown key for string: RunLoopType
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.configd) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.CommCenterRootHelper) ThrottleInterval set to zero.
You're not that important. Ignoring.
26/08/2016 9:44:59.167 AM      com.apple.xpc.launchd[1]
(com.apple.coreduetd) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 9:44:59.240 AM      watchdogd[54]  [watchdog_daemon]
@(\ wd_watchdog_open) - IOIteratorNext failed (kr=0)
```

```
26/08/2016 9:44:59.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 9:44:59.240 AM      watchdogd[54]   [watchdog_daemon]
@(\wd_daemon_init) - could not open connection with the kernel
watchdog
26/08/2016 9:44:59.240 AM      watchdogd[54]   [watchdog_daemon]
@(\main) - cannot initialize the watchdog service
26/08/2016 9:44:59.241 AM      hidd[90]        void
_IOHIDPlugInLoadBundles(): Loaded 0 HID plugins
26/08/2016 9:44:59.249 AM      hidd[90]
_IOHIDSessionScheduleAsync_block_invoke: thread_id=0x700000081000
26/08/2016 9:44:59.249 AM      hidd[90]        HID Session async
scheduling initiated.
26/08/2016 9:44:59.249 AM      hidd[90]        HID Session async
root queue running at priority 63 and schedule 2.
26/08/2016 9:44:59.286 AM      hidd[90]        HID Session async
scheduling complete.
26/08/2016 9:44:59.279 AM      com.apple.SecurityServer[73]
Session 100000 created
26/08/2016 9:44:59.286 AM      hidd[90]        Successfully opened
the IOHIDSession
26/08/2016 9:44:59.289 AM      powerd[47]      Registering for UPS
devices
26/08/2016 9:44:59.292 AM      powerd[47]      UPSDeviceAdded.
_alreadyRunningIOUPSD:0
26/08/2016 9:44:59.370 AM      iconservicesagent[61]
iconservicesagent launched.
26/08/2016 9:44:59.000 AM      kernel[0]       Waiting for DSMOS...
26/08/2016 9:44:59.519 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:44:59.531 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:44:59.532 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:44:59.534 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:44:59.534 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:44:59.975 AM      com.apple.xpc.launchd[1]
(com.apple.CoreRAID[42]) Endpoint has been activated through legacy
launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.CoreRAID
26/08/2016 9:45:00.119 AM      apsd[70]
CGSLookupServerRootPort: Failed to look up the port for
"com.apple.windowserver.active" (1102)
26/08/2016 9:45:00.126 AM      com.apple.SecurityServer[73]
Entering service
26/08/2016 9:45:00.000 AM      kernel[0]       IOGraphics flags
0x43
```

```
26/08/2016 9:45:00.000 AM      kernel[0]      Previous shutdown
cause: 5
26/08/2016 9:45:00.000 AM      kernel[0]      ****
[IOBluetoothHostControllerUSBTransport][start] -- completed --
result = TRUE -- 0xc000 ****
26/08/2016 9:45:00.000 AM      kernel[0]      DSMOS has arrived
26/08/2016 9:45:00.000 AM      kernel[0]      [IOBluetoothFamily]
[staticBluetoothTransportShowsUp] -- Received Bluetooth Controller
register service notification -- 0xc000
26/08/2016 9:45:00.000 AM      kernel[0]      [IOBluetoothFamily]
[start] -- completed
26/08/2016 9:45:00.000 AM      kernel[0]
[IOBluetoothHostController][start] -- completed
26/08/2016 9:45:00.194 AM      blued[78]      Delete logs
26/08/2016 9:45:00.204 AM      loginwindow[86] Login Window
Application Started
26/08/2016 9:45:00.000 AM      kernel[0]
[IOBluetoothHostController::setConfigState] calling registerService
26/08/2016 9:45:00.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
calling IOBluetoothFamily's registerService() -- 0x1d00 -- 0xec00 --
0xc000 ****
26/08/2016 9:45:00.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
Connected to the transport successfully -- 0x1d00 -- 0xec00 --
0xc000 ****
26/08/2016 9:45:00.219 AM      blued[78]      INIT -- Host
controller is published
26/08/2016 9:45:00.222 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:45:00.222 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:45:00.222 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 9:45:00.222 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 9:45:00.245 AM      iconservicesagent[61] Starting
service with cache path: /var/folders/zz/
zyxvpxvq6csfxvn_n0000000000000/C/com.apple.iconservices
26/08/2016 9:45:00.251 AM      mDNSResponder[83]
mDNSResponder mDNSResponder-625.60.2 (Jun 1 2016 21:57:20) starting
OSXVers 15
26/08/2016 9:45:00.272 AM      com.apple.usbmuxd[72] log filter
changed from 4 to 6
26/08/2016 9:45:00.312 AM      secinitd[135]  UID[0]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 9:45:00.313 AM      secinitd[135]  ctkd[133]: unable to
get root path for bundle of main executable: /System/Library/
Frameworks/CryptoTokenKit.framework/ctkd
26/08/2016 9:45:00.318 AM      configd[46]    preference: no
sharing preferences
26/08/2016 9:45:00.322 AM      UserEventAgent[38] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
```

```
26/08/2016 9:45:00.335 AM      blued[78]      hciControllerOnline;
HID devices? 0
26/08/2016 9:45:00.350 AM      com.apple.usbmuxd[72]  usbmuxd-364
on Mar  2 2016 at 15:12:39, running 64 bit
26/08/2016 9:45:00.351 AM      iconservicesd[60]
iconservicesd launched.
26/08/2016 9:45:00.352 AM      iconservicesd[60]      Cache
path: /Library/Caches/com.apple.iconservices.store
26/08/2016 9:45:00.366 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:45:00.369 AM      systemkeychain[123]    done file: /
var/run/systemkeychaincheck.done
26/08/2016 9:45:00.409 AM      mDNSResponder[83]      D2D_IPC:
Loaded
26/08/2016 9:45:00.409 AM      mDNSResponder[83]
D2DInitialize succeeded
26/08/2016 9:45:00.474 AM      networkd[152]      main
networkd-583.50.1 pid 152
26/08/2016 9:45:00.479 AM      networkd[152]      -[NETPowerManager
setupPowerPolicyTable] created power policy table from defaults with
5 timeslots
26/08/2016 9:45:00.485 AM      networkd[152]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:45:00.486 AM      networkd[152]
nw_nat64_post_new_ifstate successfully changed NAT64 ifstate from
0x0 to 0x8000000000000000
26/08/2016 9:45:00.492 AM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:45:00.493 AM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 9:45:00.496 AM      mds[56] (ImportServer.Normal:1808)
UseBulkImporter 0 ForceBulkImporter 0
26/08/2016 9:45:00.622 AM      configd[46]      setting hostname to
"Ms-iMac.local"
26/08/2016 9:45:00.624 AM      configd[46]      network changed:
DNS*
26/08/2016 9:45:00.728 AM      WindowServer[126]      Server is
starting up
26/08/2016 9:45:00.000 AM      kernel[0]      in6_unlink_ifa: IPv6
address 0x9e0b39d67f49f023 has no prefix
26/08/2016 9:45:00.741 AM      networkd[152]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:45:00.750 AM      apsd[70]      Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 9:45:00.751 AM      apsd[70]      Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:45:00.751 AM      apsd[70]      Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
```

```
user 0: Unknown service name
26/08/2016 9:45:00.751 AM      apsd[70]
<APSCONNECTIONSERVER: 0x7faa407408a0> Invalid mach port - Cleaning
up this named port's topics. com.apple.askpermission.aps
26/08/2016 9:45:00.773 AM      mds[56] (FMW.Normal:1428) FMW 0 0
26/08/2016 9:45:00.854 AM      AirPlayXPCHelper[91]      2016-08-26
09:45:00.853051 AM [AirPlayEndpointManagerMeta]
metaManager_createAirPlayEndpointManager Using NAPS Endpoint Manager
26/08/2016 9:45:00.855 AM      AirPlayXPCHelper[91]      2016-08-26
09:45:00.854630 AM [WiFiManagerCore] ### Get interfaces failed:
-3903/0xFFFFF0C1 kA11NotSupportedErr
26/08/2016 9:45:00.855 AM      AirPlayXPCHelper[91]      2016-08-26
09:45:00.854826 AM [APTransportTrafficRegistrar]
APTransportTrafficRegistrar: Deregister AirPlay traffic for AWDL at
MAC 00:00:00:00:00:00 with target infra non critical
PeerIndication=0 err=-3903
26/08/2016 9:45:00.855 AM      AirPlayXPCHelper[91]      2016-08-26
09:45:00.854947 AM [AirPlay]
trafficRegistrar_resetRegistrationInternal signalled
-3903/0xFFFFF0C1 kA11NotSupportedErr: APTransportTrafficRegistrar:
reset registration failed
26/08/2016 9:45:00.886 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:00.893 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:45:00.894 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:45:00.894 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:45:00.894 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:45:00.928 AM      com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.AirPlayXPCHelper.
26/08/2016 9:45:00.928 AM      com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointmanager.xpc.
26/08/2016 9:45:00.928 AM      com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.coremedia.endpoint.xpc.
26/08/2016 9:45:00.928 AM      com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointstream.xpc.
26/08/2016 9:45:00.931 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 9:45:00.939 AM      com.apple.audio.DriverHelper[158]
```

```
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
RootDomainUserClient.
26/08/2016 9:45:00.939 AM      networkd[152]  -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:45:00.939 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDLibUserClient.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothL2CAPChannelUserClient.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothHCIUserClient.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothDeviceUserClient.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDResourceDeviceUserClient.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named com.apple.blued.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.bluetoothaudiod.
26/08/2016 9:45:00.940 AM      com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.BluetoothD0Server.
26/08/2016 9:45:00.945 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 9:45:00.946 AM      digest-service[128]    label:
default
26/08/2016 9:45:00.946 AM      digest-service[128]
dbname: od:/Local/Default
26/08/2016 9:45:00.946 AM      digest-service[128]
mkey_file: /var/db/krb5kdc/m-key
26/08/2016 9:45:00.946 AM      digest-service[128]
acl_file: /var/db/krb5kdc/kadmind.acl
26/08/2016 9:45:00.952 AM      digest-service[128]    digest-
request: uid=0
26/08/2016 9:45:00.966 AM      locationd[75]    Logging binary
sensor data to /var/folders/zz/zyxvpxvq6csfxvn_n00000sm00006d/C/
locationdSensors.bin
```

26/08/2016 9:45:00.994 AM UserEventAgent[38] Received
XPC_ERROR_CONNECTION_INVALID for connection com.apple.backupd.xpc
26/08/2016 9:45:00.997 AM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 9:45:01.008 AM locationd[75] Location icon should
now be in state 'Inactive'
26/08/2016 9:45:01.061 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:01.068 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:45:01.069 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:45:01.069 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:45:01.069 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:45:01.079 AM UserEventAgent[38] assertion
failed: 15G31: com.apple.telemetry + 19557 [63FA30F5-D35A-3A8D-95C4-
EB83EC961467]: 0x0
26/08/2016 9:45:01.083 AM UserEventAgent[38]
nsurlsessiond_events plugin: adding token 1 for client
softwareupdate_download_service
26/08/2016 9:45:01.096 AM nehelper[166] objc[166]: Class
NEHelperSystemProviderManager is implemented in both /System/
Library/Frameworks/NetworkExtension.framework/Versions/A/
NetworkExtension and /usr/libexec/nehelper. One of the two will be
used. Which one is undefined.
26/08/2016 9:45:01.129 AM diskmanagementstartup[52]
started Windows Installer Partition removal
26/08/2016 9:45:01.130 AM diskmanagementstartup[52]
Windows Installer Partition removal: No trigger, so doing nothing
26/08/2016 9:45:01.133 AM diskmanagementstartup[52]
finished Windows Installer Partition removal; error = 0
26/08/2016 9:45:01.146 AM digest-service[128] digest-
request: netr probe 0
26/08/2016 9:45:01.147 AM digest-service[128] digest-
request: init request
26/08/2016 9:45:01.152 AM digest-service[128] digest-
request: init return domain: BUILTIN server: MS-IMAC indomain was:
<NULL>
26/08/2016 9:45:01.244 AM com.apple.CDScheduler[38]
Initial power state set to AC Power
26/08/2016 9:45:02.000 AM kernel[0] Ethernet
[IntelMausi]: Link up on en0, 100-Megabit, Full-duplex, Rx/Tx flow-
control
26/08/2016 9:45:02.350 AM mDNSResponder[83]
mDNS_RegisterInterface: Frequent transitions for interface en0
(FE80:0000:0000:0000:D217:C2FF:FE86:10EF)
26/08/2016 9:45:02.439 AM networkd[152] -

```

[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 9:45:03.338 AM      configd[46]      network changed:
v4(en0+:192.168.1.113) DNS+ Proxy+ SMB
26/08/2016 9:45:03.343 AM      networkd[152]    BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:45:03.420 AM      configd[46]      BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:45:03.437 AM      configd[46]      setting hostname to
"Ms-iMac"
26/08/2016 9:45:04.800 AM      sntp[177]        time set -0.157869 s
26/08/2016 9:45:04.822 AM      ntpd[165]        peer
time.asia.apple.com @ 17.253.82.125
26/08/2016 9:45:05.000 AM      kernel[0]
ACPI_SMC_PlatformPlugin::start -
waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed
out
26/08/2016 9:45:05.000 AM      kernel[0]        WARNING:
IOPlatformPluginUtil : getCPUIDInfo: this is an unknown CPU model
0x5e
26/08/2016 9:45:05.000 AM      kernel[0]        -- power management
may be incomplete or unsupported
26/08/2016 9:45:05.000 AM      kernel[0]
AppleIntelPCHPMC::publishedIOPPF - return false
26/08/2016 9:45:05.513 AM      WindowServer[126]    Session 257
retained (2 references)
26/08/2016 9:45:05.513 AM      WindowServer[126]    Session 257
released (1 references)
26/08/2016 9:45:05.575 AM      WindowServer[126]    Session 257
retained (2 references)
26/08/2016 9:45:05.575 AM      WindowServer[126]    **DMPROXY**
(2) Found `~/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDuser
26/08/2016 9:45:05.576 AM      WindowServer[126]
init_page_flip: page flip mode is on
26/08/2016 9:45:05.000 AM      kernel[0]        ATY,Futomaki: Not
usable
26/08/2016 9:45:05.587 AM      WindowServer[126]    Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:45:05.588 AM      WindowServer[126]
mux_initialize: Couldn't find any matches
26/08/2016 9:45:05.591 AM      WindowServer[126]    Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 9:45:05.599 AM      WindowServer[126]
update_gl_acceleration: device (0x7f9179d06390) is unsuitable for gl
- disabling OpenGL
26/08/2016 9:45:05.822 AM      WindowServer[126]
WSMachineIsAMD: false

```

```
26/08/2016 9:45:05.831 AM      com.apple.AmbientDisplayAgent[181]
    AmbientDisplayAgent started
26/08/2016 9:45:05.892 AM      WindowServer[126]
WSMachineUsesNewStyleMirroring: true
26/08/2016 9:45:05.892 AM      WindowServer[126]
start_deferring_display_reconfiguration
26/08/2016 9:45:05.893 AM      WindowServer[126]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 9:45:06.350 AM      WindowServer[126]
update_gl_acceleration: device (0x7f9179d06390) is unsuitable for gl
- disabling OpenGL
26/08/2016 9:45:06.351 AM      WindowServer[126]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 9:45:06.351 AM      WindowServer[126]
CGXPerformInitialDisplayConfiguration
26/08/2016 9:45:06.351 AM      WindowServer[126]      Display
0x5b81c5c0: Unit 0; Vendor 0x756e6b6e Model 0x717 S/N 0 Dimensions
0.00 x 0.00; online enabled, Bounds (0,0)[1920 x 1080], Rotation 0,
Resolution 1
26/08/2016 9:45:06.351 AM      WindowServer[126]
initialize_display_context: dev counts are zero (0, 0) - disabling
OpenGL
26/08/2016 9:45:06.351 AM      WindowServer[126]      GLCompositor
enabled for tile size [256 x 256]
26/08/2016 9:45:06.351 AM      WindowServer[126]
CGXGLInitMipMap: mip map mode is on
26/08/2016 9:45:06.352 AM      WindowServer[126]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:45:06.355 AM      com.apple.AmbientDisplayAgent[181]
    AMBD initializing devices
26/08/2016 9:45:06.377 AM      WindowServer[126]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:45:06.382 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:45:06.383 AM      com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 9:45:06.383 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 9:45:06.384 AM      com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
```

26/08/2016 9:45:06.387 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand

26/08/2016 9:45:06.389 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 9:45:06.392 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.

26/08/2016 9:45:06.392 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow) This service is defined to be
constantly running and is inherently inefficient.

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 9:45:06.393 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 9:45:06.403 AM PowerChime[188] objc[188]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.

26/08/2016 9:45:06.448 AM com.apple.SecurityServer[73]
Session 100006 created

26/08/2016 9:45:06.449 AM askpermissiond[184]
StoreTransport: Resetting APS Connection using environment name
production

26/08/2016 9:45:06.455 AM apsd[70] Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name

26/08/2016 9:45:06.504 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.

26/08/2016 9:45:06.509 AM loginwindow[86] Login Window Started
Security Agent

26/08/2016 9:45:06.533 AM WiFiAgent[191]
securityd_message_with_reply_sync Failed to talk to secd after 4

attempts.
26/08/2016 9:45:06.537 AM WiFiAgent[191] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 9:45:06.542 AM UserEventAgent[190] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 9:45:06.554 AM UserEventAgent[190] user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 9:45:06.575 AM SecurityAgent[193] This is the
first run
26/08/2016 9:45:06.575 AM SecurityAgent[193] MacBuddy was
run = 0
26/08/2016 9:45:07.274 AM SecurityAgent[193]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 9:45:07.000 AM kernel[0] ignored
is_io_service_close(0x10000037c, IOHIDParamUserClient)
26/08/2016 9:45:07.472 AM WindowServer[126]
stop_deferring_display_reconfiguration
26/08/2016 9:45:08.349 AM WindowServer[126] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
discovery
26/08/2016 9:45:08.350 AM WindowServer[126] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 9:45:08.370 AM WindowServer[126]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:45:16.433 AM WindowServer[126] BUG in
libdispatch client: dispatch_mig_server: mach_msg() failed (ipc/
send) msg too small - 0x10000008
26/08/2016 9:45:28.799 AM SecurityAgent[193] User info
context values set for monster
26/08/2016 9:45:28.826 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:28.831 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 9:45:28.833 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:45:28.833 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 9:45:28.833 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:45:29.237 AM SecurityAgent[193] Login Window
login proceeding
26/08/2016 9:45:29.316 AM loginwindow[86] Login Window -
Returned from Security Agent
26/08/2016 9:45:29.321 AM loginwindow[86] USER_PROCESS: 86
console

26/08/2016 9:45:29.336 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.341 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand

26/08/2016 9:45:29.343 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:45:29.343 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:45:29.343 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand

26/08/2016 9:45:29.000 AM kernel[0]
AppleKeyStore::handleUserClientCommandGated: asking for specific bag 501 (eff -501)

26/08/2016 9:45:29.000 AM kernel[0]
AppleKeyStore::handleUserClientCommandGated: set handle 1 as special bag -501

26/08/2016 9:45:29.000 AM kernel[0]
AppleKeyStore:Sending lock change 1 for handle 1

26/08/2016 9:45:29.000 AM kernel[0]
AppleKeyStore:Sending lock change 0 for handle -501

26/08/2016 9:45:29.477 AM com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 9:45:29.478 AM com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.478 AM com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand

26/08/2016 9:45:29.481 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.CommCenter-osx.plist, caller = loginwindow.86, error = 138: Service cannot be loaded on this hardware

26/08/2016 9:45:29.481 AM com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean: DrainMessagesAfterFailedInit

26/08/2016 9:45:29.481 AM com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent) This key does not do anything: OnDemand

26/08/2016 9:45:29.483 AM com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 9:45:29.483 AM com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.484 AM com.apple.xpc.launchd[1]
(com.apple.dock.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.dock.appstore) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.509 AM distnoted[209] # distnote server
agent absolute time: 35.397061145 civil time: Fri Aug 26 09:45:29
2016 pid: 209 uid: 501 root: no
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.dock.remotedesktoppicture) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.dock.launchpad) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.dock.downloads) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.EscrowSecurityAlert) Unknown key for string: seatbelt-
profiles
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.FirmwareUpdateHelper.plist, caller = loginwindow.86, error
= 138: Service cannot be loaded on this hardware
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.FontRegistryUIAgent) This key does not do anything:
OnDemand
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidator) This key does not do anything:
OnDemand
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidatorConduit) This key does not do anything:
OnDemand
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.gamed) This key does not do anything: OnDemand
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.gamed) The ServiceIPC key is no longer respected. Please
remove it.
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 9:45:29.485 AM com.apple.xpc.launchd[1]
(com.apple.icdd) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 9:45:29.488 AM com.apple.xpc.launchd[1]
(com.apple.midiserver.io) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.489 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 9:45:29.489 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.alerts) The HideUntilCheckIn

property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.490 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.customalerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.490 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.extension-trampoline) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.491 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.tcc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.pluginkit.pkd.plist, caller = loginwindow.86

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.rtcreportingd) The UserName key is not supported for non-System services.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent) The UserName key is not supported for non-System services.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.sharingd) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): events/array

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): bundleid/string

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechdatainstallerd) This key does not do anything: OnDemand

26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to

hijack service: path = /System/Library/LaunchAgents/
com.apple.storeinstallagent.plist, caller = loginwindow.86
26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.dockextra.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.SUIMessaging) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.492 AM com.apple.xpc.launchd[1]
(com.apple.ipodserver) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.screencapture) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.tsm.uiserver) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.dockling.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies.startup) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to
hijack service: path = /System/Library/LaunchAgents/
com.apple.trustd.agent.plist, caller = loginwindow.86
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly
26/08/2016 9:45:29.493 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-Aqua) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 9:45:29.494 AM com.apple.xpc.launchd[1]
(com.apple.usernoted) This service is defined to be constantly

running and is inherently inefficient.

26/08/2016 9:45:29.494 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.495 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 9:45:29.495 AM com.apple.xpc.launchd[1]
(org.openbsd.ssh-agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 9:45:29.521 AM lsd[212] LaunchServices:
Scheme mapping file does not exist, creating file.

26/08/2016 9:45:29.534 AM otherbsd[208] Could not copy
LoginItems URL.

26/08/2016 9:45:29.746 AM symptomsd[175] __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2

26/08/2016 9:45:29.758 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.

26/08/2016 9:45:29.770 AM UserEventAgent[207] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin

26/08/2016 9:45:29.822 AM UserEventAgent[207]
com.apple.TMHelperAgent.SetupOffer enabled

26/08/2016 9:45:29.885 AM sharingd[221] 09:45:29.883 :
Starting Up...

26/08/2016 9:45:29.886 AM sharingd[221] 09:45:29.886 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)

26/08/2016 9:45:29.888 AM UserEventAgent[207] user agent
networkd: built Feb 25 2016 17:43:05

26/08/2016 9:45:29.920 AM UserEventAgent[207] received an
unknown event from daemon

26/08/2016 9:45:29.929 AM com.apple.CDScheduler[207]
Initial power state set to AC Power

26/08/2016 9:45:29.970 AM secinitd[227] UID[501]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist

26/08/2016 9:45:29.973 AM com.apple.SecurityServer[73]
Session 100009 created

26/08/2016 9:45:30.612 AM WindowServer[126] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
login

26/08/2016 9:45:30.613 AM WindowServer[126] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs

26/08/2016 9:45:30.751 AM sharingd[221] 09:45:30.751 : No
delegate parameters from account, account exists = NO

26/08/2016 9:45:30.751 AM sharingd[221] 09:45:30.751 :
Tethering: Identifier needs fixing

26/08/2016 9:45:30.753 AM sharingd[221] 09:45:30.752 : No
delegate parameters from account, account exists = NO

26/08/2016 9:45:30.756 AM sharingd[221] 09:45:30.756 : No

```
delegate parameters from account, account exists = NO
26/08/2016 9:45:30.916 AM      sandboxd[228]    ([225])
CalendarAgent(225) allow mach-register
com.apple.CalendarStore.lock.init
26/08/2016 9:45:30.925 AM      CalNCServices[230]    [Warning]
Cannot listen to battery level change notification.
26/08/2016 9:45:31.247 AM      WindowServer[126]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 9:45:31.303 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7f97a9413800>: Configuring
notification center for identifier: com.apple.iChat  topics: (
    "com.apple.private.ids"
)
26/08/2016 9:45:31.313 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7f97a9413800>: NC Disabled: NO
26/08/2016 9:45:31.317 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7f97a9413800>: DND Enabled: NO
26/08/2016 9:45:31.317 AM      identityservicesd[233]
<IMMacNotificationCenterManager: 0x7f97a9413800>: Updating enabled:
YES (Topics: (
    "com.apple.private.ids"
))
26/08/2016 9:45:31.318 AM      sharingd[221]    [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:45:31.333 AM      accountsd[231]  [Warning] Services
all disappeared, removing all accounts
26/08/2016 9:45:31.333 AM      accountsd[231]  [Warning] Services
all disappeared, removing all enabled accounts
26/08/2016 9:45:31.333 AM      accountsd[231]  [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:45:31.348 AM      syncdefaultsd[232]    accountsd
has been removed from syncing apps.
26/08/2016 9:45:31.386 AM      callservicesd[243]    [Warning]
Services all disappeared, removing all dependent devices
26/08/2016 9:45:31.424 AM      logind[87]        -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
dictionary for audit session 100009
26/08/2016 9:45:31.424 AM      logind[87]        _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 9:45:31.424 AM      IMPDPersistenceAgent[245]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 9:45:31.450 AM      imagent[244]     [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 9:45:31.464 AM      imagent[244]     [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:45:31.464 AM      imagent[244]     [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 9:45:31.466 AM      imagent[244]     [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:45:31.466 AM      imagent[244]     [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 9:45:31.498 AM      fmfed[246]       Initialized sandbox
```

26/08/2016 9:45:31.971 AM Finder[218] assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89

26/08/2016 9:45:31.991 AM apsd[70] Peer [pid=246]
requested push wake but lacks APSPushWakeEntitlement

26/08/2016 9:45:32.014 AM iconservicesagent[249]
iconservicesagent launched.

26/08/2016 9:45:32.021 AM iconservicesagent[249] Starting
service with cache path: /var/folders/
k4/9rlmcf592jv3xvxfl7t4qk4m0000gn/C/com.apple.iconservices

26/08/2016 9:45:32.024 AM Spotlight[240] spot: agent checkin

26/08/2016 9:45:32.063 AM DMPProxy[239] AMBD Services:
_CFXPCCreateXPCObjectFromCFObject failed!!

26/08/2016 9:45:32.099 AM SpotlightNetHelper[252]
CGSConnectionByID: 0 is not a valid connection ID.

26/08/2016 9:45:32.100 AM SpotlightNetHelper[252] Invalid
Connection ID 0

26/08/2016 9:45:32.115 AM deleted[254]
normalizeUserMountpoint:791 volRoot failed for /Volumes/EFI

26/08/2016 9:45:32.115 AM deleted[254] _validateVolume:813
unable to normalize volume: "/Volumes/EFI", vol: (null)

26/08/2016 9:45:32.258 AM com.apple.geod[259] 2016-08-26
09:45:32.241, 259, abf0e980, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create

26/08/2016 9:45:32.000 AM kernel[0] Sandbox:
coreduetd(64) deny(1) file-read-metadata /usr/libexec

26/08/2016 9:45:32.448 AM fmfed[246] [Warning] Services
all disappeared, removing all dependent devices

26/08/2016 9:45:32.456 AM sandboxd[228] ([167])
rpcsvchost(167) deny file-read-metadata /usr

26/08/2016 9:45:32.517 AM sandboxd[228] ([78]) blued(78)
deny file-read-metadata /usr

26/08/2016 9:45:32.534 AM sandboxd[228] ([157])
coreaudiod(157) deny file-read-metadata /usr

26/08/2016 9:45:32.605 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.

26/08/2016 9:45:32.612 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 9:45:32.614 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 9:45:32.614 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 9:45:32.614 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 9:45:32.000 AM kernel[0] Sandbox:
storeaccountd(256) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight

26/08/2016 9:45:32.000 AM kernel[0] Sandbox:

```
storeaccountd(256) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:45:32.705 AM      cloudphotosd[226]      Unable to
register with launch services, result = -10819
26/08/2016 9:45:32.759 AM      PowerChime[278] objc[278]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 9:45:32.791 AM      PowerChime[278] PowerChime: chime
enabled by hardware: 0
26/08/2016 9:45:32.792 AM      PowerChime[278] PowerChime disabled
- ChimeOnNoHardware default: 0
26/08/2016 9:45:32.806 AM      apsd[70]      Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:45:32.812 AM      apsd[70]      Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 9:45:32.844 AM      CloudKeychainProxy[290] __45-
[UbiquitousKVSPProxy doEnsurePeerRegistration]_block_invoke <UB---e-
C---> ensurePeerRegistration called, success ((null))
26/08/2016 9:45:32.853 AM      askpermissiond[279]
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 9:45:32.937 AM      secdd[234]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[289] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 9:45:32.979 AM      cloudd[292]      Could not create
primary backing account
26/08/2016 9:45:33.000 AM      kernel[0]      Sandbox:
storeaccountd(256) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 9:45:33.044 AM      secdd[234]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[289] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 9:45:33.120 AM      sandboxd[228]      ([256])
storeaccountd(256) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:45:33.125 AM      MRT[287]      Agent finished.
26/08/2016 9:45:33.125 AM      MRT[287]      Finished MRT run
26/08/2016 9:45:33.138 AM      sandboxd[228]      ([256])
storeaccountd(256) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 9:45:33.155 AM      sandboxd[228]      ([179])
netbiosd(179) deny file-read-metadata /usr
26/08/2016 9:45:33.162 AM      WiFiAgent[284] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC WiFiCloudSyncEngineCreate:
created...
26/08/2016 9:45:33.162 AM      WiFiAgent[284] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC
WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks
version - 0, bundle id - com.apple.wifi.WiFiAgent
26/08/2016 9:45:33.163 AM      secdd[234]
```

```

securityd_xpc_dictionary_handler WiFiAgent[284] View Error
Domain=com.apple.security.sos.error Code=1032 "No Peer for Account"
UserInfo={NSDescription=No Peer for Account}
26/08/2016 9:45:33.165 AM WiFiAgent[284] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 9:45:33.172 AM sandboxd[228] ([64]) coreduetd(64)
deny file-read-metadata /usr/libexec
26/08/2016 9:45:33.180 AM Keychain Circle Notification[271]
Posted at launch: (
)
26/08/2016 9:45:33.181 AM Keychain Circle Notification[271]
rawStatus -1, #applicants 0, #peers 0, err=Error
Domain=com.apple.security.sos.error Code=2 "Public Key not available
- failed to register before call" UserInfo={NSDescription=Public Key
not available - failed to register before call}
26/08/2016 9:45:33.183 AM Keychain Circle Notification[271]
{ChangeCallback}
26/08/2016 9:45:33.184 AM Keychain Circle Notification[271]
{ChangeCallback} scheduleActivity 4001-01-01 00:00:00 +0000
26/08/2016 9:45:33.184 AM Keychain Circle Notification[271]
{ChangeCallback} Applicants
26/08/2016 9:45:33.185 AM cloudphotosd[226] Determine
service transition start:
service=com.apple.photo.icloud.myphotostream personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:45:33.185 AM cloudphotosd[226] Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:45:33.185 AM Keychain Circle Notification[271]
Checking validity of 0 notes
26/08/2016 9:45:33.187 AM cloudphotosd[226] Determine
service transition start:
service=com.apple.photo.icloud.sharedstreams personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 9:45:33.187 AM cloudphotosd[226] Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 9:45:33.187 AM cloudphotosd[226] +[CSLogger
preferencesChanged:] reconfiguring logging
26/08/2016 9:45:33.188 AM Keychain Circle Notification[271]
writeToStorage plist={
absentCircleWithNoReason = 0;
applicationDate = "0000-12-30 00:00:00 +0000";
lastCircleStatus = "-1";
lastWritten = "2016-08-26 01:45:33 +0000";
pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
pendingApplicationReminderInterval = 86400;
}
26/08/2016 9:45:33.000 AM kernel[0] Sandbox:
SocialPushAgent(269) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 9:45:33.000 AM kernel[0] Sandbox:
SocialPushAgent(269) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 9:45:33.215 AM cloudpaired[281] DEBUG cloudpaired:
system supports Continuity

```

26/08/2016 9:45:33.222 AM cloudpaired[281] [Warning] Services all disappeared, removing all dependent devices
26/08/2016 9:45:33.227 AM cloudphotosd[226] Unable to resolve library URL for key because of error: Error Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey" UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 9:45:33.227 AM cloudphotosd[226] No canonical library is set, disabling service. error: Error Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey" UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 9:45:33.228 AM com.apple.CloudPhotosConfiguration[265] Request CB635DE0-C89B-47D3-988E-C61422C8EC97: New and old state identical for service com.apple.photo.icloud.cloudphoto: 0, ignoring request
26/08/2016 9:45:33.226 AM diagnostics_agent[285] AutoSubmitPreference is 1
26/08/2016 9:45:33.229 AM cloudphotosd[226] Determine service transition start: service=com.apple.photo.icloud.cloudphoto personId=(null) lastKnownPersonId=(null) targetState=0
26/08/2016 9:45:33.229 AM cloudphotosd[226] Determine service transition end: 2, currentState: 2, shouldEnableService: 0
26/08/2016 9:45:33.232 AM cloudd[292] Could not create primary backing account
26/08/2016 9:45:33.243 AM Spotlight[240] applications query - started
26/08/2016 9:45:33.281 AM diagnostics_agent[285] AutoSubmitPreference is 1
26/08/2016 9:45:33.339 AM diagnostics_agent[285] AutoSubmitPreference is 1
26/08/2016 9:45:33.395 AM Spotlight[240] applications query - finished in 0.15 seconds
26/08/2016 9:45:33.520 AM pkd[223] client 273 plug-in com.apple.ncplugin.WorldClock election := (null)
26/08/2016 9:45:33.521 AM pkd[223] client 273 plug-in com.apple.share.SocialWidget election := (null)
26/08/2016 9:45:33.521 AM pkd[223] client 273 plug-in com.apple.ncplugin.FindMyFriends election := (null)
26/08/2016 9:45:33.522 AM pkd[223] client 273 plug-in com.apple.ncplugin.calculator election := (null)
26/08/2016 9:45:33.657 AM com.apple.xpc.launchd[1] (com.apple.appkit.xpc.sandboxedServiceRunner) The JoinExistingSession key is only available to Application services.
26/08/2016 9:45:33.662 AM com.apple.xpc.launchd[1] (com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 9:45:33.668 AM com.apple.xpc.launchd[1] (com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand
26/08/2016 9:45:33.669 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 9:45:33.669 AM com.apple.xpc.launchd[1] (com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.

```
26/08/2016 9:45:33.669 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 9:45:54.584 AM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[302]) Service exited due
to signal: Killed: 9
26/08/2016 9:45:54.844 AM      launchd[1]          BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 9:45:59.532 AM      lsd[212]           LaunchServices:
Currently 0 installed placeholders: (
)
26/08/2016 9:45:59.851 AM      com.apple.WebKit.WebContent[264]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:46:00.000 AM      kernel[0]          Sandbox:
com.apple.Safari(322) deny(1) mach-lookup
com.apple.CoreServices.coreservicesd
26/08/2016 9:46:00.000 AM      kernel[0]          Sandbox:
com.apple.Safari(322) deny(1) file-read-metadata /usr
26/08/2016 9:46:02.206 AM      fontd[241]         BUG in libdispatch
client: dispatch_mig_server: mach_msg() failed (ipc/send) invalid
memory - 0x1000000c
26/08/2016 9:46:02.217 AM      com.apple.SecurityServer[73]
Session 100015 created
26/08/2016 9:46:02.000 AM      kernel[0]          Sandbox:
storeaccountd(256) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 9:46:04.178 AM      WindowServer[126]   Set a
breakpoint at CGSLogError to catch errors as they are logged.
26/08/2016 9:46:04.178 AM      WindowServer[126]
_CGXRRemoveWindowFromWindowMovementGroup: window 0x24 is not attached
to window 0x27
26/08/2016 9:46:04.401 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 16
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:04.999 AM      Safari[213]        CoreAnimation:
failed to create OpenGL context
26/08/2016 9:46:05.010 AM      com.apple.WebKit.WebContent[328]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:46:08.969 AM      com.apple.WebKit.WebContent[328]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:46:10.190 AM      com.apple.WebKit.WebContent[328]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:46:11.008 AM      com.apple.xpc.launchd[1]
(com.apple.WebKit.WebContent.ED7C99C5-DFCA-4FB9-
A8F8-07D1943A2720[321]) Service exited with abnormal code: 1
26/08/2016 9:46:11.010 AM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.796A4995-03EC-4AF3-856F-
F2EA8223B917[320]) Service exited with abnormal code: 1
26/08/2016 9:46:11.753 AM      com.apple.WebKit.WebContent[328]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
```

```
26/08/2016 9:46:17.643 AM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:46:19.505 AM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:46:31.380 AM      com.apple.WebKit.WebContent[328]
    [09:46:31.380] fragManifold_PushBytes signalled err=-16046
(kFigManifoldError_UnexpectedInitData) (Second 'ftyp' atom
encountered) at /Library/Caches/com.apple.xbs/Sources/CoreMedia/
CoreMedia-1731.15.206/Prototypes/FormatHandlers/Movie/
FigMovieFragmentManifold.c line 1680
26/08/2016 9:46:32.325 AM      Safari[213]
tcp_connection_destination_handle_tls_close_notify 8 closing socket
due to TLS CLOSE_NOTIFY alert
26/08/2016 9:46:32.325 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 8
__tcp_connection_tls_session_callback_write_block_invoke.434 error
32
26/08/2016 9:46:32.395 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 6
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.395 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 5
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 7
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 9
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 11
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 8
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 10
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:46:32.396 AM      SpotlightNetHelper[252]
tcp_connection_tls_session_error_callback_imp 2
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:47:01.000 AM      kernel[0]
considerRebuildOfPrelinkedKernel com.apple.driver.AudioAUUC
triggered rebuild
```

```
26/08/2016 9:49:00.610 AM      mds[56] (Volume.Normal:2464) volume:
0x7f90e3082000 ***** Bootstrapped Creating a default store:0
SpotLoc:(null) SpotVerLoc:/Volumes/firmwaresyncd.BYJqlv/.Spotlight-
V100/Store-V1 occlude:0 /Volumes/firmwaresyncd.BYJqlv
26/08/2016 9:49:00.889 AM      deleted[254]
normalizeUserMountpoint:791 volRoot failed for /Volumes/
firmwaresyncd.BYJqlv
26/08/2016 9:49:00.889 AM      deleted[254]      _validateVolume:813
unable to normalize volume: "/Volumes/firmwaresyncd.BYJqlv", vol:
(null)
26/08/2016 9:49:35.883 AM      com.apple.WebKit.WebContent[328]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:49:38.000 AM      kernel[0]      process
WindowServer[126] caught causing excessive wakeups. EXC_RESOURCE
supressed due to audio playback
26/08/2016 9:49:47.162 AM      com.apple.WebKit.WebContent[354]
      CoreAnimation: failed to create OpenGL context
26/08/2016 9:49:54.436 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.436 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.437 AM      com.apple.WebKit.WebContent[355]
      [09:49:54.437] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.479 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.479 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      [09:49:54.480] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
      [09:49:54.480] mv_LowLevelCheckIfVideoPlayableUsingDecoder
```

```
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.480] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.480 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.557] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.557] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.557 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
```

```
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.558] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.558] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.558 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.564] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec mp3.(null). Failed codec specific check.
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec mp3
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.564] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec mp3)
at line 1921
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec mp3
26/08/2016 9:49:54.564 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
```

```
<<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.565] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    [09:49:54.565] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 9:49:54.565 AM      com.apple.WebKit.WebContent[355]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 9:49:55.489 AM      WindowServer[126]
_CGXRRemoveWindowFromWindowMovementGroup: window 0x24 is not attached
to window 0x27
26/08/2016 9:49:55.531 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:49:55.569 AM      com.apple.WebKit.WebContent[355]
    CoreAnimation: failed to create OpenGL context
26/08/2016 9:49:55.602 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 40
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:50:17.439 AM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:50:17.440 AM      com.apple.WebKit.WebContent[328]
    CoreAnimation: failed to create OpenGL context
26/08/2016 9:50:19.704 AM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:51:07.007 AM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[341]) Service exited due
to signal: Killed: 9
26/08/2016 9:51:13.014 AM      com.apple.WebKit.WebContent[355]
    CoreAnimation: failed to create OpenGL context
26/08/2016 9:51:32.840 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:51:33.405 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
```

```
display - falling back to 60Hz
26/08/2016 9:51:35.903 AM      com.apple.WebKit.WebContent[355]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:51:46.394 AM      com.apple.WebKit.WebContent[355]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:52:20.214 AM      com.apple.WebKit.WebContent[358]
      CoreAnimation: failed to create OpenGL context
26/08/2016 9:52:31.909 AM      WindowServer[126]
      _CGXRemoveWindowFromWindowMovementGroup: window 0x24 is not attached
to window 0x27
26/08/2016 9:52:32.056 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 47
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:52:32.928 AM      com.apple.WebKit.WebContent[359]
      CoreAnimation: failed to create OpenGL context
26/08/2016 9:52:50.222 AM      Safari[213]
tcp_connection_destination_handle_tls_close_notify 45 closing socket
due to TLS CLOSE_NOTIFY alert
26/08/2016 9:52:57.632 AM      com.apple.WebKit.WebContent[355]
      CoreAnimation: failed to create OpenGL context
26/08/2016 9:53:08.166 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 48
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 9:53:27.665 AM      com.apple.xpc.launchd[1]
(com.apple.quicklook[360]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook
26/08/2016 9:53:28.040 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2507db0>.
26/08/2016 9:53:28.041 AM      quicklookd[360] Error returned from
iconservicesagent: (null)
26/08/2016 9:53:28.044 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda24078a0>.
26/08/2016 9:53:28.044 AM      quicklookd[360] Error returned from
iconservicesagent: (null)
26/08/2016 9:53:28.052 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2407f40>.
26/08/2016 9:53:28.052 AM      quicklookd[360] Error returned from
iconservicesagent: (null)
26/08/2016 9:53:28.056 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2408650>.
26/08/2016 9:53:28.056 AM      quicklookd[360] Error returned from
iconservicesagent: (null)
26/08/2016 9:53:32.815 AM      lsd[212]          LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsdschemas.plist
```

```
26/08/2016 9:53:32.851 AM      launchservicesd[71]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:53:32.854 AM      launchservicesd[71]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:53:32.968 AM      appleeventsd[45]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:53:33.052 AM      DPCIManager[363]
CVCGDisplayLink::setCurrentDisplay didn't find a valid display -
falling back to 60Hz
26/08/2016 9:53:33.059 AM      sharedfilelistd[214]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:53:37.895 AM      launchservicesd[71]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:53:37.896 AM      launchservicesd[71]
SecTaskLoadEntitlements failed error=22
26/08/2016 9:55:13.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 9:55:13.042 AM      com.apple.WebKit.WebContent[328]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:55:13.043 AM      com.apple.WebKit.WebContent[328]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:55:14.768 AM      com.apple.WebKit.WebContent[328]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:55:25.240 AM      com.apple.WebKit.WebContent[355]
CoreAnimation: failed to create OpenGL context
26/08/2016 9:55:31.764 AM      com.apple.kextcache[342]
kext-dev-mode allowing invalid signature -67062 0xFFFFFFFFFFEFA0A
for kext realtekALC.kext
26/08/2016 9:55:31.811 AM      com.apple.kextcache[342]
kext-dev-mode allowing invalid signature -67062 0xFFFFFFFFFFEFA0A
for kext IntelMausiEthernet.kext
26/08/2016 9:55:31.898 AM      com.apple.kextcache[342]
kext-dev-mode allowing invalid signature -67062 0xFFFFFFFFFFEFA0A
for kext GenericUSBXHCI.kext
26/08/2016 9:55:31.915 AM      com.apple.kextcache[342]
kext-dev-mode allowing invalid signature -67062 0xFFFFFFFFFFEFA0A
for kext FakeSMC.kext
26/08/2016 9:55:35.913 AM      com.apple.kextcache[342]
kext-dev-mode allowing invalid signature -67054 0xFFFFFFFFFFEFA12
for kext AppleHDA.kext
26/08/2016 9:55:46.186 AM      com.apple.kextcache[342]
Created old kernelcache copy "/System/Library/Caches/
com.apple.kext.caches/Startup/kernelcache"
26/08/2016 9:55:46.186 AM      com.apple.kextcache[342]
Created prelinked kernel "/System/Library/PrelinkedKernels/
prelinkedkernel"
26/08/2016 9:55:46.186 AM      com.apple.kextcache[342]
Created prelinked kernel using "/System/Library/Kernels/kernel"
26/08/2016 9:56:06.339 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 9:56:17.917 AM      com.apple.WebKit.WebContent[355]
```

CVCGDisplayLink::setCurrentDisplay didn't find a valid display - falling back to 60Hz
26/08/2016 9:57:41.936 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/.DS_Store
26/08/2016 9:57:46.540 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/Library/.DS_Store
26/08/2016 9:57:46.559 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/.DS_Store
26/08/2016 9:57:52.126 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/.DS_Store
26/08/2016 9:57:54.110 AM com.apple.xpc.launchd[1]
(com.apple.quicklook[372]) Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in(): com.apple.quicklook
26/08/2016 9:57:57.812 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/Library/.DS_Store
26/08/2016 9:57:57.826 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/.DS_Store
26/08/2016 9:58:05.223 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/Library/.DS_Store
26/08/2016 9:58:12.316 AM sandboxd[228] ([218]) Finder(218)
System Policy: allow file-write-create /System/Library/.DS_Store
26/08/2016 9:58:17.000 AM kernel[0] Sandbox: Finder(218)
System Policy: allow(0) file-write-create /System/Library/.DS_Store
26/08/2016 9:58:22.000 AM kernel[0] Sandbox: Finder(218)
System Policy: allow(0) file-write-create /System/Library/.DS_Store
26/08/2016 9:58:42.455 AM QuickLookSatellite[373]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:58:42.455 AM QuickLookSatellite[373] Invalid Connection ID 0
26/08/2016 9:58:42.500 AM QuickLookSatellite[373]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:58:42.500 AM QuickLookSatellite[373]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:58:42.500 AM QuickLookSatellite[373]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 9:58:42.504 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composite image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 9:58:42.505 AM quicklookd[372] Error returned from iconservicesagent: (null)
26/08/2016 9:58:42.508 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composite image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 9:58:42.508 AM quicklookd[372] Error returned from iconservicesagent: (null)
26/08/2016 9:58:42.622 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composite image for descriptor <ISBindingImageDescriptor: 0x7ffda26112a0>.
26/08/2016 9:58:42.623 AM quicklookd[372] Error returned from iconservicesagent: (null)
26/08/2016 9:58:42.626 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composite image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.

```
26/08/2016 9:58:42.626 AM      quicklookd[372] Error returned from
iconservicesagent: (null)
26/08/2016 9:58:42.631 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda250c090>.
26/08/2016 9:58:42.632 AM      quicklookd[372] Error returned from
iconservicesagent: (null)
26/08/2016 9:58:42.634 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda26109a0>.
26/08/2016 9:58:42.635 AM      quicklookd[372] Error returned from
iconservicesagent: (null)
26/08/2016 9:58:47.448 AM      QuickLookSatellite[373] In -
[NSApplication(NSQuietSafeQuit) _updateCanQuitQuietlyAndSafely],
_LSSetApplicationInformationItem(NSCanQuitQuietlyAndSafely) returned
error -50
26/08/2016 10:04:21.703 AM      ntpd[165]          drift PPM:0.000 ->
-6.135
26/08/2016 10:04:59.018 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:04:59.299 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:04:59.944 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:05.171 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:05.652 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:14.191 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:14.000 AM      syslogd[37]       ASL Sender
Statistics
26/08/2016 10:05:17.258 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:20.850 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:21.378 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:21.933 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:22.445 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:24.948 AM      com.apple.WebKit.WebContent[355]
```

```
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:26.822 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:30.002 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:33.097 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:35.897 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:44.723 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:05:45.413 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:11.516 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:12.282 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:15.339 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:24.341 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:24.607 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:25.813 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:06:29.679 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:18.980 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 51
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 10:08:37.644 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:39.117 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:42.182 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
```

```
26/08/2016 10:08:43.312 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:43.862 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:45.235 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:48.593 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:49.291 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:08:51.801 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:10:40.647 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:10:41.533 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:10:44.638 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:01.982 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:02.925 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:16.465 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:17.120 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:25.860 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:11:35.827 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:09.403 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:09.984 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:12.947 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
```

```
26/08/2016 10:13:35.128 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:36.032 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:37.400 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:38.317 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:52.462 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:53.091 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:53.895 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:13:58.593 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:14:00.324 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:14:08.592 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:15:29.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 10:15:29.507 AM      com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent[376]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.ipc
26/08/2016 10:15:29.507 AM      com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent[376]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.notification
26/08/2016 10:15:29.516 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.enroll" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 10:15:42.985 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:15:52.657 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:15:55.621 AM      com.apple.WebKit.WebContent[355]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:16:09.129 AM      com.apple.WebKit.WebContent[355]
```

```
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:16:50.713 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:17:29.533 AM      apsd[70]          Failed to send
activation record to service com.apple.ManagedClient.enroll
26/08/2016 10:18:21.557 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:18:25.772 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:19:31.500 AM      com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:19:36.971 AM      com.apple.xpc.launchd[1]
(com.apple.quicklook[380]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook
26/08/2016 10:19:37.119 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:19:37.120 AM      quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:19:37.124 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7ffda2511330>.
26/08/2016 10:19:37.124 AM      quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:19:48.529 AM      QuickLookSatellite[381]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 10:19:48.529 AM      QuickLookSatellite[381] Invalid
Connection ID 0
26/08/2016 10:19:48.547 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:19:48.547 AM      quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:19:48.548 AM      QuickLookSatellite[381]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 10:19:48.548 AM      QuickLookSatellite[381]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 10:19:48.548 AM      QuickLookSatellite[381]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 10:19:48.558 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:19:48.558 AM      quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:19:48.570 AM      iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:19:48.570 AM      quicklookd[380] Error returned from
```

```
iconservicesagent: (null)
26/08/2016 10:19:53.624 AM QuickLookSatellite[381] In -
[NSApplication(NSQuietSafeQuit) _updateCanQuitQuietlyAndSafely],
_LSSetApplicationInformationItem(NSCanQuitQuietlyAndSafely) returned
error -50
26/08/2016 10:23:19.070 AM Safari[213]
tcp_connection_tls_session_error_callback_imp 59
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 10:25:44.000 AM syslogd[37] ASL Sender
Statistics
26/08/2016 10:30:15.255 AM AirPlayUIAgent[280] 2016-08-26
10:30:15.255204 AM [AirPlayUIAgent] BecomingInactive:
NSWorkspaceWillSleepNotification
26/08/2016 10:32:01.668 AM com.apple.WebKit.WebContent[355]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:32:08.100 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:32:08.101 AM quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:32:08.104 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2614fe0>.
26/08/2016 10:32:08.104 AM quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:32:08.107 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2613d10>.
26/08/2016 10:32:08.107 AM quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:32:08.113 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda2613730>.
26/08/2016 10:32:08.113 AM quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:32:08.116 AM iconservicesagent[249] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7ffda240afe0>.
26/08/2016 10:32:08.116 AM quicklookd[380] Error returned from
iconservicesagent: (null)
26/08/2016 10:32:15.657 AM sandboxd[228] ([197])
systemsoundserve(197) deny file-read-data /private/var/root/Library/
Preferences/.GlobalPreferences.plist
26/08/2016 10:32:21.868 AM SecurityAgent[398]
activateIgnoringOtherApps:1
26/08/2016 10:32:21.869 AM SecurityAgent[398]
makeKeyAndOrderFront
26/08/2016 10:32:21.890 AM SecurityAgent[398]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 10:32:27.000 AM kernel[0] ignored
is_io_service_close(0x10000037c, IOHIDParamUserClient)
26/08/2016 10:32:27.000 AM kernel[0] ignored
```

```
is_io_service_close(0x10000037c,IOHIDParamUserClient)
26/08/2016 10:32:27.000 AM      kernel[0]      ignored
is_io_service_close(0x10000037c,IOHIDParamUserClient)
26/08/2016 10:32:27.783 AM      authexec[401]  executing /System/
Library/ScriptingAdditions/StandardAdditions.osax/Contents/MacOS/uid
26/08/2016 10:32:28.005 AM      fseventsd[41]  could not open <</
Volumes/EFI/.fseventsd/fseventsd-uuid>> (No such file or directory)
26/08/2016 10:32:28.005 AM      fseventsd[41]  Failed to load UUID.
Removing all old log files in /Volumes/EFI/.fseventsd
26/08/2016 10:32:28.005 AM      fseventsd[41]  log dir: /Volumes/
EFI/.fseventsd getting new uuid: 1270B89F-813C-4F99-97ED-
D6BF4996E1F0
26/08/2016 10:32:46.936 AM      CoreServicesUIAgent[262]
Error -60005 creating authorization
26/08/2016 10:32:46.967 AM      syspolicyd[415] loading GKE
ef8da7dd-53a6-4a5f-a653-50e9ffa7e709 (replacing nothing)
26/08/2016 10:32:49.274 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.oneshot.0x10000004.Terminal[414]) Service
exited due to signal: Killed: 9
26/08/2016 10:32:50.975 AM      CoreServicesUIAgent[262]
Error -60005 creating authorization
26/08/2016 10:32:52.120 AM      login[417]     USER_PROCESS: 417
ttys000
26/08/2016 10:33:17.859 AM      Terminal[416]  BUG in libdispatch
client: kevent[EVFILT_PROC] enable: "No such file or directory" -
0x2
26/08/2016 10:33:32.368 AM      sudo[524]      monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/usr/bin/curl
-o /tmp/ssdt_hdmi-amd-default-PEG0.zip https://
raw.githubusercontent.com/toleda/audio_hdmi_amd-nvidia/master/
ssdt_hdmi-amd/ssdt_hdmi-amd-default-PEG0.zip
26/08/2016 10:33:33.330 AM      sudo[527]      monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/bin/cp -R /
tmp/ssdt_hdmi-amd-default-PEG0/SSDT-HDMI-AMD-PEG0.aml /Volumes/EFI/
EFI/CLOVER/ACPI/patched/SSDT-HDMI-AMD-PEG0.aml
26/08/2016 10:33:33.340 AM      sudo[529]      monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/bin/rm -R /
tmp/ssdt_hdmi-amd-default-PEG0.zip
26/08/2016 10:33:33.350 AM      sudo[531]      monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/bin/rm -R /
tmp/ssdt_hdmi-amd-default-PEG0
26/08/2016 10:33:33.360 AM      sudo[533]      monster :
TTY=ttys000 ; PWD=/Users/monster ; USER=root ; COMMAND=/bin/rm -R /
tmp/_MACOSX
26/08/2016 10:33:33.377 AM      login[417]     DEAD_PROCESS: 417
ttys000
26/08/2016 10:33:50.213 AM      lsd[212]       LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 10:33:50.215 AM      lsd[212]       LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 10:33:51.487 AM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.B73B60FE-3C4C-4502-
```

BDC3-990EFB2AACB0[263]) Service exited with abnormal code: 1
26/08/2016 10:33:51.587 AM WindowServer[126]
CGXGetConnectionProperty: Invalid connection 32351
26/08/2016 10:33:51.587 AM WindowServer[126]
CGXGetConnectionProperty: Invalid connection 32351
26/08/2016 10:33:51.587 AM WindowServer[126]
CGXGetConnectionProperty: Invalid connection 32351
26/08/2016 10:33:51.588 AM WindowServer[126]
CGXGetConnectionProperty: Invalid connection 32351
26/08/2016 10:33:51.588 AM WindowServer[126]
CGXGetConnectionProperty: Invalid connection 32351
26/08/2016 10:33:51.594 AM loginwindow[86] Login Window point
of no return
26/08/2016 10:33:51.601 AM com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent[280]) Service exited due to signal:
Killed: 9
26/08/2016 10:33:51.603 AM AirPlayXPCHelper[91] 2016-08-26
10:33:51.603393 AM [APBrowser] IPv4 listener stopped.
26/08/2016 10:33:51.604 AM com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent[262]) Service exited due to signal:
Killed: 9
26/08/2016 10:33:51.609 AM appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 10:33:51.606 AM com.apple.xpc.launchd[1]
(com.apple.lateragent[318]) Service exited due to signal: Killed: 9
26/08/2016 10:33:51.610 AM appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 10:33:51.611 AM appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 10:33:51.612 AM appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 10:33:51.613 AM loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x15015}
26/08/2016 10:33:51.613 AM loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x1e01e}
26/08/2016 10:33:51.614 AM com.apple.xpc.launchd[1]
(com.apple.cloudphotosd[226]) Service exited due to signal: Killed:
9
26/08/2016 10:33:51.615 AM com.apple.xpc.launchd[1]
(com.apple.ViewBridgeAuxiliary[303]) Service exited due to signal:
Killed: 9
26/08/2016 10:33:51.616 AM com.apple.xpc.launchd[1]
(com.apple.FolderActionsDispatcher[266]) Service exited due to
signal: Killed: 9
26/08/2016 10:33:51.666 AM sessionlogoutd[547]
sessionlogoutd Launched
26/08/2016 10:33:51.671 AM sessionlogoutd[547]
DEAD_PROCESS: 86 console

```
26/08/2016 10:33:51.701 AM shutdown[548] reboot by monster:
26/08/2016 10:33:51.000 AM kernel[0] Kext loading now
disabled.
26/08/2016 10:33:51.000 AM kernel[0] Kext unloading now
disabled.
26/08/2016 10:33:51.000 AM kernel[0] Kext autounloading
now disabled.
26/08/2016 10:33:51.000 AM kernel[0] Kernel requests now
disabled.
26/08/2016 10:33:51.701 AM shutdown[548] SHUTDOWN_TIME:
1472178831 700867
26/08/2016 10:33:51.000 AM kernel[0] Process launchd [1]
disabling system-wide I/O Throttling
26/08/2016 10:33:51.000 AM kernel[0] Process launchd [1]
disabling system-wide CPU Throttling
26/08/2016 10:34:20.000 AM bootlog[0] BOOT_TIME 1472178860
0
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
asl" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
specified in ASL Module "com.apple.authd".
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
specified in ASL Module "com.apple.authd".
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" sharing output destination "/
var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any
```

specified in ASL Module "com.apple.authkit.osx.asl".
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.awdd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cloud" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.clouddocs" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.commerce.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" sharing output destination "
var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any
specified in ASL Module "com.apple.corecdp.osx.asl".

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.CoreDuetAdmissionControl" claims selected
messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corespotlight" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.eventmonitor" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.family.asl" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.ical" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmfd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmfd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmfd" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.install" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.iokit.power" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mail" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.MessageTracer" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp/FindMyFriendsApp.asl" with ASL Module "com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp" with ASL Module "com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.performance" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.secinitd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM syslogd[37] Configuration

Notice:

ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 10:34:24.000 AM kernel[0] Longterm timer

threshold: 1000 ms

26/08/2016 10:34:24.000 AM kernel[0] PMAP: PCID enabled

26/08/2016 10:34:24.000 AM kernel[0] PMAP: Supervisor

Mode Execute Protection enabled

26/08/2016 10:34:24.000 AM kernel[0] PMAP: Supervisor

Mode Access Protection enabled

26/08/2016 10:34:24.000 AM kernel[0] Darwin Kernel

Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/
RELEASE_X86_64

26/08/2016 10:34:24.000 AM kernel[0] vm_page_bootstrap:

1888601 free pages and 192167 wired pages

26/08/2016 10:34:24.000 AM kernel[0] kext submap [0x<ptr>

- 0x<ptr>], kernel text [0x<ptr> - 0x<ptr>]

26/08/2016 10:34:24.137 AM com.apple.xpc.launchd[1]

(com.apple.AirPlayXPCHelper) This service is defined to be
constantly running and is inherently inefficient.

26/08/2016 10:34:24.000 AM kernel[0] zone leak detection
enabled

26/08/2016 10:34:24.000 AM kernel[0] "vm_compressor_mode"
is 4

26/08/2016 10:34:24.000 AM kernel[0] multiq scheduler

config: deep-drain 0, ceiling 47, depth limit 4, band limit 127,
sanity check 0

26/08/2016 10:34:24.000 AM kernel[0] standard timeslicing
quantum is 10000 us

26/08/2016 10:34:24.000 AM kernel[0] standard background
quantum is 2500 us

26/08/2016 10:34:24.000 AM kernel[0] WQ[lt_init]: init
linktable with max:262144 elements (8388608 bytes)

26/08/2016 10:34:24.000 AM kernel[0] WQ[wqp_init]: init

prepost table with max:262144 elements (8388608 bytes)

26/08/2016 10:34:24.000 AM kernel[0] mig_table_max_displ
= 16

26/08/2016 10:34:24.000 AM kernel[0] TSC Deadline Timer
supported and enabled

26/08/2016 10:34:24.000 AM kernel[0] kdp_core zlib memory
0x7000

26/08/2016 10:34:24.000 AM kernel[0] FakeSMCKeystore:
started

```

26/08/2016 10:34:24.000 AM kernel[0] AppleACPICPU:
ProcessorId=1 LocalApicId=0 Enabled
26/08/2016 10:34:24.000 AM kernel[0] AppleACPICPU:
ProcessorId=2 LocalApicId=2 Enabled
26/08/2016 10:34:24.137 AM com.apple.xpc.launchd[1]
(com.apple.airplaydiagnostics.server) Unrecognized MachService
property: ResetAtClose
26/08/2016 10:34:24.000 AM kernel[0] AppleACPICPU:
ProcessorId=3 LocalApicId=4 Enabled
26/08/2016 10:34:24.000 AM kernel[0] AppleACPICPU:
ProcessorId=4 LocalApicId=6 Enabled
26/08/2016 10:34:24.000 AM kernel[0] calling
mpo_policy_init for TMSafetyNet
26/08/2016 10:34:24.000 AM kernel[0] Security policy
loaded: Safety net for Time Machine (TMSafetyNet)
26/08/2016 10:34:24.000 AM kernel[0] calling
mpo_policy_init for AMFI
26/08/2016 10:34:24.000 AM kernel[0] Security policy
loaded: Apple Mobile File Integrity (AMFI)
26/08/2016 10:34:24.000 AM kernel[0] calling
mpo_policy_init for Sandbox
26/08/2016 10:34:24.000 AM kernel[0] Security policy
loaded: Seatbelt sandbox policy (Sandbox)
26/08/2016 10:34:24.000 AM kernel[0] calling
mpo_policy_init for Quarantine
26/08/2016 10:34:24.000 AM kernel[0] Security policy
loaded: Quarantine policy (Quarantine)
26/08/2016 10:34:24.000 AM kernel[0] Copyright (c) 1982,
1986, 1989, 1991, 1993
26/08/2016 10:34:24.137 AM com.apple.xpc.launchd[1]
(com.apple.alf) The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.
26/08/2016 10:34:24.000 AM kernel[0] The Regents of the
University of California. All rights reserved.
26/08/2016 10:34:24.000 AM kernel[0] MAC Framework
successfully initialized
26/08/2016 10:34:24.000 AM kernel[0] using 16384 buffer
headers and 10240 cluster IO buffer headers
26/08/2016 10:34:24.000 AM kernel[0]
AppleCredentialManager::start called
26/08/2016 10:34:24.000 AM kernel[0] AssertMacros:
tmpData (value: 0x0), file: /BuildRoot/Library/Caches/
com.apple.xbs/Sources/AppleCredentialManager/
AppleCredentialManager-83.40.3/AppleCredentialManager/
AppleCredentialManager.cpp, line: 785
26/08/2016 10:34:24.000 AM kernel[0] AppleKeyStore
starting (BUILT: Jun 23 2016 18:53:27)
26/08/2016 10:34:24.000 AM kernel[0] IOAPIC: Version 0x20
Vectors 64:111
26/08/2016 10:34:24.000 AM kernel[0] ACPI: sleep states
S3 S4 S5
26/08/2016 10:34:24.000 AM kernel[0] pci (build 18:43:02
Jun 23 2016), flags 0xe3000, pfm64 (39 cpu) 0x7f80000000, 0x80000000
26/08/2016 10:34:24.000 AM kernel[0] [ PCI configuration

```

```
begin ]
26/08/2016 10:34:24.000 AM      kernel[0]      FakeSMC v6.18-313-
g671f31c.1707 Copyright 2015 netkas, slice, usr-sse2, kozlek, navi,
The KiNG, RehabMan. All rights reserved.
26/08/2016 10:34:24.000 AM      kernel[0]      FakeSMC: 14
preconfigured keys added
26/08/2016 10:34:24.000 AM      kernel[0]      FakeSMC: 5 keys
exported by Clover EFI
26/08/2016 10:34:24.137 AM      com.apple.xpc.launchd[1]
(com.apple.auditd) The TimeOut key is no longer respected. It never
did anything anyway.
26/08/2016 10:34:24.000 AM      kernel[0]      SMC: successfully
initialized
26/08/2016 10:34:24.000 AM      kernel[0]      console relocated to
0x7f80000000
26/08/2016 10:34:24.000 AM      kernel[0]      [ PCI configuration
end, bridges 5, devices 12 ]
26/08/2016 10:34:24.000 AM      kernel[0]      000000.783625
AppleUSBLegacyRoot@: AppleUSBLegacyRoot::init: enabling legacy
matching
26/08/2016 10:34:24.000 AM      kernel[0]      mcache: 4 CPU(s), 64
bytes CPU cache line size
26/08/2016 10:34:24.000 AM      kernel[0]      mbinit: done [96 MB
total pool size, (64/32) split]
26/08/2016 10:34:24.000 AM      kernel[0]      rooting via boot-
uuid from /chosen: 11BDF442-97A0-340D-B776-569D22E0478F
26/08/2016 10:34:24.000 AM      kernel[0]      Waiting on <dict
ID="0"><key>IOProviderClass</key><string ID="1">IOResources</
string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</
string></dict>
26/08/2016 10:34:24.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeZlib kmod start
26/08/2016 10:34:24.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeDataless kmod start
26/08/2016 10:34:24.137 AM      com.apple.xpc.launchd[1]
(com.apple.autofs) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 10:34:24.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeZlib load succeeded
26/08/2016 10:34:24.000 AM      kernel[0]
com.apple.AppleFSCompressionTypeDataless load succeeded
26/08/2016 10:34:24.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv4 segmentation offload enabled.
26/08/2016 10:34:24.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 segmentation offload enabled.
26/08/2016 10:34:24.000 AM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 checksum offload enabled.
26/08/2016 10:34:24.000 AM      kernel[0]      Ethernet
[IntelMausi]: Version 2.1.0d0 using max interrupt rate 7000.
26/08/2016 10:34:24.000 AM      kernel[0]      Ethernet
[IntelMausi]: I219V2 (Rev. 49), d0:17:c2:86:10:ef
26/08/2016 10:34:24.000 AM      kernel[0]      Got boot device =
IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SAT0@17/
AppleIntelPchSeriesAHCI/PRT4@4/IOAHCIDevice@0/AppleAHCIDiskDriver/
```

```
IOAHCIBlockStorageDevice/IOBlockStorageDriver/Samsung SSD 850 EVO
250GB Media/IOGUIDPartitionScheme/OSX@2
26/08/2016 10:34:24.000 AM      kernel[0]      BSD root: disk0s2,
major 1, minor 2
26/08/2016 10:34:24.000 AM      kernel[0]      hfs: mounted OSX on
device root_device
26/08/2016 10:34:24.000 AM      kernel[0]      XCPM: registered
26/08/2016 10:34:24.000 AM      kernel[0]      VM Swap Subsystem is
ON
26/08/2016 10:34:24.139 AM      com.apple.xpc.launchd[1]
(com.apple.backupd-status) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:24.139 AM      com.apple.xpc.launchd[1]
(com.apple.backupd.status.xpc) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:24.000 AM      syslogd[37]    ASL Sender
Statistics
26/08/2016 10:34:24.220 AM      watchdogd[55]  [watchdog_daemon]
@(      wd_watchdog_open) - IOIteratorNext failed (kr=0)
26/08/2016 10:34:24.220 AM      watchdogd[55]  [watchdog_daemon]
@(      wd_daemon_init) - could not open connection with the kernel
watchdog
26/08/2016 10:34:24.220 AM      watchdogd[55]  [watchdog_daemon]
@(      main) - cannot initialize the watchdog service
26/08/2016 10:34:24.227 AM      hidd[90]      void
__IOHIDPlugInLoadBundles(): Loaded 0 HID plugins
26/08/2016 10:34:24.233 AM      hidd[90]
____IOHIDSessionScheduleAsync_block_invoke: thread_id=0x700000081000
26/08/2016 10:34:24.233 AM      hidd[90]      HID Session async
scheduling initiated.
26/08/2016 10:34:24.233 AM      hidd[90]      HID Session async
root queue running at priority 63 and schedule 2.
26/08/2016 10:34:24.274 AM      hidd[90]      HID Session async
scheduling complete.
26/08/2016 10:34:24.274 AM      hidd[90]      Successfully opened
the IOHIDSession
26/08/2016 10:34:24.139 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.AVCAssistant) ThrottleInterval set to zero. You're
not that important. Ignoring.
26/08/2016 10:34:24.264 AM      com.apple.SecurityServer[73]
Session 100000 created
26/08/2016 10:34:24.139 AM      com.apple.xpc.launchd[1]
(com.apple.bsd.dirhelper) The Timeout key is no longer respected. It
never did anything anyway.
26/08/2016 10:34:24.140 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.IIDCVideoAssistant) ThrottleInterval set to zero.
You're not that important. Ignoring.
26/08/2016 10:34:24.140 AM      com.apple.xpc.launchd[1]
(com.apple.cmio.VDCAssistant) ThrottleInterval set to zero. You're
not that important. Ignoring.
26/08/2016 10:34:24.140 AM      com.apple.xpc.launchd[1]
(com.apple.colorsyncd) Unknown key for string: RunLoopType
26/08/2016 10:34:24.140 AM      com.apple.xpc.launchd[1]
(com.apple.CommCenterRootHelper) ThrottleInterval set to zero.
```

```

You're not that important. Ignoring.
26/08/2016 10:34:24.277 AM      powerd[47]      Registering for UPS
devices
26/08/2016 10:34:24.279 AM      powerd[47]      UPSDeviceAdded.
_alreadyRunningIOUPSD:0
26/08/2016 10:34:24.000 AM      kernel[0]      Waiting for DSMOS...
26/08/2016 10:34:24.503 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:24.515 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 10:34:24.517 AM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 10:34:24.518 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 10:34:24.518 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:24.587 AM      com.apple.SecurityServer[73]
Entering service
26/08/2016 10:34:24.604 AM      mDNSResponder[83]
mDNSResponder mDNSResponder-625.60.2 (Jun  1 2016 21:57:20) starting
OSXVers 15
26/08/2016 10:34:24.612 AM      blued[78]      Delete logs
26/08/2016 10:34:24.000 AM      kernel[0]      IOGraphics flags
0x43
26/08/2016 10:34:24.000 AM      kernel[0]      Previous shutdown
cause: 5
26/08/2016 10:34:24.000 AM      kernel[0]      ****
[IOBluetoothHostControllerUSBTransport][start] -- completed --
result = TRUE -- 0x6000 ****
26/08/2016 10:34:24.000 AM      kernel[0]      DSMOS has arrived
26/08/2016 10:34:24.000 AM      kernel[0]      [IOBluetoothFamily]
[staticBluetoothTransportShowsUp] -- Received Bluetooth Controller
register service notification -- 0x6000
26/08/2016 10:34:24.000 AM      kernel[0]      [IOBluetoothFamily]
[start] -- completed
26/08/2016 10:34:24.000 AM      kernel[0]
[IOBluetoothHostController][start] -- completed
26/08/2016 10:34:24.647 AM      com.apple.usbmuxd[72]      log filter
changed from 4 to 6
26/08/2016 10:34:24.691 AM      iconservicesagent[61]
iconservicesagent launched.
26/08/2016 10:34:24.000 AM      kernel[0]
[IOBluetoothHostController::setConfigState] calling registerService
26/08/2016 10:34:24.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
calling IOBluetoothFamily's registerService() -- 0x6b80 -- 0x4c00 --
0x6000 ****
26/08/2016 10:34:24.000 AM      kernel[0]      ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --

```

```
Connected to the transport successfully -- 0x6b80 -- 0x4c00 --
0x6000 ****
26/08/2016 10:34:24.700 AM      blued[78]          INIT -- Host
controller is published
26/08/2016 10:34:24.702 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 10:34:24.702 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 10:34:24.702 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 10:34:24.702 AM      blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 10:34:24.705 AM      secinitd[132]     UID[0]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 10:34:24.705 AM      secinitd[132]     ctkd[128]: unable to
get root path for bundle of main executable: /System/Library/
Frameworks/CryptoTokenKit.framework/ctkd
26/08/2016 10:34:24.711 AM      loginwindow[86]  Login Window
Application Started
26/08/2016 10:34:24.731 AM      com.apple.usbmuxd[72]  usbmuxd-364
on Mar  2 2016 at 15:12:39, running 64 bit
26/08/2016 10:34:24.745 AM      UserEventAgent[38]  Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 10:34:24.774 AM      configd[46]       preference: no
sharing preferences
26/08/2016 10:34:24.783 AM      systemkeychain[126]  done file: /
var/run/systemkeychaincheck.done
26/08/2016 10:34:24.789 AM      blued[78]         hciControllerOnline;
HID devices? 0
26/08/2016 10:34:24.809 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 10:34:24.811 AM      mDNSResponder[83]   D2D_IPC:
Loaded
26/08/2016 10:34:24.811 AM      mDNSResponder[83]
D2DInitialize succeeded
26/08/2016 10:34:24.827 AM      apsd[70]
CGSLookupServerRootPort: Failed to look up the port for
"com.apple.windowserver.active" (1102)
26/08/2016 10:34:24.844 AM      iconservicesd[60]
iconservicesd launched.
26/08/2016 10:34:24.858 AM      com.apple.xpc.launchd[1]
(com.apple.CoreRAID[42]) Endpoint has been activated through legacy
launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.CoreRAID
26/08/2016 10:34:24.878 AM      networkd[150]     main
networkd-583.50.1 pid 150
26/08/2016 10:34:24.886 AM      networkd[150]     -[NETPowerManager
setupPowerPolicyTable] created power policy table from defaults with
5 timeslots
26/08/2016 10:34:24.888 AM      networkd[150]     -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
```

```
26/08/2016 10:34:24.889 AM      networkd[150]
nw_nat64_post_new_ifstate successfully changed NAT64 ifstate from
0x0 to 0x8000000000000000
26/08/2016 10:34:24.896 AM      networkd[150]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 10:34:24.896 AM      networkd[150]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 10:34:24.932 AM      mds[56] (ImportServer.Normal:1808)
UseBulkImporter 0 ForceBulkImporter 0
26/08/2016 10:34:25.036 AM      iconservicesd[60]      Cache
path: /Library/Caches/com.apple.iconservices.store
26/08/2016 10:34:25.065 AM      WindowServer[137]      Server is
starting up
26/08/2016 10:34:25.081 AM      configd[46]      setting hostname to
"Ms-iMac.local"
26/08/2016 10:34:25.083 AM      apsd[70]      Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 10:34:25.083 AM      configd[46]      network changed:
DNS*
26/08/2016 10:34:25.084 AM      apsd[70]      Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 10:34:25.084 AM      apsd[70]      Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 10:34:25.084 AM      apsd[70]
<APSCONNECTIONSERVER: 0x7fe431e1d610> Invalid mach port - Cleaning
up this named port's topics. com.apple.askpermission.aps
26/08/2016 10:34:25.091 AM      mds[56] (FMW.Normal:1428) FMW 0 0
26/08/2016 10:34:25.157 AM      iconservicesagent[61] Starting
service with cache path: /var/folders/zz/
zyxvpxvq6csfxvn_n0000000000000/C/com.apple.iconservices
26/08/2016 10:34:25.000 AM      kernel[0]      in6_unlink_ifa: IPv6
address 0xf5d86dcd51353b99 has no prefix
26/08/2016 10:34:25.245 AM      networkd[150] -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 10:34:25.395 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 10:34:25.438 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.enroll" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 10:34:25.439 AM      networkd[150] -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 10:34:25.549 AM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
```

26/08/2016 10:34:25.555 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 10:34:25.556 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 10:34:25.556 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 10:34:25.556 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 10:34:25.751 AM AirPlayXPCHelper[91] 2016-08-26
10:34:25.750336 AM [AirPlayEndpointManagerMeta]
metaManager_createAirPlayEndpointManager Using NAPS Endpoint Manager

26/08/2016 10:34:25.752 AM AirPlayXPCHelper[91] 2016-08-26
10:34:25.752085 AM [WiFiManagerCore] ### Get interfaces failed:
-3903/0xFFFFF0C1 kA11NotSupportedErr

26/08/2016 10:34:25.752 AM AirPlayXPCHelper[91] 2016-08-26
10:34:25.752477 AM [APTransportTrafficRegistrar]
APTransportTrafficRegistrar: Deregister AirPlay traffic for AWDL at
MAC 00:00:00:00:00:00 with target infra non critical
PeerIndication=0 err=-3903

26/08/2016 10:34:25.753 AM AirPlayXPCHelper[91] 2016-08-26
10:34:25.752571 AM [AirPlay]
trafficRegistrar_resetRegistrationInternal signalled
-3903/0xFFFFF0C1 kA11NotSupportedErr: APTransportTrafficRegistrar:
reset registration failed

26/08/2016 10:34:25.759 AM UserEventAgent[38] Received
XPC_ERROR_CONNECTION_INVALID for connection com.apple.backupd.xpc

26/08/2016 10:34:25.762 AM UserEventAgent[38] Failed to
send message because the port couldn't be created.

26/08/2016 10:34:25.785 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.

26/08/2016 10:34:25.791 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 10:34:25.792 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 10:34:25.792 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 10:34:25.793 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 10:34:25.799 AM locationd[75] Logging binary
sensor data to /var/folders/zz/zyxvpxvq6csfxvn_n00000sm00006d/C/
locationdSensors.bin

26/08/2016 10:34:25.830 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.AirPlayXPCHelper.

26/08/2016 10:34:25.830 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the

sandbox for the mach service named
com.apple.coremedia.endpointmanager.xpc.
26/08/2016 10:34:25.830 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.coremedia.endpoint.xpc.
26/08/2016 10:34:25.832 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 10:34:25.830 AM com.apple.audio.DriverHelper[158]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointstream.xpc.
26/08/2016 10:34:25.843 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
RootDomainUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDLibUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothL2CAPChannelUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothHCIUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothDeviceUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDResourceDeviceUserClient.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named com.apple.blued.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.bluetoothaudiod.
26/08/2016 10:34:25.844 AM com.apple.audio.DriverHelper[158]
The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.BluetoothD0Server.
26/08/2016 10:34:25.852 AM locationd[75] Location icon should
now be in state 'Inactive'
26/08/2016 10:34:25.870 AM UserEventAgent[38] assertion
failed: 15G31: com.apple.telemetry + 19557 [63FA30F5-D35A-3A8D-95C4-
EB83EC961467]: 0x0
26/08/2016 10:34:25.874 AM UserEventAgent[38]
nsurlsessiond_events plugin: adding token 1 for client

```
softwareupdate_download_service
26/08/2016 10:34:25.887 AM      nehelper[162]   objc[162]: Class
NEHelperSystemProviderManager is implemented in both /System/
Library/Frameworks/NetworkExtension.framework/Versions/A/
NetworkExtension and /usr/libexec/nehelper. One of the two will be
used. Which one is undefined.
26/08/2016 10:34:25.943 AM      digest-service[155]   label:
default
26/08/2016 10:34:25.943 AM      digest-service[155]
dbname: od:/Local/Default
26/08/2016 10:34:25.943 AM      digest-service[155]
mkey_file: /var/db/krb5kdc/m-key
26/08/2016 10:34:25.943 AM      digest-service[155]
acl_file: /var/db/krb5kdc/kadmind.acl
26/08/2016 10:34:25.949 AM      digest-service[155]   digest-
request: uid=0
26/08/2016 10:34:25.987 AM      digest-service[155]   digest-
request: netr probe 0
26/08/2016 10:34:25.988 AM      digest-service[155]   digest-
request: init request
26/08/2016 10:34:25.993 AM      digest-service[155]   digest-
request: init return domain: BUILTIN server: MS-IMAC indomain was:
<NULL>
26/08/2016 10:34:26.030 AM      diskmanagementstartup[52]
started Windows Installer Partition removal
26/08/2016 10:34:26.031 AM      diskmanagementstartup[52]
Windows Installer Partition removal: No trigger, so doing nothing
26/08/2016 10:34:26.031 AM      diskmanagementstartup[52]
finished Windows Installer Partition removal; error = 0
26/08/2016 10:34:26.084 AM      com.apple.CDScheduler[38]
Initial power state set to AC Power
26/08/2016 10:34:26.000 AM      kernel[0]          Ethernet
[IntelMausi]: Link up on en0, 100-Megabit, Full-duplex, Rx/Tx flow-
control
26/08/2016 10:34:26.976 AM      mDNSResponder[83]
mDNS_RegisterInterface: Frequent transitions for interface en0
(FE80:0000:0000:0000:D217:C2FF:FE86:10EF)
26/08/2016 10:34:27.082 AM      networkd[150]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 10:34:27.968 AM      configd[46]        network changed:
v4(en0+:192.168.1.113) DNS+ Proxy+ SMB
26/08/2016 10:34:28.058 AM      configd[46]        setting hostname to
"Ms-iMac"
26/08/2016 10:34:30.305 AM      sntp[176]          time set +1.086085 s
26/08/2016 10:34:30.328 AM      ntpd[163]          peer
time.asia.apple.com @ 17.253.68.253
26/08/2016 10:34:30.395 AM      networkd[150]     BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 10:34:30.396 AM      configd[46]        BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 10:34:30.000 AM      kernel[0]
ACPI_SMC_PlatformPlugin::start -
waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed
```

```
out
26/08/2016 10:34:30.000 AM      kernel[0]      WARNING:
IOPlatformPluginUtil : getCPUIDInfo: this is an unknown CPU model
0x5e
26/08/2016 10:34:30.000 AM      kernel[0]      -- power management
may be incomplete or unsupported
26/08/2016 10:34:30.000 AM      kernel[0]
AppleIntelPCHPMC::publishedIOPPF - return false
26/08/2016 10:34:30.883 AM      WindowServer[137]      Session 257
retained (2 references)
26/08/2016 10:34:30.883 AM      WindowServer[137]      Session 257
released (1 references)
26/08/2016 10:34:30.945 AM      WindowServer[137]      Session 257
retained (2 references)
26/08/2016 10:34:30.946 AM      WindowServer[137]      **DMPROXY**
(2) Found `/_System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDuser
26/08/2016 10:34:30.946 AM      WindowServer[137]
init_page_flip: page flip mode is on
26/08/2016 10:34:30.000 AM      kernel[0]      ATY,Futomaki: Not
usable
26/08/2016 10:34:30.958 AM      WindowServer[137]      Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 10:34:30.958 AM      WindowServer[137]
mux_initialize: Couldn't find any matches
26/08/2016 10:34:30.961 AM      WindowServer[137]      Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 10:34:30.969 AM      WindowServer[137]
update_gl_acceleration: device (0x7f872360e9b0) is unsuitable for gl
- disabling OpenGL
26/08/2016 10:34:31.194 AM      WindowServer[137]
WSMachineIsAMD: false
26/08/2016 10:34:31.203 AM      com.apple.AmbientDisplayAgent[181]
      AmbientDisplayAgent started
26/08/2016 10:34:31.263 AM      WindowServer[137]
WSMachineUsesNewStyleMirroring: true
26/08/2016 10:34:31.263 AM      WindowServer[137]
start_deferring_display_reconfiguration
26/08/2016 10:34:31.264 AM      WindowServer[137]      Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffff
26/08/2016 10:34:31.721 AM      WindowServer[137]
update_gl_acceleration: device (0x7f872360e9b0) is unsuitable for gl
- disabling OpenGL
26/08/2016 10:34:31.722 AM      WindowServer[137]      Display
```

```
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 10:34:31.722 AM      WindowServer[137]
CGXPerformInitialDisplayConfiguration
26/08/2016 10:34:31.722 AM      WindowServer[137]      Display
0x5b81c5c0: Unit 0; Vendor 0x756e6b6e Model 0x717 S/N 0 Dimensions
0.00 x 0.00; online enabled, Bounds (0,0)[1920 x 1080], Rotation 0,
Resolution 1
26/08/2016 10:34:31.722 AM      WindowServer[137]
initialize_display_context: dev counts are zero (0, 0) - disabling
OpenGL
26/08/2016 10:34:31.723 AM      WindowServer[137]      GLCompositor
enabled for tile size [256 x 256]
26/08/2016 10:34:31.723 AM      WindowServer[137]
CGXGLInitMipMap: mip map mode is on
26/08/2016 10:34:31.723 AM      WindowServer[137]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 10:34:31.726 AM      com.apple.AmbientDisplayAgent[181]
      AMBD initializing devices
26/08/2016 10:34:31.748 AM      WindowServer[137]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 10:34:31.752 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 10:34:31.752 AM      com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 10:34:31.753 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 10:34:31.755 AM      com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 10:34:31.758 AM      com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 10:34:31.760 AM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 10:34:31.761 AM      com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 10:34:31.761 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 10:34:31.762 AM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:31.762 AM      com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
```

property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:31.762 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:31.762 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string: LSBackgroundOnly

26/08/2016 10:34:31.762 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 10:34:31.762 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:31.763 AM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:31.773 AM PowerChime[188] objc[188]: Class BUIPowerSource is implemented in both /System/Library/PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/PowerChime. One of the two will be used. Which one is undefined.

26/08/2016 10:34:31.824 AM com.apple.SecurityServer[73]
Session 100006 created

26/08/2016 10:34:31.833 AM askpermissiond[184]
StoreTransport: Resetting APS Connection using environment name production

26/08/2016 10:34:31.837 AM apsd[70] Unable to bootstrap_look_up connection port 'com.apple.askpermission.aps' for user 0: Unknown service name

26/08/2016 10:34:31.875 AM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The JoinExistingSession key is only available to Application services.

26/08/2016 10:34:31.879 AM loginwindow[86] Login Window Started Security Agent

26/08/2016 10:34:31.898 AM WiFiAgent[191]
securityd_message_with_reply_sync Failed to talk to secd after 4 attempts.

26/08/2016 10:34:31.902 AM WiFiAgent[191] No Wi-Fi hardware, terminating WiFiAgent

26/08/2016 10:34:31.911 AM UserEventAgent[190] Failed to copy info dictionary for bundle /System/Library/UserEventPlugins/alfUIplugin.plugin

26/08/2016 10:34:31.919 AM UserEventAgent[190] user agent networkd: built Feb 25 2016 17:43:05

26/08/2016 10:34:31.946 AM SecurityAgent[193] This is the first run

26/08/2016 10:34:31.946 AM SecurityAgent[193] MacBuddy was run = 0

26/08/2016 10:34:32.655 AM SecurityAgent[193]
com.apple.SecurityAgent.consoleLogin.UIShown

26/08/2016 10:34:32.000 AM kernel[0] ignored
is_io_service_close(0x100000389, IOHIDParamUserClient)

26/08/2016 10:34:32.847 AM WindowServer[137]
stop_deferring_display_reconfiguration
26/08/2016 10:34:33.721 AM WindowServer[137] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
discovery
26/08/2016 10:34:33.722 AM WindowServer[137] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 10:34:33.741 AM WindowServer[137]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 10:34:37.992 AM WindowServer[137] BUG in
libdispatch client: dispatch_mig_server: mach_msg() failed (ipc/
send) msg too small - 0x10000008
26/08/2016 10:34:40.955 AM SecurityAgent[193] User info
context values set for monster
26/08/2016 10:34:40.986 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:40.992 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 10:34:40.993 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 10:34:40.993 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:40.993 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 10:34:41.400 AM SecurityAgent[193] Login Window
login proceeding
26/08/2016 10:34:41.482 AM loginwindow[86] Login Window -
Returned from Security Agent
26/08/2016 10:34:41.488 AM loginwindow[86] USER_PROCESS: 86
console
26/08/2016 10:34:41.502 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:41.508 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 10:34:41.510 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 10:34:41.510 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:41.511 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 10:34:41.000 AM kernel[0]

```
AppleKeyStore::handleUserClientCommandGated: asking for specific bag
501 (eff -501)
26/08/2016 10:34:41.000 AM      kernel[0]
AppleKeyStore::handleUserClientCommandGated: set handle 1 as special
bag -501
26/08/2016 10:34:41.000 AM      kernel[0]
AppleKeyStore:Sending lock change 1 for handle 1
26/08/2016 10:34:41.000 AM      kernel[0]
AppleKeyStore:Sending lock change 0 for handle -501
26/08/2016 10:34:42.036 AM      symptomsd[174]  __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 10:34:42.036 AM      symptomsd[174]  __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 10:34:44.696 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.appleid.authentication[185]) Service exited
due to signal: Killed: 9
26/08/2016 10:34:44.699 AM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 10:34:44.699 AM      com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 10:34:44.700 AM      com.apple.xpc.launchd[1]
(com.apple.btssa) This key does not do anything: OnDemand
26/08/2016 10:34:44.700 AM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.CommCenter-osx.plist, caller = loginwindow.86, error =
138: Service cannot be loaded on this hardware
26/08/2016 10:34:44.700 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 10:34:44.701 AM      com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent) This key does not do anything:
OnDemand
26/08/2016 10:34:44.701 AM      com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 10:34:44.702 AM      com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.703 AM      com.apple.xpc.launchd[1]
(com.apple.dock.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.704 AM      com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.704 AM      com.apple.xpc.launchd[1]
(com.apple.dock.appstore) The HideUntilCheckIn property is an
```

architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.704 AM com.apple.xpc.launchd[1]
(com.apple.dock.remotedesktoppicture) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.704 AM com.apple.xpc.launchd[1]
(com.apple.dock.launchpad) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.705 AM com.apple.xpc.launchd[1]
(com.apple.dock.downloads) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.705 AM com.apple.xpc.launchd[1]
(com.apple.EscrowSecurityAlert) Unknown key for string: seatbelt-profiles
26/08/2016 10:34:44.706 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.FirmwareUpdateHelper.plist, caller = loginwindow.86, error = 138: Service cannot be loaded on this hardware
26/08/2016 10:34:44.707 AM com.apple.xpc.launchd[1]
(com.apple.FontRegistryUIAgent) This key does not do anything: OnDemand
26/08/2016 10:34:44.708 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidator) This key does not do anything: OnDemand
26/08/2016 10:34:44.708 AM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidatorConduit) This key does not do anything: OnDemand
26/08/2016 10:34:44.708 AM com.apple.xpc.launchd[1]
(com.apple.gamed) This key does not do anything: OnDemand
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.gamed) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.icdd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.midiserver.io) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything: OnDemand
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.alerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.customalerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.extension-trampoline) The

HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.tcc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.pluginkit.pkd.plist, caller = loginwindow.86

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.rtcreportingd) The UserName key is not supported for non-System services.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent) The UserName key is not supported for non-System services.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.sharingd) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): events/array

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): bundleid/string

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechdatainstallerd) This key does not do anything: OnDemand

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.storeinstallagent.plist, caller = loginwindow.86

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.dockextra.server) The HideUntilCheckIn property is an

architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.SUIMessaging) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.ipodserver) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.screencapture) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:44.717 AM distnoted[209] # distnote server
agent absolute time: 24.426343803 civil time: Fri Aug 26 10:34:44
2016 pid: 209 uid: 501 root: no
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.tsm.uiserver) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.dockling.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies.startup) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.window_proxies) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to
hijack service: path = /System/Library/LaunchAgents/
com.apple.trustd.agent.plist, caller = loginwindow.86
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:44.709 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 10:34:44.710 AM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly
26/08/2016 10:34:44.710 AM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-Aqua) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 10:34:44.710 AM com.apple.xpc.launchd[1]
(com.apple.usernoted) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 10:34:44.710 AM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.710 AM com.apple.xpc.launchd[1]

```
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 10:34:44.710 AM      com.apple.xpc.launchd[1]
(org.openbsd.ssh-agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:44.730 AM      lsd[212]          LaunchServices:
Scheme mapping file does not exist, creating file.
26/08/2016 10:34:44.755 AM      otherbsd[208]    Could not copy
LoginItems URL.
26/08/2016 10:34:44.800 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 10:34:44.820 AM      UserEventAgent[207] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 10:34:44.842 AM      UserEventAgent[207]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 10:34:44.887 AM      UserEventAgent[207]    user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 10:34:44.986 AM      sharingd[222]    10:34:44.985 :
Starting Up...
26/08/2016 10:34:44.987 AM      sharingd[222]    10:34:44.987 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)
26/08/2016 10:34:45.010 AM      UserEventAgent[207]    received an
unknown event from daemon
26/08/2016 10:34:45.021 AM      com.apple.CDScheduler[207]
Initial power state set to AC Power
26/08/2016 10:34:45.063 AM      secinitd[230]    UID[501]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 10:34:45.066 AM      com.apple.SecurityServer[73]
Session 100009 created
26/08/2016 10:34:45.268 AM      WindowServer[137]    **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
login
26/08/2016 10:34:45.270 AM      WindowServer[137]    **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 10:34:45.000 AM      kernel[0]        ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 10:34:45.321 AM      DMPProxy[233]    AMBD Services:
_CFXPCCreateXPXObjectFromCFObject failed!!
26/08/2016 10:34:45.436 AM      Finder[218]      assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89
26/08/2016 10:34:45.550 AM      Spotlight[234]   spot: agent checkin
26/08/2016 10:34:45.583 AM      SpotlightNetHelper[245]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 10:34:45.583 AM      SpotlightNetHelper[245] Invalid
Connection ID 0
26/08/2016 10:34:45.736 AM      com.apple.geod[248]    2016-08-26
10:34:45.691, 248, 81d44fb0, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
```

```
26/08/2016 10:34:46.043 AM      Finder[218]      Took 0.59s to get
the token
26/08/2016 10:34:46.065 AM      syncdefaultsd[240]      accountsd
has been removed from syncing apps.
26/08/2016 10:34:46.000 AM      kernel[0]      Sandbox:
coreduetd(64) deny(1) file-read-metadata /usr/libexec
26/08/2016 10:34:46.000 AM      kernel[0]      Sandbox:
storeaccountd(247) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 10:34:46.000 AM      kernel[0]      Sandbox:
storeaccountd(247) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 10:34:46.504 AM      sandboxd[231]      ([226])
CalendarAgent(226) allow mach-register
com.apple.CalendarStore.lock.init
26/08/2016 10:34:46.869 AM      iconservicesagent[254]
iconservicesagent launched.
26/08/2016 10:34:46.876 AM      iconservicesagent[254] Starting
service with cache path: /var/folders/
k4/9rlmcf592jv3xvxfl7t4qk4m0000gn/C/com.apple.iconservices
26/08/2016 10:34:46.898 AM      com.apple.xpc.launchd[1]
(com.apple.quicklook[256]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook
26/08/2016 10:34:46.913 AM      WindowServer[137]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 10:34:46.930 AM      identityservicesd[242]
<IMMacNotificationCenterManager: 0x7ff41043cee0>: Configuring
notification center for identifier: com.apple.iChat topics: (
    "com.apple.private.ids"
)
26/08/2016 10:34:46.941 AM      identityservicesd[242]
<IMMacNotificationCenterManager: 0x7ff41043cee0>: NC Disabled: NO
26/08/2016 10:34:46.945 AM      identityservicesd[242]
<IMMacNotificationCenterManager: 0x7ff41043cee0>: DND Enabled: NO
26/08/2016 10:34:46.945 AM      identityservicesd[242]
<IMMacNotificationCenterManager: 0x7ff41043cee0>: Updating enabled:
YES (Topics: (
    "com.apple.private.ids"
))
26/08/2016 10:34:46.947 AM      sharingd[222]      [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 10:34:46.948 AM      accountsd[239]      [Warning] Services
all disappeared, removing all accounts
26/08/2016 10:34:46.948 AM      accountsd[239]      [Warning] Services
all disappeared, removing all enabled accounts
26/08/2016 10:34:46.948 AM      accountsd[239]      [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 10:34:46.966 AM      callservicesd[251]      [Warning]
Services all disappeared, removing all dependent devices
26/08/2016 10:34:46.990 AM      sharingd[222]      10:34:46.990 : No
delegate parameters from account, account exists = NO
```

26/08/2016 10:34:46.990 AM sharingd[222] 10:34:46.990 :
Tethering: Identifier needs fixing
26/08/2016 10:34:46.992 AM sharingd[222] 10:34:46.991 : No
delegate parameters from account, account exists = NO
26/08/2016 10:34:46.995 AM sharingd[222] 10:34:46.995 : No
delegate parameters from account, account exists = NO
26/08/2016 10:34:47.005 AM sandboxd[231] ([247])
storeaccountd(247) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 10:34:47.010 AM logind[87] -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
dictionary for audit session 100009
26/08/2016 10:34:47.010 AM logind[87] _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 10:34:47.011 AM IMDPersistenceAgent[259]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 10:34:47.041 AM imagent[258] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 10:34:47.045 AM deleted[260]
normalizeUserMountpoint:791 volRoot failed for /Volumes/EFI
26/08/2016 10:34:47.045 AM deleted[260] _validateVolume:813
unable to normalize volume: "/Volumes/EFI", vol: (null)
26/08/2016 10:34:47.086 AM imagent[258] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 10:34:47.087 AM imagent[258] [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 10:34:47.092 AM imagent[258] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 10:34:47.092 AM imagent[258] [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 10:34:47.130 AM fmfed[263] Initialized sandbox
26/08/2016 10:34:47.145 AM CalNCService[235] [Warning]
Cannot listen to battery level change notification.
26/08/2016 10:34:47.209 AM apsd[70] Peer [pid=263]
requested push wake but lacks APSPushWakeEntitlement
26/08/2016 10:34:47.212 AM sandboxd[231] ([247])
storeaccountd(247) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 10:34:47.216 AM fmfed[263] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 10:34:47.257 AM sandboxd[231] ([170])
rpcsvchost(170) deny file-read-metadata /usr
26/08/2016 10:34:47.280 AM iconservicesagent[254] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composit
image for descriptor <ISBindingImageDescriptor: 0x7f8751d026b0>.
26/08/2016 10:34:47.281 AM quicklookd[256] Error returned from
iconservicesagent: (null)
26/08/2016 10:34:47.304 AM sandboxd[231] ([157])
coreaudiod(157) deny file-read-metadata /usr
26/08/2016 10:34:47.335 AM sandboxd[231] ([78]) blued(78)
deny file-read-metadata /usr
26/08/2016 10:34:47.365 AM sandboxd[231] ([178])
netbiosd(178) deny file-read-metadata /usr
26/08/2016 10:34:47.395 AM sandboxd[231] ([64]) coreduetd(64)

```
deny file-read-metadata /usr/libexec
26/08/2016 10:34:47.429 AM Spotlight[234] applications query -
started
26/08/2016 10:34:47.483 AM PowerChime[281] objc[281]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 10:34:47.509 AM PowerChime[281] PowerChime: chime
enabled by hardware: 0
26/08/2016 10:34:47.509 AM PowerChime[281] PowerChime disabled
- ChimeOnNoHardware default: 0
26/08/2016 10:34:47.516 AM apsd[70] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 10:34:47.528 AM apsd[70] Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 10:34:47.570 AM CloudKeychainProxy[293] __45-
[UbiquitousKVSPProxy doEnsurePeerRegistration]_block_invoke <UB---e-
C---> ensurePeerRegistration called, success ((null))
26/08/2016 10:34:47.584 AM askpermissiond[282]
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 10:34:47.652 AM Spotlight[234] applications query -
finished in 0.22 seconds
26/08/2016 10:34:47.708 AM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 10:34:47.719 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 10:34:47.720 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 10:34:47.720 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 10:34:47.720 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 10:34:47.751 AM cloudd[295] Could not create
primary backing account
26/08/2016 10:34:47.771 AM secdd[243]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[292] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 10:34:47.783 AM secdd[243]
securityd_xpc_dictionary_handler IDSCKeychainSyncci[292] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 10:34:47.832 AM MRT[290] Agent finished.
26/08/2016 10:34:47.832 AM MRT[290] Finished MRT run
26/08/2016 10:34:47.000 AM kernel[0] Sandbox:
SocialPushAgent(272) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
```

```
26/08/2016 10:34:47.000 AM kernel[0] Sandbox:
SocialPushAgent(272) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 10:34:47.842 AM diagnostics_agent[288]
AutoSubmitPreference is 1
26/08/2016 10:34:47.000 AM kernel[0] Sandbox:
storeaccountd(247) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 10:34:47.882 AM cloudpaired[284] DEBUG cloudpaired:
system supports Continuity
26/08/2016 10:34:47.895 AM WiFiAgent[287] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC WiFiCloudSyncEngineCreate:
created...
26/08/2016 10:34:47.895 AM WiFiAgent[287] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC
WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks
version - 0, bundle id - com.apple.wifi.WiFiAgent
26/08/2016 10:34:47.896 AM diagnostics_agent[288]
AutoSubmitPreference is 1
26/08/2016 10:34:47.896 AM secd[243]
securityd_xpc_dictionary_handler WiFiAgent[287] View Error
Domain=com.apple.security.sos.error Code=1032 "No Peer for Account"
UserInfo={NSDescription=No Peer for Account}
26/08/2016 10:34:47.898 AM WiFiAgent[287] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 10:34:47.900 AM cloudpaired[284] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 10:34:47.940 AM cloudphotosd[228] Unable to
register with launch services, result = -10819
26/08/2016 10:34:47.946 AM Keychain Circle Notification[274]
Posted at launch: (
)
26/08/2016 10:34:47.948 AM Keychain Circle Notification[274]
rawStatus -1, #applicants 0, #peers 0, err=Error
Domain=com.apple.security.sos.error Code=2 "Public Key not available
- failed to register before call" UserInfo={NSDescription=Public Key
not available - failed to register before call}
26/08/2016 10:34:47.948 AM Keychain Circle Notification[274]
{ChangeCallback}
26/08/2016 10:34:47.949 AM diagnostics_agent[288]
AutoSubmitPreference is 1
26/08/2016 10:34:48.010 AM cloudphotosd[228] +[CSLogger
preferencesChanged:] reconfiguring logging
26/08/2016 10:34:48.016 AM cloudphotosd[228] Determine
service transition start:
service=com.apple.photo.icloud.myphotostream personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 10:34:48.016 AM cloudphotosd[228] Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 10:34:48.016 AM cloudphotosd[228] Determine
service transition start:
service=com.apple.photo.icloud.sharedstreams personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 10:34:48.016 AM cloudphotosd[228] Determine
```

```
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 10:34:48.031 AM      Keychain Circle Notification[274]
    {ChangeCallback} scheduleActivity 4001-01-01 00:00:00 +0000
26/08/2016 10:34:48.032 AM      Keychain Circle Notification[274]
    {ChangeCallback} Applicants
26/08/2016 10:34:48.032 AM      Keychain Circle Notification[274]
    Checking validity of 0 notes
26/08/2016 10:34:48.032 AM      Keychain Circle Notification[274]
    writeToStorage plist={
    absentCircleWithNoReason = 0;
    applicationDate = "0000-12-30 00:00:00 +0000";
    lastCircleStatus = "-1";
    lastWritten = "2016-08-26 02:34:48 +0000";
    pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
    pendingApplicationReminderInterval = 86400;
}
26/08/2016 10:34:48.089 AM      cloudphotosd[228]      Unable to
resolve library URL for key because of error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 10:34:48.089 AM      cloudphotosd[228]      No canonical
library is set, disabling service. error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 10:34:48.091 AM
com.apple.CloudPhotosConfiguration[298] Request
037AA37E-7143-4D00-95D7-E8FF33978C1F: New and old state identical
for service com.apple.photo.icloud.cloudphoto: 0, ignoring request
26/08/2016 10:34:48.093 AM      cloudphotosd[228]      Determine
service transition start: service=com.apple.photo.icloud.cloudphoto
personId=(null) lastKnownPersonId=(null) targetState=0
26/08/2016 10:34:48.093 AM      cloudphotosd[228]      Determine
service transition end: 2, currentState: 2, shouldEnableService: 0
26/08/2016 10:34:48.195 AM      pkd[224]      client 276 plug-in
com.apple.ncplugin.WorldClock election := (null)
26/08/2016 10:34:48.196 AM      pkd[224]      client 276 plug-in
com.apple.share.SocialWidget election := (null)
26/08/2016 10:34:48.196 AM      pkd[224]      client 276 plug-in
com.apple.ncplugin.FindMyFriends election := (null)
26/08/2016 10:34:48.197 AM      pkd[224]      client 276 plug-in
com.apple.ncplugin.calculator election := (null)
26/08/2016 10:34:49.846 AM      pkd[224]      enabling pid=276 for
plug-in com.apple.iCal.CalendarNC(1.0) C70D6B7A-
D78A-49D8-9D9D-78ED6AAA94AC /Applications/Calendar.app/Contents/
PlugIns/com.apple.iCal.CalendarNC.appex
26/08/2016 10:34:49.994 AM      NotificationCenter[276] plugin
com.apple.iCal.CalendarNC invalidated
26/08/2016 10:34:49.994 AM      com.apple.iCal.CalendarNC[301] host
connection <NSXPCConnection: 0x7ff45a5161e0> connection from pid 276
invalidated
26/08/2016 10:34:58.664 AM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 10:34:58.669 AM      com.apple.xpc.launchd[1]
```

(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 10:34:58.675 AM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything: OnDemand

26/08/2016 10:34:58.676 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 10:34:58.677 AM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 10:34:58.677 AM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything: OnDemand

26/08/2016 10:35:14.748 AM lsd[212] LaunchServices:
Currently 0 installed placeholders: (
)

26/08/2016 10:35:15.148 AM com.apple.WebKit.WebContent[268]
CoreAnimation: failed to create OpenGL context

26/08/2016 10:35:16.644 AM SpotlightNetHelper[245]
tcp_connection_tls_session_error_callback_imp 7
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 10:35:16.645 AM SpotlightNetHelper[245]
tcp_connection_tls_session_error_callback_imp 6
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 10:35:16.645 AM SpotlightNetHelper[245]
tcp_connection_tls_session_error_callback_imp 5
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 10:35:16.645 AM SpotlightNetHelper[245]
tcp_connection_tls_session_error_callback_imp 2
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 10:35:17.560 AM com.apple.SecurityServer[73]
Session 100014 created

26/08/2016 10:35:17.000 AM kernel[0] Sandbox:
storeaccountd(247) deny(1) file-write-create /Users/monster/Library/Caches/com.apple.Safari/ProductionBag

26/08/2016 10:35:20.001 AM launchd[1] BUG in libdispatch:
15G31 - 1718 - 0x0

26/08/2016 10:35:20.435 AM WindowServer[137] Set a breakpoint at CGSLogError to catch errors as they are logged.

26/08/2016 10:35:20.435 AM WindowServer[137]
_CGXRemoveWindowFromWindowMovementGroup: window 0x26 is not attached to window 0x29

26/08/2016 10:35:20.460 AM Safari[213] CoreAnimation:
failed to create OpenGL context

26/08/2016 10:35:20.545 AM Safari[213]
tcp_connection_tls_session_error_callback_imp 12
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 10:35:20.986 AM com.apple.WebKit.WebContent[324]

```
CoreAnimation: failed to create OpenGL context
26/08/2016 10:35:47.632 AM Safari[213]
tcp_connection_destination_handle_tls_close_notify 11 closing socket
due to TLS CLOSE_NOTIFY alert
26/08/2016 10:35:47.632 AM Safari[213]
tcp_connection_tls_session_error_callback_imp 11
__tcp_connection_tls_session_callback_write_block_invoke.434 error
32
26/08/2016 10:35:48.107 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:35:51.118 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:36:25.530 AM apsd[70] Failed to send
activation record to service com.apple.ManagedClient.enroll
26/08/2016 10:37:06.648 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:13.165 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:13.977 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:16.657 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:22.017 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:27.247 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:29.824 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:32.381 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:35.786 AM com.apple.WebKit.WebContent[324]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:37.814 AM com.apple.WebKit.WebContent[324]
<<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 10:37:37.814 AM com.apple.WebKit.WebContent[324]
<<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 10:37:37.815 AM com.apple.WebKit.WebContent[324]
[10:37:37.815] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
```

```
26/08/2016 10:37:37.885 AM      com.apple.WebKit.WebContent[324]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 10:37:37.885 AM      com.apple.WebKit.WebContent[324]
    <<<< MediaValidator >>>> mv_ValidateRFC4281CodecId:
Unrecognized codec 1.(null). Failed codec specific check.
26/08/2016 10:37:37.885 AM      com.apple.WebKit.WebContent[324]
    <<<< MediaValidator >>>> mv_LookupCodecSupport: Unrecognized
codec 1
26/08/2016 10:37:37.885 AM      com.apple.WebKit.WebContent[324]
    [10:37:37.885] mv_LowLevelCheckIfVideoPlayableUsingDecoder
signalled err=-12956
(kFigMediaValidatorError_VideoCodecNotSupported) (video codec 1) at
line 1921
26/08/2016 10:37:37.885 AM      com.apple.WebKit.WebContent[324]
    <<<< MediaValidator >>>> mv_TestCodecSupportUsingDecoders:
Unrecognized codec 1
26/08/2016 10:37:38.071 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:38.842 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:39.697 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:48.816 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:49.582 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:37:52.940 AM      com.apple.WebKit.WebContent[324]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:22.962 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 13
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 10:38:26.165 AM      mds[56] (Volume.Normal:2464) volume:
0x7f985a002000 ***** Bootstrapped Creating a default store:0
SpotLoc:(null) SpotVerLoc:/Volumes/firmwaresyncd.eF62Ag/.Spotlight-
V100/Store-V1 occlude:0 /Volumes/firmwaresyncd.eF62Ag
26/08/2016 10:38:26.440 AM      deleted[260]
normalizeUserMountpoint:791 volRoot failed for /Volumes/
firmwaresyncd.eF62Ag
26/08/2016 10:38:26.440 AM      deleted[260]    _validateVolume:813
unable to normalize volume: "/Volumes/firmwaresyncd.eF62Ag", vol:
(null)
26/08/2016 10:38:32.782 AM      com.apple.WebKit.WebContent[347]
    CoreAnimation: failed to create OpenGL context
26/08/2016 10:38:36.953 AM      WindowServer[137]
_CGXRRemoveWindowFromWindowMovementGroup: window 0x26 is not attached
to window 0x29
```

```
26/08/2016 10:38:37.040 AM      com.apple.WebKit.WebContent[349]
    CoreAnimation: failed to create OpenGL context
26/08/2016 10:38:37.407 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 21
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 10:38:37.456 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:38.120 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:42.539 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:45.593 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:55.618 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:38:59.047 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:39:06.744 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:39:08.844 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:39:29.891 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:40:53.223 AM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[306]) Service exited due
to signal: Killed: 9
26/08/2016 10:40:55.702 AM      com.apple.WebKit.WebContent[349]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 10:44:42.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 10:51:54.961 AM      AirPlayUIAgent[283]      2016-08-26
10:51:54.960798 AM [AirPlayUIAgent] BecomingInactive:
NSWorkspaceWillSleepNotification
26/08/2016 10:53:25.734 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 22
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 10:55:00.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 10:55:00.238 AM      ntpd[163]      drift PPM:0.000 ->
0.025
26/08/2016 11:00:02.305 AM      SubmitDiagInfo[364]      Triggering
diganostics messages cleanup
```

```
26/08/2016 11:00:02.326 AM      SubmitDiagInfo[299]      Error while
trying to enumerate (null). Error: Error Domain=NSCocoaErrorDomain
Code=260 "The file "DiagnosticReports" couldn't be opened because
there is no such file." UserInfo={NSURL=file:///Users/monster/
Library/Logs/DiagnosticReports, NSFilePath=/Users/monster/Library/
Logs/DiagnosticReports, NSUnderlyingError=0x7fe562503ed0 {Error
Domain=NSPOSIXErrorDomain Code=2 "No such file or directory"}}
26/08/2016 11:01:01.202 AM      lsd[212]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 11:01:01.253 AM      ScreenSaverEngine[366]
moduleFromLegacyDefaults: <ScreenSaverDefaults: 0x7f997bf10cf0>
{
    tokenRemovalAction = 0;
}
26/08/2016 11:01:01.278 AM      ScreenSaverEngine[366]  Attempted
search for modules of unknown type (4)
26/08/2016 11:01:01.795 AM      launchservicesd[71]    Application
App:"loginwindow" asn:0x0-1001 pid:86 refs=8 @ 0x7fcb51717970 tried
to be brought forward, but isn't in fPermittedFrontApps
( ( "LSApplication:0x0-0x26026 pid=366 "ScreenSaverEngine"")), so
denying. : LASSession.cp #1531 SetFrontApplication() q=LSSession
100006/0x186a6 queue
26/08/2016 11:01:01.795 AM      WindowServer[137]      [cps/
setfront] Failed setting the front application to loginwindow, psn
0x0-0x1001, securitySessionID=0x186a6, err=-13066
26/08/2016 11:01:01.800 AM      launchservicesd[71]    Application
App:"loginwindow" asn:0x0-1001 pid:86 refs=9 @ 0x7fcb51717970 tried
to be brought forward, but isn't in fPermittedFrontApps
( ( "LSApplication:0x0-0x26026 pid=366 "ScreenSaverEngine"")), so
denying. : LASSession.cp #1531 SetFrontApplication() q=LSSession
100006/0x186a6 queue
26/08/2016 11:01:01.800 AM      WindowServer[137]      [cps/
setfront] Failed setting the front application to loginwindow, psn
0x0-0x1001, securitySessionID=0x186a6, err=-13066
26/08/2016 11:03:15.000 AM      kernel[0]      process
ScreenSaverEngin[366] thread 6918 caught burning CPU! It used more
than 50% CPU (Actual recent usage: 67%) over 180 seconds. thread
lifetime cpu usage 90.007402 seconds, (89.903967 user, 0.103435
system) ledger info: balance: 90000748427 credit: 90000748427 debit:
0 limit: 90000000000 (50%) period: 180000000000 time since last
refill (ns): 133283493874
26/08/2016 11:03:15.059 AM      com.apple.xpc.launchd[1]
(com.apple.ReportCrash[368]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.ReportCrash
26/08/2016 11:03:15.060 AM      ReportCrash[368]      Invoking
spindump for pid=366 thread=6918 percent_cpu=67 duration=135 because
of excessive cpu utilization
26/08/2016 11:03:15.625 AM      spindump[369]      Saved
cpu_resource.diag report for ScreenSaverEngine version 5.0 (5.0)
to /Library/Logs/DiagnosticReports/
ScreenSaverEngine_2016-08-26-110315_Ms-iMac.cpu_resource.diag
26/08/2016 11:04:44.723 AM      com.apple.xpc.launchd[1]
```

```
(com.apple.PubSub.Agent[371]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.ipc
26/08/2016 11:04:44.723 AM      com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent[371]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.pubsub.notification
26/08/2016 11:05:37.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 11:08:25.819 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 24
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 11:16:22.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 11:23:25.916 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 26
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 11:27:06.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 11:38:25.996 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 28
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 11:38:25.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 11:50:43.000 AM      syslogd[37]      ASL Sender
Statistics
26/08/2016 11:53:26.887 AM      Safari[213]
tcp_connection_tls_session_error_callback_imp 31
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 12:01:56.000 PM      syslogd[37]      ASL Sender
Statistics
26/08/2016 12:08:27.267 PM      Safari[213]
tcp_connection_tls_session_error_callback_imp 33
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 12:11:56.000 PM      syslogd[37]      ASL Sender
Statistics
26/08/2016 12:18:33.806 PM      com.apple.WebKit.WebContent[349]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:18:48.000 PM      kernel[0]      Sound assertion in
AppleHDAEngine at line 2017
26/08/2016 12:19:23.736 PM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[383]) Service exited due
to signal: Killed: 9
26/08/2016 12:19:27.954 PM      lsd[212]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 12:19:27.958 PM      lsd[212]      LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
```

```
com.apple.lsd.schemes.plist
26/08/2016 12:19:29.538 PM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.097CA8F0-
A2FD-499C-99AE-7E64F4D8A550[267]) Service exited with abnormal code:
1
26/08/2016 12:19:29.640 PM      WindowServer[137]
CGXGetConnectionProperty: Invalid connection 33799
26/08/2016 12:19:29.644 PM      loginwindow[86] Login Window point
of no return
26/08/2016 12:19:29.655 PM      com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent[283]) Service exited due to signal:
Killed: 9
26/08/2016 12:19:29.654 PM      AirPlayXPCHelper[91]      2016-08-26
12:19:29.654269 PM [APBrowser] IPv4 listener stopped.
26/08/2016 12:19:29.657 PM      com.apple.xpc.launchd[1]
(com.apple.lateragent[321]) Service exited due to signal: Killed: 9
26/08/2016 12:19:29.657 PM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x10010}
26/08/2016 12:19:29.657 PM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 12:19:29.660 PM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 12:19:29.660 PM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 12:19:29.660 PM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x15015}
26/08/2016 12:19:29.661 PM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x17017}
26/08/2016 12:19:29.661 PM      appleeventsd[45]
SecTaskLoadEntitlements failed error=3
26/08/2016 12:19:29.661 PM      loginwindow[86] ERROR | -
[SessionLogoutManager allPrivateProcesses] | No LS dictionary found
for LSASN: LSASN:{hi=0x0;lo=0x1f01f}
26/08/2016 12:19:29.663 PM      com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent[266]) Service exited due to signal:
Killed: 9
26/08/2016 12:19:29.664 PM      com.apple.xpc.launchd[1]
(com.apple.cloudphotosd[228]) Service exited due to signal: Killed:
9
26/08/2016 12:19:29.665 PM      com.apple.xpc.launchd[1]
(com.apple.ViewBridgeAuxiliary[307]) Service exited due to signal:
Killed: 9
26/08/2016 12:19:29.665 PM      com.apple.xpc.launchd[1]
```

```
(com.apple.FolderActionsDispatcher[269]) Service exited due to
signal: Killed: 9
26/08/2016 12:19:29.715 PM      sessionlogoutd[387]
sessionlogoutd Launched
26/08/2016 12:19:29.721 PM      sessionlogoutd[387]
DEAD_PROCESS: 86 console
26/08/2016 12:19:29.754 PM      shutdown[388]      reboot by monster:
26/08/2016 12:19:29.000 PM      kernel[0]          Kext loading now
disabled.
26/08/2016 12:19:29.000 PM      kernel[0]          Kext unloading now
disabled.
26/08/2016 12:19:29.000 PM      kernel[0]          Kext autounloading
now disabled.
26/08/2016 12:19:29.000 PM      kernel[0]          Kernel requests now
disabled.
26/08/2016 12:19:29.000 PM      kernel[0]          Process launchd [1]
disabling system-wide I/O Throttling
26/08/2016 12:19:29.000 PM      kernel[0]          Process launchd [1]
disabling system-wide CPU Throttling
26/08/2016 12:19:29.754 PM      shutdown[388]      SHUTDOWN_TIME:
1472185169 753665
26/08/2016 12:19:57.000 PM      bootlog[0]         BOOT_TIME 1472185197
0
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.AccountPolicyHelper" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.Accounts" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
asl" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
specified in ASL Module "com.apple.authd".
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.authd" sharing output destination "/var/log/
system.log" with ASL Module "com.apple.asl".
Output parameters from ASL Module "com.apple.asl" override any
specified in ASL Module "com.apple.authd".
26/08/2016 12:20:01.000 PM      syslogd[37]        Configuration
Notice:
ASL Module "com.apple.authd" claims selected messages.
Those messages may not appear in standard system log files or in the
```

ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.authkit.osx.asl".
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.authkit.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.awdd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.callhistory.asl.conf" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cdscheduler" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cloud" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.cloud" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.commerce.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.contacts.ContactsAutocomplete" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" sharing output destination "/var/log/Accounts" with ASL Module "com.apple.Accounts".
Output parameters from ASL Module "com.apple.Accounts" override any specified in ASL Module "com.apple.corecdp.osx.asl".
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corecdp.osx.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.CoreDuetAdmissionControl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.corespotlight" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.eventmonitor" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.family.asl" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.ical" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.FindMyDevice" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:
ASL Module "com.apple.icloud.fmfd" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.
26/08/2016 12:20:01.000 PM syslogd[37] Configuration
Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.icloud.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.install" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.iokit.power" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mail" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.MessageTracer" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1" claims selected messages.
Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp/FindMyFriendsApp.asl" with ASL Module "com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" sharing output destination "/var/log/FindMyFriendsApp" with ASL Module "com.apple.mobileme.fmf1".

Output parameters from ASL Module "com.apple.mobileme.fmf1" override any specified in ASL Module "com.apple.mobileme.fmf1.internal".

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.mobileme.fmf1.internal" claims selected messages.

Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.networking.symptoms" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.performance" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.secinitd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

26/08/2016 12:20:01.000 PM syslogd[37] Configuration

Notice:

ASL Module "com.apple.securityd" claims selected messages. Those messages may not appear in standard system log files or in the ASL database.

```

26/08/2016 12:20:01.000 PM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.securityd" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      syslogd[37]      Configuration
Notice:
ASL Module "com.apple.xpc.activity" claims selected messages.
Those messages may not appear in standard system log files or in the
ASL database.
26/08/2016 12:20:01.000 PM      kernel[0]        Longterm timer
threshold: 1000 ms
26/08/2016 12:20:01.000 PM      kernel[0]        PMAP: PCID enabled
26/08/2016 12:20:01.000 PM      kernel[0]        PMAP: Supervisor
Mode Execute Protection enabled
26/08/2016 12:20:01.000 PM      kernel[0]        PMAP: Supervisor
Mode Access Protection enabled
26/08/2016 12:20:01.000 PM      kernel[0]        Darwin Kernel
Version 15.6.0: Thu Jun 23 18:25:34 PDT 2016; root:xnu-3248.60.10~1/
RELEASE_X86_64
26/08/2016 12:20:01.000 PM      kernel[0]        vm_page_bootstrap:
1879385 free pages and 201383 wired pages
26/08/2016 12:20:01.000 PM      kernel[0]        kext submap [0x<ptr>
- 0x<ptr>], kernel text [0x<ptr> - 0x<ptr>]
26/08/2016 12:20:01.000 PM      kernel[0]        zone leak detection
enabled
26/08/2016 12:20:01.000 PM      kernel[0]        "vm_compressor_mode"
is 4
26/08/2016 12:20:01.000 PM      kernel[0]        multiq scheduler
config: deep-drain 0, ceiling 47, depth limit 4, band limit 127,
sanity check 0
26/08/2016 12:20:01.000 PM      kernel[0]        standard timeslicing
quantum is 10000 us
26/08/2016 12:20:01.000 PM      kernel[0]        standard background
quantum is 2500 us
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.airplaydiagnostics.server) Unrecognized MachService
property: ResetAtClose
26/08/2016 12:20:01.000 PM      kernel[0]        WQ[lt_init]: init
linktable with max:262144 elements (8388608 bytes)
26/08/2016 12:20:01.000 PM      kernel[0]        WQ[wqp_init]: init
prepost table with max:262144 elements (8388608 bytes)
26/08/2016 12:20:01.000 PM      kernel[0]        mig_table_max_displ
= 16

```

```

26/08/2016 12:20:01.000 PM kernel[0] TSC Deadline Timer
supported and enabled
26/08/2016 12:20:01.000 PM kernel[0] kdp_core zlib memory
0x7000
26/08/2016 12:20:01.000 PM kernel[0] FakeSMCKeystore:
started
26/08/2016 12:20:01.000 PM kernel[0] AppleACPICPU:
ProcessorId=1 LocalApicId=0 Enabled
26/08/2016 12:20:01.000 PM kernel[0] AppleACPICPU:
ProcessorId=2 LocalApicId=2 Enabled
26/08/2016 12:20:01.000 PM kernel[0] AppleACPICPU:
ProcessorId=3 LocalApicId=4 Enabled
26/08/2016 12:20:01.000 PM kernel[0] AppleACPICPU:
ProcessorId=4 LocalApicId=6 Enabled
26/08/2016 12:20:01.000 PM kernel[0] calling
mpo_policy_init for TMSafetyNet
26/08/2016 12:20:01.000 PM kernel[0] Security policy
loaded: Safety net for Time Machine (TMSafetyNet)
26/08/2016 12:20:01.000 PM kernel[0] calling
mpo_policy_init for AMFI
26/08/2016 12:20:01.000 PM kernel[0] Security policy
loaded: Apple Mobile File Integrity (AMFI)
26/08/2016 12:20:01.000 PM kernel[0] calling
mpo_policy_init for Sandbox
26/08/2016 12:20:01.000 PM kernel[0] Security policy
loaded: Seatbelt sandbox policy (Sandbox)
26/08/2016 12:20:01.000 PM kernel[0] calling
mpo_policy_init for Quarantine
26/08/2016 12:20:01.000 PM kernel[0] Security policy
loaded: Quarantine policy (Quarantine)
26/08/2016 12:20:01.000 PM kernel[0] Copyright (c) 1982,
1986, 1989, 1991, 1993
26/08/2016 12:20:01.000 PM kernel[0] The Regents of the
University of California. All rights reserved.
26/08/2016 12:20:01.000 PM kernel[0] MAC Framework
successfully initialized
26/08/2016 12:20:01.000 PM kernel[0] using 16384 buffer
headers and 10240 cluster IO buffer headers
26/08/2016 12:20:01.000 PM kernel[0]
AppleCredentialManager::start called
26/08/2016 12:20:01.000 PM kernel[0] AssertMacros:
tmpData (value: 0x0), file: /BuildRoot/Library/Caches/
com.apple.xbs/Sources/AppleCredentialManager/
AppleCredentialManager-83.40.3/AppleCredentialManager/
AppleCredentialManager.cpp, line: 785
26/08/2016 12:20:01.000 PM kernel[0] AppleKeyStore
starting (BUILT: Jun 23 2016 18:53:27)
26/08/2016 12:20:01.000 PM kernel[0] IOAPIC: Version 0x20
Vectors 64:111
26/08/2016 12:20:01.000 PM kernel[0] ACPI: sleep states
S3 S4 S5
26/08/2016 12:20:01.000 PM kernel[0] pci (build 18:43:02
Jun 23 2016), flags 0xe3000, pfm64 (39 cpu) 0x7f80000000, 0x80000000
26/08/2016 12:20:01.000 PM kernel[0] [ PCI configuration

```

```

begin ]
26/08/2016 12:20:01.000 PM      kernel[0]      FakeSMC v6.18-313-
g671f31c.1707 Copyright 2015 netkas, slice, usr-sse2, kozlek, navi,
The KiNG, RehabMan. All rights reserved.
26/08/2016 12:20:01.000 PM      kernel[0]      FakeSMC: 14
preconfigured keys added
26/08/2016 12:20:01.000 PM      kernel[0]      FakeSMC: 5 keys
exported by Clover EFI
26/08/2016 12:20:01.000 PM      kernel[0]      SMC: successfully
initialized
26/08/2016 12:20:01.000 PM      kernel[0]      console relocated to
0x7f80000000
26/08/2016 12:20:01.000 PM      kernel[0]      [ PCI configuration
end, bridges 5, devices 12 ]
26/08/2016 12:20:01.000 PM      kernel[0]      000000.779034
AppleUSBLegacyRoot@: AppleUSBLegacyRoot::init: enabling legacy
matching
26/08/2016 12:20:01.000 PM      kernel[0]      mcache: 4 CPU(s), 64
bytes CPU cache line size
26/08/2016 12:20:01.000 PM      kernel[0]      mbinit: done [96 MB
total pool size, (64/32) split]
26/08/2016 12:20:01.000 PM      kernel[0]      rooting via boot-
uuid from /chosen: 11BDFA42-97A0-340D-B776-569D22E0478F
26/08/2016 12:20:01.000 PM      kernel[0]      Waiting on <dict
ID="0"><key>IOProviderClass</key><string ID="1">IOResources</
string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</
string></dict>
26/08/2016 12:20:01.000 PM      kernel[0]
com.apple.AppleFSCompressionTypeZlib kmod start
26/08/2016 12:20:01.000 PM      kernel[0]
com.apple.AppleFSCompressionTypeDataless kmod start
26/08/2016 12:20:01.000 PM      kernel[0]
com.apple.AppleFSCompressionTypeZlib load succeeded
26/08/2016 12:20:01.000 PM      kernel[0]
com.apple.AppleFSCompressionTypeDataless load succeeded
26/08/2016 12:20:01.000 PM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv4 segmentation offload enabled.
26/08/2016 12:20:01.000 PM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 segmentation offload enabled.
26/08/2016 12:20:01.000 PM      kernel[0]      Ethernet
[IntelMausi]: TCP/IPv6 checksum offload enabled.
26/08/2016 12:20:01.000 PM      kernel[0]      Ethernet
[IntelMausi]: Version 2.1.0d0 using max interrupt rate 7000.
26/08/2016 12:20:01.000 PM      kernel[0]      Ethernet
[IntelMausi]: I219V2 (Rev. 49), d0:17:c2:86:10:ef
26/08/2016 12:20:01.000 PM      kernel[0]      Got boot device =
IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SAT0@17/
AppleIntelPchSeriesAHCI/PRT4@4/IOAHCIDevice@0/AppleAHCIDiskDriver/
IOAHCIBlockStorageDevice/IOBlockStorageDriver/Samsung SSD 850 EVO
250GB Media/IOGUIDPartitionScheme/OSX@2
26/08/2016 12:20:01.000 PM      kernel[0]      BSD root: disk0s2,
major 1, minor 3
26/08/2016 12:20:01.000 PM      kernel[0]      hfs: mounted OSX on
device root_device

```

```
26/08/2016 12:20:01.000 PM      kernel[0]      XCPM: registered
26/08/2016 12:20:01.000 PM      kernel[0]      VM Swap Subsystem is
ON
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.AirPlayXPCHelper) This service is defined to be
constantly running and is inherently inefficient.
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.alf) The HideUntilCheckIn property is an architectural
performance issue. Please transition away from it.
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.auditd) The Timeout key is no longer respected. It never
did anything anyway.
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.autofs) This service is defined to be constantly running
and is inherently inefficient.
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.backupd-status) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 12:20:01.128 PM      com.apple.xpc.launchd[1]
(com.apple.backupd.status.xpc) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 12:20:01.130 PM      com.apple.xpc.launchd[1]
(com.apple.CoreRAID) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.
26/08/2016 12:20:01.130 PM      com.apple.xpc.launchd[1]
(com.apple.CoreRAID) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:01.131 PM      com.apple.xpc.launchd[1]
(com.apple.coreservices.appleid.passwordcheck) Unknown key for
Boolean: DrainMessagesAfterFailedInit
26/08/2016 12:20:01.131 PM      com.apple.xpc.launchd[1]
(com.apple.colorsyncd) Unknown key for string: RunLoopType
26/08/2016 12:20:01.000 PM      syslogd[37]    ASL Sender
Statistics
26/08/2016 12:20:01.210 PM      watchdogd[54]  [watchdog_daemon]
@(      wd_watchdog_open) - IOIteratorNext failed (kr=0)
26/08/2016 12:20:01.210 PM      watchdogd[54]  [watchdog_daemon]
@(      wd_daemon_init) - could not open connection with the kernel
watchdog
26/08/2016 12:20:01.210 PM      watchdogd[54]  [watchdog_daemon]
@(      main) - cannot initialize the watchdog service
26/08/2016 12:20:01.211 PM      hidd[90]      void
__IOHIDPlugInLoadBundles(): Loaded 0 HID plugins
26/08/2016 12:20:01.217 PM      hidd[90]
____IOHIDSessionScheduleAsync_block_invoke: thread_id=0x700000081000
26/08/2016 12:20:01.217 PM      hidd[90]      HID Session async
scheduling initiated.
26/08/2016 12:20:01.131 PM      com.apple.xpc.launchd[1]
(com.apple.coreduetd) This service is defined to be constantly
running and is inherently inefficient.
26/08/2016 12:20:01.217 PM      hidd[90]      HID Session async
root queue running at priority 63 and schedule 2.
26/08/2016 12:20:01.261 PM      hidd[90]      HID Session async
scheduling complete.
```

```

26/08/2016 12:20:01.261 PM      hidd[90]      Successfully opened
the IOHIDSession
26/08/2016 12:20:01.132 PM      com.apple.xpc.launchd[1]
(com.apple.CommCenterRootHelper) ThrottleInterval set to zero.
You're not that important. Ignoring.
26/08/2016 12:20:01.246 PM      com.apple.SecurityServer[73]
Session 100000 created
26/08/2016 12:20:01.264 PM      powerd[47]    Registering for UPS
devices
26/08/2016 12:20:01.266 PM      powerd[47]    UPSDeviceAdded.
_alreadyRunningIOUPSD:0
26/08/2016 12:20:01.000 PM      kernel[0]     Waiting for DSMOS...
26/08/2016 12:20:01.485 PM      iconservicesagent[61]
iconservicesagent launched.
26/08/2016 12:20:01.492 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:01.501 PM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:01.503 PM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 12:20:01.504 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 12:20:01.504 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:01.810 PM      com.apple.xpc.launchd[1]
(com.apple.CoreRAID[42]) Endpoint has been activated through legacy
launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.CoreRAID
26/08/2016 12:20:02.147 PM      com.apple.SecurityServer[73]
Entering service
26/08/2016 12:20:02.000 PM      kernel[0]     IOGraphics flags
0x43
26/08/2016 12:20:02.000 PM      kernel[0]     Previous shutdown
cause: 5
26/08/2016 12:20:02.000 PM      kernel[0]     ****
[IOBluetoothHostControllerUSBTransport][start] -- completed --
result = TRUE -- 0x5800 ****
26/08/2016 12:20:02.000 PM      kernel[0]     DSMOS has arrived
26/08/2016 12:20:02.000 PM      kernel[0]     [IOBluetoothFamily]
[staticBluetoothTransportShowsUp] -- Received Bluetooth Controller
register service notification -- 0x5800
26/08/2016 12:20:02.000 PM      kernel[0]     [IOBluetoothFamily]
[start] -- completed
26/08/2016 12:20:02.000 PM      kernel[0]     [IOBluetoothHostController][start] -- completed
26/08/2016 12:20:02.198 PM      blued[78]     Delete logs
26/08/2016 12:20:02.217 PM      mDNSResponder[83]
mDNSResponder mDNSResponder-625.60.2 (Jun 1 2016 21:57:20) starting
OSXVers 15

```

26/08/2016 12:20:02.227 PM com.apple.usbmuxd[72] log filter
changed from 4 to 6
26/08/2016 12:20:02.235 PM loginwindow[86] Login Window
Application Started
26/08/2016 12:20:02.000 PM kernel[0]
[IOBluetoothHostController::setConfigState] calling registerService
26/08/2016 12:20:02.000 PM kernel[0] ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
calling IOBluetoothFamily's registerService() -- 0xef70 -- 0xda00 --
0x5800 ****
26/08/2016 12:20:02.000 PM kernel[0] ****
[IOBluetoothFamily][ProcessBluetoothTransportShowsUpActionWL] --
Connected to the transport successfully -- 0xef70 -- 0xda00 --
0x5800 ****
26/08/2016 12:20:02.255 PM blued[78] INIT -- Host
controller is published
26/08/2016 12:20:02.258 PM blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 12:20:02.258 PM blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 12:20:02.258 PM blued[78]
[BluetoothHIDDeviceController] EventServiceConnectedCallback
26/08/2016 12:20:02.258 PM blued[78]
[BluetoothHIDDeviceController] EventServiceDisconnectedCallback
26/08/2016 12:20:02.299 PM secinitd[137] UID[0]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 12:20:02.299 PM com.apple.usbmuxd[72] usbmuxd-364
on Mar 2 2016 at 15:12:39, running 64 bit
26/08/2016 12:20:02.299 PM secinitd[137] ctkd[133]: unable to
get root path for bundle of main executable: /System/Library/
Frameworks/CryptoTokenKit.framework/ctkd
26/08/2016 12:20:02.306 PM UserEventAgent[38] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 12:20:02.317 PM configd[45] preference: no
sharing preferences
26/08/2016 12:20:02.349 PM blued[78] hciControllerOnline;
HID devices? 0
26/08/2016 12:20:02.350 PM systemkeychain[123] done file: /
var/run/systemkeychaincheck.done
26/08/2016 12:20:02.377 PM apsd[70]
CGSLookupServerRootPort: Failed to look up the port for
"com.apple.windowserver.active" (1102)
26/08/2016 12:20:02.386 PM mDNSResponder[83] D2D_IPC:
Loaded
26/08/2016 12:20:02.386 PM mDNSResponder[83]
D2DInitialize succeeded
26/08/2016 12:20:02.390 PM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 12:20:02.427 PM iconservicesd[60]
iconservicesd launched.
26/08/2016 12:20:02.427 PM iconservicesd[60] Cache
path: /Library/Caches/com.apple.iconservices.store

```
26/08/2016 12:20:02.436 PM      iconservicesagent[61]   Starting
service with cache path: /var/folders/zz/
zyxvpxvq6csfxvn_n0000000000000/C/com.apple.iconservices
26/08/2016 12:20:02.466 PM      networkd[152]   main
networkd-583.50.1 pid 152
26/08/2016 12:20:02.473 PM      networkd[152]   -[NETPowerManager
setupPowerPolicyTable] created power policy table from defaults with
5 timeslots
26/08/2016 12:20:02.478 PM      networkd[152]   -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 12:20:02.480 PM      networkd[152]
nw_nat64_post_new_ifstate successfully changed NAT64 ifstate from
0x0 to 0x8000000000000000
26/08/2016 12:20:02.487 PM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 12:20:02.487 PM      networkd[152]
__settings_changed_block_invoke
networkd_privileged_copy_settings_async with NULL settings
26/08/2016 12:20:02.494 PM      mds[56] (ImportServer.Normal:1808)
UseBulkImporter 0 ForceBulkImporter 0
26/08/2016 12:20:02.628 PM      configd[45]      setting hostname to
"Ms-iMac.local"
26/08/2016 12:20:02.630 PM      configd[45]      network changed:
DNS*
26/08/2016 12:20:02.792 PM      WindowServer[134]   Server is
starting up
26/08/2016 12:20:02.000 PM      kernel[0]        in6_unlink_ifa: IPv6
address 0xfc6f0986c34a7d37 has no prefix
26/08/2016 12:20:02.805 PM      apsd[70]         Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 12:20:02.806 PM      apsd[70]         Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 12:20:02.807 PM      apsd[70]         Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name
26/08/2016 12:20:02.807 PM      apsd[70]
<APSCONNECTIONSERVER: 0x7fa630619280> Invalid mach port - Cleaning
up this named port's topics. com.apple.askpermission.aps
26/08/2016 12:20:02.808 PM      mds[56] (FMW.Normal:1428) FMW 0 0
26/08/2016 12:20:02.811 PM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.enroll" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 12:20:02.821 PM      com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.domain.system) Service
"com.apple.ManagedClient.startup" tried to hijack endpoint
"com.apple.ManagedClient.agent" from owner: com.apple.ManagedClient
26/08/2016 12:20:02.828 PM      AirPlayXPCHelper[91]   2016-08-26
12:20:02.827396 PM [AirPlayEndpointManagerMeta]
metaManager_createAirPlayEndpointManager Using NAPS Endpoint Manager
26/08/2016 12:20:02.829 PM      AirPlayXPCHelper[91]   2016-08-26
```

```
12:20:02.828868 PM [WiFiManagerCore] ### Get interfaces failed:
-3903/0xFFFFF0C1 kA11NotSupportedErr
26/08/2016 12:20:02.829 PM      AirPlayXPCHelper[91]      2016-08-26
12:20:02.829106 PM [APTransportTrafficRegistrar]
APTransportTrafficRegistrar: Deregister AirPlay traffic for AWDL at
MAC 00:00:00:00:00:00 with target infra non critical
PeerIndication=0 err=-3903
26/08/2016 12:20:02.829 PM      AirPlayXPCHelper[91]      2016-08-26
12:20:02.829291 PM [AirPlay]
trafficRegistrar_resetRegistrationInternal signalled
-3903/0xFFFFF0C1 kA11NotSupportedErr: APTransportTrafficRegistrar:
reset registration failed
26/08/2016 12:20:02.831 PM      networkd[152]      -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL
26/08/2016 12:20:02.860 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:02.868 PM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:02.870 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 12:20:02.870 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:02.870 PM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 12:20:02.899 PM      com.apple.audio.DriverHelper[159]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.AirPlayXPCHelper.
26/08/2016 12:20:02.899 PM      com.apple.audio.DriverHelper[159]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointmanager.xpc.
26/08/2016 12:20:02.899 PM      com.apple.audio.DriverHelper[159]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named com.apple.coremedia.endpoint.xpc.
26/08/2016 12:20:02.899 PM      com.apple.audio.DriverHelper[159]
The plug-in named AirPlay.driver requires extending the
sandbox for the mach service named
com.apple.coremedia.endpointstream.xpc.
26/08/2016 12:20:02.901 PM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 12:20:02.910 PM      digest-service[122]      label:
default
26/08/2016 12:20:02.910 PM      digest-service[122]
dbname: od:/Local/Default
26/08/2016 12:20:02.910 PM      digest-service[122]
mkey_file: /var/db/krb5kdc/m-key
26/08/2016 12:20:02.910 PM      digest-service[122]
```

```
acl_file: /var/db/krb5kdc/kadmind.acl
26/08/2016 12:20:02.915 PM      digest-service[122]      digest-
request: uid=0
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
RootDomainUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDLibUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothL2CAPChannelUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothHCIUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOBluetoothDeviceUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the IOKit user-client class
IOHIDResourceDeviceUserClient.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named com.apple.blued.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.bluetoothaudiod.
26/08/2016 12:20:02.915 PM      com.apple.audio.DriverHelper[159]
    The plug-in named BluetoothAudioPlugIn.driver requires
extending the sandbox for the mach service named
com.apple.BluetoothD0Server.
26/08/2016 12:20:02.946 PM      UserEventAgent[38]      Received
XPC_ERROR_CONNECTION_INVALID for connection com.apple.backupd.xpc
26/08/2016 12:20:02.949 PM      UserEventAgent[38]      Failed to
send message because the port couldn't be created.
26/08/2016 12:20:02.974 PM      locationd[75]      Logging binary
sensor data to /var/folders/zz/zyxvpxvq6csfxvn_n00000sm00006d/C/
locationdSensors.bin
26/08/2016 12:20:03.013 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:03.020 PM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:03.022 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
```

26/08/2016 12:20:03.022 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 12:20:03.022 PM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 12:20:03.034 PM locationd[75] Location icon should
now be in state 'Inactive'

26/08/2016 12:20:03.042 PM UserEventAgent[38] assertion
failed: 15G31: com.apple.telemetry + 19557 [63FA30F5-D35A-3A8D-95C4-
EB83EC961467]: 0x0

26/08/2016 12:20:03.049 PM UserEventAgent[38]
nsurlsessiond_events plugin: adding token 1 for client
softwareupdate_download_service

26/08/2016 12:20:03.061 PM nehelper[167] objc[167]: Class
NEHelperSystemProviderManager is implemented in both /System/
Library/Frameworks/NetworkExtension.framework/Versions/A/
NetworkExtension and /usr/libexec/nehelper. One of the two will be
used. Which one is undefined.

26/08/2016 12:20:03.093 PM digest-service[122] digest-
request: netr probe 0

26/08/2016 12:20:03.093 PM digest-service[122] digest-
request: init request

26/08/2016 12:20:03.099 PM digest-service[122] digest-
request: init return domain: BUILTIN server: MS-IMAC indomain was:
<NULL>

26/08/2016 12:20:03.121 PM diskmanagementstartup[52]
started Windows Installer Partition removal

26/08/2016 12:20:03.121 PM diskmanagementstartup[52]
Windows Installer Partition removal: No trigger, so doing nothing

26/08/2016 12:20:03.121 PM diskmanagementstartup[52]
finished Windows Installer Partition removal; error = 0

26/08/2016 12:20:03.232 PM com.apple.CDScheduler[38]
Initial power state set to AC Power

26/08/2016 12:20:04.000 PM kernel[0] Ethernet
[IntelMausi]: Link up on en0, 100-Megabit, Full-duplex, Rx/Tx flow-
control

26/08/2016 12:20:04.351 PM mDNSResponder[83]
mDNS_RegisterInterface: Frequent transitions for interface en0
(FE80:0000:0000:0000:D217:C2FF:FE86:10EF)

26/08/2016 12:20:04.457 PM networkd[152] -
[NETInterfaceManager updateInterfaces] nwi_state_copy() returned
NULL

26/08/2016 12:20:05.285 PM configd[45] network changed:
v4(en0+:192.168.1.113) DNS+ Proxy+ SMB

26/08/2016 12:20:05.291 PM networkd[152] BUG in libdispatch:
15G31 - 1718 - 0x0

26/08/2016 12:20:05.361 PM configd[45] BUG in libdispatch:
15G31 - 1718 - 0x0

26/08/2016 12:20:05.378 PM configd[45] setting hostname to
"Ms-iMac"

26/08/2016 12:20:07.441 PM sntp[178] time set +0.472783 s

26/08/2016 12:20:07.471 PM ntpd[165] peer
time.asia.apple.com @ 17.253.68.253

```
26/08/2016 12:20:07.490 PM      ntpd[165]          drift PPM:0.000 ->
-1.164
26/08/2016 12:20:08.000 PM      kernel[0]
ACPI_SMC_PlatformPlugin::start -
waitForService(resourceMatching(AppleIntelCPUPowerManagement) timed
out
26/08/2016 12:20:08.000 PM      kernel[0]          WARNING:
IOPlatformPluginUtil : getCPUIDInfo: this is an unknown CPU model
0x5e
26/08/2016 12:20:08.000 PM      kernel[0]          -- power management
may be incomplete or unsupported
26/08/2016 12:20:08.000 PM      kernel[0]
AppleIntelPCHPMC::publishedIOPPF - return false
26/08/2016 12:20:08.259 PM      WindowServer[134]  Session 257
retained (2 references)
26/08/2016 12:20:08.259 PM      WindowServer[134]  Session 257
released (1 references)
26/08/2016 12:20:08.321 PM      WindowServer[134]  Session 257
retained (2 references)
26/08/2016 12:20:08.321 PM      WindowServer[134]  **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDuser
26/08/2016 12:20:08.322 PM      WindowServer[134]
init_page_flip: page flip mode is on
26/08/2016 12:20:08.000 PM      kernel[0]          ATY,Futomaki: Not
usable
26/08/2016 12:20:08.334 PM      WindowServer[134]  Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 12:20:08.334 PM      WindowServer[134]
mux_initialize: Couldn't find any matches
26/08/2016 12:20:08.337 PM      WindowServer[134]  Found 1
modes for display 0x00000000 [1, 0]
26/08/2016 12:20:08.345 PM      WindowServer[134]
update_gl_acceleration: device (0x7f92036049a0) is unsuitable for gl
- disabling OpenGL
26/08/2016 12:20:08.569 PM      WindowServer[134]
WSMachineIsAMD: false
26/08/2016 12:20:08.578 PM      com.apple.AmbientDisplayAgent[182]
AmbientDisplayAgent started
26/08/2016 12:20:08.638 PM      WindowServer[134]
WSMachineUsesNewStyleMirroring: true
26/08/2016 12:20:08.638 PM      WindowServer[134]
start_deferring_display_reconfiguration
26/08/2016 12:20:08.639 PM      WindowServer[134]  Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
```

```
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 12:20:09.096 PM WindowServer[134]
update_gl_acceleration: device (0x7f92036049a0) is unsuitable for gl
- disabling OpenGL
26/08/2016 12:20:09.097 PM WindowServer[134] Display
0x5b81c5c0: GL mask 0x1; bounds (0, 0)[1920 x 1080], 1 modes
available
Main, Active, on-line, enabled, boot, Vendor 756e6b6e, Model 717, S/
N 0, Unit 0, Rotation 0
UUID 0xffffffffffffffffffffffffffffffff
26/08/2016 12:20:09.097 PM WindowServer[134]
CGXPerformInitialDisplayConfiguration
26/08/2016 12:20:09.097 PM WindowServer[134] Display
0x5b81c5c0: Unit 0; Vendor 0x756e6b6e Model 0x717 S/N 0 Dimensions
0.00 x 0.00; online enabled, Bounds (0,0)[1920 x 1080], Rotation 0,
Resolution 1
26/08/2016 12:20:09.097 PM WindowServer[134]
initialize_display_context: dev counts are zero (0, 0) - disabling
OpenGL
26/08/2016 12:20:09.097 PM WindowServer[134] GLCompositor
enabled for tile size [256 x 256]
26/08/2016 12:20:09.097 PM WindowServer[134]
CGXGLInitMipMap: mip map mode is on
26/08/2016 12:20:09.098 PM WindowServer[134] **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 12:20:09.101 PM com.apple.AmbientDisplayAgent[182]
AMBD initializing devices
26/08/2016 12:20:09.123 PM WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 12:20:09.127 PM com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.
26/08/2016 12:20:09.127 PM com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand
26/08/2016 12:20:09.128 PM com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit
26/08/2016 12:20:09.130 PM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 12:20:09.132 PM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything:
OnDemand
26/08/2016 12:20:09.136 PM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:09.137 PM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.
26/08/2016 12:20:09.137 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
```

26/08/2016 12:20:09.137 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 12:20:09.137 PM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.

26/08/2016 12:20:09.137 PM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string:
LSBackgroundOnly

26/08/2016 12:20:09.138 PM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.

26/08/2016 12:20:09.138 PM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-LoginWindow) This service is defined to be
constantly running and is inherently inefficient.

26/08/2016 12:20:09.138 PM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 12:20:09.139 PM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 12:20:09.150 PM PowerChime[189] objc[189]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.

26/08/2016 12:20:09.194 PM askpermissiond[185]
StoreTransport: Resetting APS Connection using environment name
production

26/08/2016 12:20:09.200 PM apsd[70] Unable to
bootstrap_look_up connection port 'com.apple.askpermission.aps' for
user 0: Unknown service name

26/08/2016 12:20:09.205 PM com.apple.SecurityServer[73]
Session 100006 created

26/08/2016 12:20:09.245 PM com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.

26/08/2016 12:20:09.250 PM loginwindow[86] Login Window Started
Security Agent

26/08/2016 12:20:09.271 PM UserEventAgent[191] Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin

26/08/2016 12:20:09.278 PM WiFiAgent[192]
securityd_message_with_reply_sync Failed to talk to secd after 4
attempts.

26/08/2016 12:20:09.282 PM WiFiAgent[192] No Wi-Fi hardware,
terminating WiFiAgent

26/08/2016 12:20:09.291 PM UserEventAgent[191] user agent
networkd: built Feb 25 2016 17:43:05

26/08/2016 12:20:09.315 PM SecurityAgent[194] This is the
first run

26/08/2016 12:20:09.315 PM SecurityAgent[194] MacBuddy was

```
run = 0
26/08/2016 12:20:10.013 PM      SecurityAgent[194]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 12:20:10.000 PM      kernel[0]          ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 12:20:10.000 PM      kernel[0]          ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 12:20:10.216 PM      WindowServer[134]
stop_deferring_display_reconfiguration
26/08/2016 12:20:11.096 PM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
discovery
26/08/2016 12:20:11.097 PM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 12:20:11.117 PM      WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)
26/08/2016 12:20:14.379 PM      WindowServer[134]      BUG in
libdispatch client: dispatch_mig_server: mach_msg() failed (ipc/
send) msg too small - 0x10000008
26/08/2016 12:20:17.333 PM      SecurityAgent[194]      User info
context values set for monster
26/08/2016 12:20:17.360 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:17.366 PM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:17.367 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 12:20:17.367 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:17.367 PM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 12:20:17.774 PM      SecurityAgent[194]      Login Window
login proceeding
26/08/2016 12:20:17.855 PM      loginwindow[86] Login Window -
Returned from Security Agent
26/08/2016 12:20:17.860 PM      loginwindow[86] USER_PROCESS: 86
console
26/08/2016 12:20:17.873 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:17.882 PM      com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:17.885 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
```

26/08/2016 12:20:17.885 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 12:20:17.885 PM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 12:20:17.000 PM kernel[0]
AppleKeyStore::handleUserClientCommandGated: asking for specific bag
501 (eff -501)

26/08/2016 12:20:17.000 PM kernel[0]
AppleKeyStore::handleUserClientCommandGated: set handle 1 as special
bag -501

26/08/2016 12:20:17.000 PM kernel[0]
AppleKeyStore:Sending lock change 1 for handle 1

26/08/2016 12:20:17.000 PM kernel[0]
AppleKeyStore:Sending lock change 0 for handle -501

26/08/2016 12:20:17.955 PM com.apple.xpc.launchd[1]
(com.apple.AirPlayUIAgent) This service is defined to be constantly
running and is inherently inefficient.

26/08/2016 12:20:17.956 PM com.apple.xpc.launchd[1]
(com.apple.AssistiveControl.running) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from
it.

26/08/2016 12:20:17.957 PM com.apple.xpc.launchd[1]
(com.apple.btsa) This key does not do anything: OnDemand

26/08/2016 12:20:17.958 PM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import
service from caller: path = /System/Library/LaunchAgents/
com.apple.CommCenter-osx.plist, caller = loginwindow.86, error =
138: Service cannot be loaded on this hardware

26/08/2016 12:20:17.959 PM com.apple.xpc.launchd[1]
(com.apple.coreservices.useractivityd) Unknown key for Boolean:
DrainMessagesAfterFailedInit

26/08/2016 12:20:17.959 PM com.apple.xpc.launchd[1]
(com.apple.coreservices.uiagent) This key does not do anything:
OnDemand

26/08/2016 12:20:17.960 PM com.apple.xpc.launchd[1]
(com.apple.diagnostics_agent) This service is defined to be
constantly running and is inherently inefficient.

26/08/2016 12:20:17.960 PM com.apple.xpc.launchd[1]
(com.apple.dock.fullscreen) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.960 PM com.apple.xpc.launchd[1]
(com.apple.dock.server) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.961 PM com.apple.xpc.launchd[1]
(com.apple.dock.notificationcenter) The HideUntilCheckIn property is
an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.961 PM com.apple.xpc.launchd[1]
(com.apple.dock.appstore) The HideUntilCheckIn property is an
architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.dock.remotedesktoppicture) The HideUntilCheckIn property
is an architectural performance issue. Please transition away from

it.
26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.dock.launchpad) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.dock.downloads) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.EscrowSecurityAlert) Unknown key for string: seatbelt-profiles
26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Could not import service from caller: path = /System/Library/LaunchAgents/com.apple.FirmwareUpdateHelper.plist, caller = loginwindow.86, error = 138: Service cannot be loaded on this hardware
26/08/2016 12:20:17.982 PM distnoted[211] # distnote server agent absolute time: 21.300328852 civil time: Fri Aug 26 12:20:17 2016 pid: 211 uid: 501 root: no
26/08/2016 12:20:17.962 PM com.apple.xpc.launchd[1]
(com.apple.FontRegistryUIAgent) This key does not do anything: OnDemand
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidator) This key does not do anything: OnDemand
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.ATS.FontValidatorConduit) This key does not do anything: OnDemand
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.gamed) This key does not do anything: OnDemand
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.gamed) The ServiceIPC key is no longer respected. Please remove it.
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.helpd) This key does not do anything: OnDemand
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.icdd) This service is defined to be constantly running and is inherently inefficient.
26/08/2016 12:20:17.963 PM com.apple.xpc.launchd[1]
(com.apple.midiserver.io) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 12:20:17.964 PM com.apple.xpc.launchd[1]
(com.apple.noticeboard.agent) This key does not do anything: OnDemand
26/08/2016 12:20:17.964 PM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.alerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 12:20:17.964 PM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.customalerts) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.
26/08/2016 12:20:17.964 PM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.extension-trampoline) The HideUntilCheckIn property is an architectural performance issue.

Please transition away from it.

26/08/2016 12:20:17.966 PM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.tcc) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.967 PM com.apple.xpc.launchd[1]
(com.apple.notificationcenterui.agent) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.plugin.kit.pkd.plist, caller = loginwindow.86

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.PubSub.Agent) The ServiceIPC key is no longer respected. Please remove it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.quicklook.ui.helper.active) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.ReportCrash) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Self) The DrainMessagesOnCrash key is not yet implemented. If you rely on this key, please file a bug.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.rtcreportingd) The UserName key is not supported for non-System services.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.SafariCloudHistoryPushAgent) The UserName key is not supported for non-System services.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.sharingd) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): events/array

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.soagent) Invalid type for event (event/type): bundleid/string

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.speech.speechdatainstaller) This key does not do anything: OnDemand

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.storeinstallagent.plist, caller = loginwindow.86

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.ServiceProvider) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.dockextra.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.SUIMessaging) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.ipodserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.systemuiserver.screencapture) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.tsm.uiserver) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.dockling.server) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.window_proxies.startup) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.window_proxies) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.inputswitcher.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.968 PM com.apple.xpc.launchd[1]
(com.apple.xpc.launchd.user.domain.501.100006.Aqua) Caller tried to hijack service: path = /System/Library/LaunchAgents/com.apple.trustd.agent.plist, caller = loginwindow.86

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.universalaccesscontrol.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.universalaccessd.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.universalaccessd) Unknown key for string: LSBackgroundOnly

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.UserEventAgent-Aqua) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 12:20:17.993 PM lsd[213] LaunchServices:
Scheme mapping file does not exist, creating file.

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.usernoted) This service is defined to be constantly running and is inherently inefficient.

26/08/2016 12:20:17.969 PM com.apple.xpc.launchd[1]
(com.apple.VoiceOver.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

26/08/2016 12:20:17.971 PM com.apple.xpc.launchd[1]
(com.apple.ZoomWindow.running) The HideUntilCheckIn property is an architectural performance issue. Please transition away from it.

```
26/08/2016 12:20:17.971 PM      com.apple.xpc.launchd[1]
(org.openbsd.ssh-agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:18.015 PM      otherbsd[209]      Could not copy
LoginItems URL.
26/08/2016 12:20:18.138 PM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 12:20:18.151 PM      UserEventAgent[208]      Failed to
copy info dictionary for bundle /System/Library/UserEventPlugins/
alfUIplugin.plugin
26/08/2016 12:20:18.166 PM      UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:20:18.196 PM      UserEventAgent[208]      user agent
networkd: built Feb 25 2016 17:43:05
26/08/2016 12:20:18.228 PM      UserEventAgent[208]      received an
unknown event from daemon
26/08/2016 12:20:18.238 PM      com.apple.CDScheduler[208]
Initial power state set to AC Power
26/08/2016 12:20:18.280 PM      secinitd[217]      UID[501]: cache
loaded: /System/Library/Caches/com.apple.app-sandbox-cache.plist
26/08/2016 12:20:18.284 PM      com.apple.SecurityServer[73]
Session 100009 created
26/08/2016 12:20:18.435 PM      sharingd[228]      12:20:18.432 :
Starting Up...
26/08/2016 12:20:18.437 PM      sharingd[228]      12:20:18.437 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)
26/08/2016 12:20:18.863 PM      symptomsd[176]      __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 12:20:18.863 PM      symptomsd[176]      __73-
[NetworkAnalyticsEngine
observeValueForKeyPath:ofObject:change:context:]_block_invoke
unexpected switch value 2
26/08/2016 12:20:19.114 PM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
login
26/08/2016 12:20:19.115 PM      WindowServer[134]      **DMPROXY**
(2) Found `/System/Library/CoreServices/DMPProxy'. Run with arg = -
AMBDprefs
26/08/2016 12:20:19.241 PM      DMPProxy[238]      AMBD Services:
_CFXPCCreateXPCCObjectFromCFObject failed!!
26/08/2016 12:20:19.303 PM      sharingd[228]      12:20:19.303 : No
delegate parameters from account, account exists = NO
26/08/2016 12:20:19.304 PM      sharingd[228]      12:20:19.303 :
Tethering: Identifier needs fixing
26/08/2016 12:20:19.305 PM      sharingd[228]      12:20:19.304 : No
delegate parameters from account, account exists = NO
26/08/2016 12:20:19.308 PM      sharingd[228]      12:20:19.307 : No
delegate parameters from account, account exists = NO
26/08/2016 12:20:19.905 PM      logind[87]      -[SessionManager
getClient:withRole:inAuditSession:]:241: ERROR: No session
```

```
dictionary for audit session 100009
26/08/2016 12:20:19.905 PM      logind[87]      _SMGetSessionAgent:
73: ERROR: __SMGetClientForAuditSessionAgent failed 2
26/08/2016 12:20:19.905 PM      IMDPersistenceAgent[249]
SACShieldWindowShowing:925: ERROR: NULL response
26/08/2016 12:20:20.077 PM      sandboxd[222]  ([215])
CalendarAgent(215) allow mach-register
com.apple.CalendarStore.lock.init
26/08/2016 12:20:20.083 PM      sandboxd[222]  ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 12:20:20.086 PM      sandboxd[222]  ([246])
storeaccountd(246) deny file-write-create /Users/monster/Library/
Caches/com.apple.spotlight
26/08/2016 12:20:20.434 PM      Spotlight[240] spot: agent checkin
26/08/2016 12:20:20.459 PM      identityservicesd[234]
<IMMacNotificationCenterManager: 0x7fee3be31a80>: Configuring
notification center for identifier: com.apple.iChat  topics: (
    "com.apple.private.ids"
)
26/08/2016 12:20:20.464 PM      SpotlightNetHelper[250]
CGSConnectionByID: 0 is not a valid connection ID.
26/08/2016 12:20:20.464 PM      SpotlightNetHelper[250] Invalid
Connection ID 0
26/08/2016 12:20:20.469 PM      identityservicesd[234]
<IMMacNotificationCenterManager: 0x7fee3be31a80>: NC Disabled: NO
26/08/2016 12:20:20.473 PM      identityservicesd[234]
<IMMacNotificationCenterManager: 0x7fee3be31a80>: DND Enabled: NO
26/08/2016 12:20:20.473 PM      identityservicesd[234]
<IMMacNotificationCenterManager: 0x7fee3be31a80>: Updating enabled:
YES (Topics: (
    "com.apple.private.ids"
))
26/08/2016 12:20:20.476 PM      imagent[248]   [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 12:20:20.476 PM      sharingd[228] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 12:20:20.499 PM      imagent[248]   [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 12:20:20.499 PM      imagent[248]   [Warning]
SMSServiceSession: Error no IDS Service available for SMS Relay
26/08/2016 12:20:20.504 PM      imagent[248]   [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 12:20:20.504 PM      imagent[248]   [Warning]
IMDAccount: incoming 'defaults' is not a dictionary, (null), (null)
26/08/2016 12:20:20.597 PM      fmfed[252]     Initialized sandbox
26/08/2016 12:20:20.601 PM      com.apple.geod[251] 2016-08-26
12:20:20.599, 251, 416042e0, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create
26/08/2016 12:20:20.951 PM      apsd[70]       Peer [pid=252]
requested push wake but lacks APSPushWakeEntitlement
26/08/2016 12:20:20.959 PM      fmfed[252]     [Warning] Services
all disappeared, removing all dependent devices
```

26/08/2016 12:20:20.960 PM WindowServer[134]
CGXSetDisplayColorProfileAndTransfer: Display 0x5b81c5c0: Unit 0;
ColorProfile { 1159471798 }; TransferFormula (1.000000, 1.000000,
1.000000)

26/08/2016 12:20:20.980 PM Finder[224] assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89

26/08/2016 12:20:21.019 PM iconservicesagent[257]
iconservicesagent launched.

26/08/2016 12:20:21.019 PM syncdefaultsd[233] accountsd
has been removed from syncing apps.

26/08/2016 12:20:21.028 PM iconservicesagent[257] Starting
service with cache path: /var/folders/
k4/9rlmcf592jv3xvxfl7t4qk4m0000gn/C/com.apple.iconservices

26/08/2016 12:20:21.038 PM com.apple.xpc.launchd[1]
(com.apple.quicklook[259]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook

26/08/2016 12:20:21.036 PM accountsd[232] [Warning] Services
all disappeared, removing all accounts

26/08/2016 12:20:21.036 PM accountsd[232] [Warning] Services
all disappeared, removing all enabled accounts

26/08/2016 12:20:21.037 PM accountsd[232] [Warning] Services
all disappeared, removing all dependent devices

26/08/2016 12:20:21.000 PM kernel[0] Sandbox:
coreduetd(64) deny(1) file-read-metadata /usr/libexec

26/08/2016 12:20:21.213 PM callservicesd[244] [Warning]
Services all disappeared, removing all dependent devices

26/08/2016 12:20:21.000 PM kernel[0] Sandbox:
storeaccountd(246) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight

26/08/2016 12:20:21.000 PM kernel[0] Sandbox:
storeaccountd(246) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.spotlight

26/08/2016 12:20:21.274 PM sandboxd[222] ([169])
rpcsvchost(169) deny file-read-metadata /usr

26/08/2016 12:20:21.305 PM sandboxd[222] ([78]) blued(78)
deny file-read-metadata /usr

26/08/2016 12:20:21.337 PM sandboxd[222] ([158])
coreaudiod(158) deny file-read-metadata /usr

26/08/2016 12:20:21.359 PM com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.

26/08/2016 12:20:21.366 PM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 12:20:21.367 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 12:20:21.367 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 12:20:21.367 PM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:

```

OnDemand
26/08/2016 12:20:21.367 PM      sandboxd[222]    ([180])
netbiosd(180) deny file-read-metadata /usr
26/08/2016 12:20:21.415 PM      sandboxd[222]    ([64]) coreduetd(64)
deny file-read-metadata /usr/libexec
26/08/2016 12:20:21.451 PM      iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7fc53140d340>.
26/08/2016 12:20:21.465 PM      quicklookd[259] Error returned from
iconservicesagent: (null)
26/08/2016 12:20:21.497 PM      cloudphotosd[216]    Unable to
register with launch services, result = -10819
26/08/2016 12:20:21.545 PM      CalNCService[226]    [Warning]
Cannot listen to battery level change notification.
26/08/2016 12:20:21.559 PM      cloudphotosd[216]    Determine
service transition start:
service=com.apple.photo.icloud.myphotostream personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 12:20:21.559 PM      cloudphotosd[216]    Determine
service transition start:
service=com.apple.photo.icloud.sharedstreams personId=(null)
lastKnownPersonId=(null) targetState=0
26/08/2016 12:20:21.559 PM      cloudphotosd[216]    Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 12:20:21.559 PM      cloudphotosd[216]    Determine
service transition end: 2, currentState: 3, shouldEnableService: 0
26/08/2016 12:20:21.561 PM      cloudphotosd[216]    +[CSLogger
preferencesChanged:] reconfiguring logging
26/08/2016 12:20:21.601 PM      PowerChime[282] objc[282]: Class
BUIPowerSource is implemented in both /System/Library/
PrivateFrameworks/BatteryUIKit.framework/Versions/A/BatteryUIKit
and /System/Library/CoreServices/PowerChime.app/Contents/MacOS/
PowerChime. One of the two will be used. Which one is undefined.
26/08/2016 12:20:21.664 PM      PowerChime[282] PowerChime: chime
enabled by hardware: 0
26/08/2016 12:20:21.664 PM      PowerChime[282] PowerChime disabled
- ChimeOnNoHardware default: 0
26/08/2016 12:20:21.666 PM      apsd[70]          Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 12:20:21.668 PM      apsd[70]          Attempt to set push
wake topics without dark wake enabled: ()
26/08/2016 12:20:21.689 PM      secdd[239]
securityd_xpc_dictionary_handler IDKeychainSynchi[293] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 12:20:21.690 PM      CloudKeychainProxy[294] __45-
[UbiqitousKVSPProxy doEnsurePeerRegistration]_block_invoke <UB---e-
C---> ensurePeerRegistration called, success ((null))
26/08/2016 12:20:21.728 PM      askpermissiond[283]
StoreTransport: Resetting APS Connection using environment name
production
26/08/2016 12:20:21.893 PM      cloudd[296]      Could not create
primary backing account
26/08/2016 12:20:21.901 PM      secdd[239]

```

```
securityd_xpc_dictionary_handler IDSKeychainSynch[293] SetDeviceID
Error Domain=com.apple.security.sos.error Code=1032 "No peer for me"
UserInfo={NSDescription=No peer for me}
26/08/2016 12:20:21.000 PM kernel[0] Sandbox:
storeaccountd(246) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 12:20:21.985 PM MRT[291] Agent finished.
26/08/2016 12:20:21.986 PM MRT[291] Finished MRT run
26/08/2016 12:20:22.026 PM cloudpaired[285] DEBUG cloudpaired:
system supports Continuity
26/08/2016 12:20:22.035 PM cloudpaired[285] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 12:20:22.000 PM kernel[0] Sandbox:
SocialPushAgent(273) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 12:20:22.000 PM kernel[0] Sandbox:
SocialPushAgent(273) deny(1) file-write-data /Users/monster/Library/
Preferences/com.apple.socialpushagent.plist
26/08/2016 12:20:22.058 PM diagnostics_agent[289]
AutoSubmitPreference is 1
26/08/2016 12:20:22.074 PM WiFiAgent[288] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC WiFiCloudSyncEngineCreate:
created...
26/08/2016 12:20:22.074 PM WiFiAgent[288] [NO client logger]
<Sep 11 2015 20:39:39> WIFICLOUDSYNC
WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks
version - 0, bundle id - com.apple.wifi.WiFiAgent
26/08/2016 12:20:22.075 PM sec2[239]
securityd_xpc_dictionary_handler WiFiAgent[288] View Error
Domain=com.apple.security.sos.error Code=1032 "No Peer for Account"
UserInfo={NSDescription=No Peer for Account}
26/08/2016 12:20:22.080 PM WiFiAgent[288] No Wi-Fi hardware,
terminating WiFiAgent
26/08/2016 12:20:22.084 PM cloudphotosd[216] Unable to
resolve library URL for key because of error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 12:20:22.085 PM cloudphotosd[216] No canonical
library is set, disabling service. error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 12:20:22.085 PM
com.apple.CloudPhotosConfiguration[269] Request
33B51AE4-7BD2-41AB-83A8-5F9A47F90378: New and old state identical
for service com.apple.photo.icloud.cloudphoto: 0, ignoring request
26/08/2016 12:20:22.087 PM cloudphotosd[216] Determine
service transition start: service=com.apple.photo.icloud.cloudphoto
personId=(null) lastKnownPersonId=(null) targetState=0
26/08/2016 12:20:22.087 PM cloudphotosd[216] Determine
service transition end: 2, currentState: 2, shouldEnableService: 0
26/08/2016 12:20:22.102 PM Spotlight[240] applications query -
started
26/08/2016 12:20:22.116 PM diagnostics_agent[289]
AutoSubmitPreference is 1
```

```
26/08/2016 12:20:22.117 PM      Keychain Circle Notification[275]
    Posted at launch: (
)
26/08/2016 12:20:22.119 PM      Keychain Circle Notification[275]
    rawStatus -1, #applicants 0, #peers 0, err=Error
Domain=com.apple.security.sos.error Code=2 "Public Key not available
- failed to register before call" UserInfo={NSDescription=Public Key
not available - failed to register before call}
26/08/2016 12:20:22.120 PM      Keychain Circle Notification[275]
    {ChangeCallback}
26/08/2016 12:20:22.159 PM      Keychain Circle Notification[275]
    {ChangeCallback} scheduleActivity 4001-01-01 00:00:00 +0000
26/08/2016 12:20:22.159 PM      Keychain Circle Notification[275]
    {ChangeCallback} Applicants
26/08/2016 12:20:22.159 PM      Keychain Circle Notification[275]
    Checking validity of 0 notes
26/08/2016 12:20:22.159 PM      Keychain Circle Notification[275]
    writeToStorage plist={
    absentCircleWithNoReason = 0;
    applicationDate = "0000-12-30 00:00:00 +0000";
    lastCircleStatus = "-1";
    lastWritten = "2016-08-26 04:20:22 +0000";
    pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
    pendingApplicationReminderInterval = 86400;
}
26/08/2016 12:20:22.169 PM      diagnostics_agent[289]
AutoSubmitPreference is 1
26/08/2016 12:20:22.244 PM      Spotlight[240]  applications query -
finished in 0.14 seconds
26/08/2016 12:20:22.361 PM      pkd[230]        client 277 plug-in
com.apple.ncplugin.WorldClock election := (null)
26/08/2016 12:20:22.362 PM      pkd[230]        client 277 plug-in
com.apple.share.SocialWidget election := (null)
26/08/2016 12:20:22.362 PM      pkd[230]        client 277 plug-in
com.apple.ncplugin.FindMyFriends election := (null)
26/08/2016 12:20:22.363 PM      pkd[230]        client 277 plug-in
com.apple.ncplugin.calculator election := (null)
26/08/2016 12:20:24.013 PM      pkd[230]        enabling pid=277 for
plug-in com.apple.iCal.CalendarNC(1.0) C70D6B7A-
D78A-49D8-9D9D-78ED6AAA94AC /Applications/Calendar.app/Contents/
PlugIns/com.apple.iCal.CalendarNC.appex
26/08/2016 12:20:24.158 PM      NotificationCenter[277] plugin
com.apple.iCal.CalendarNC invalidated
26/08/2016 12:20:24.158 PM      com.apple.iCal.CalendarNC[301] host
connection <NSXPCConnection: 0x7f981ae0e170> connection from pid 277
invalidated
26/08/2016 12:20:32.813 PM      com.apple.xpc.launchd[1]
(com.apple.appkit.xpc.sandboxedServiceRunner) The
JoinExistingSession key is only available to Application services.
26/08/2016 12:20:32.817 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
26/08/2016 12:20:32.824 PM      com.apple.xpc.launchd[1]
```

```
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand
26/08/2016 12:20:32.825 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand
26/08/2016 12:20:32.825 PM      com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.
26/08/2016 12:20:32.825 PM      com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand
26/08/2016 12:20:38.627 PM      com.apple.WebKit.WebContent[268]
      CoreAnimation: failed to create OpenGL context
26/08/2016 12:20:39.000 PM      kernel[0]      Sandbox:
com.apple.Safari(327) deny(1) mach-lookup
com.apple.CoreServices.coreservicesd
26/08/2016 12:20:39.000 PM      kernel[0]      Sandbox:
com.apple.Safari(327) deny(1) file-read-metadata /usr
26/08/2016 12:20:40.451 PM      com.apple.xpc.launchd[1]
(com.apple.WebKit.Networking.34B5324E-
E34A-4060-973B-171F56778012[325]) Service exited with abnormal code:
1
26/08/2016 12:20:40.000 PM      kernel[0]      Sandbox:
storeaccountd(246) deny(1) file-write-create /Users/monster/Library/
Caches/com.apple.Safari/ProductionBag
26/08/2016 12:20:41.678 PM      Safari[218]      CoreAnimation:
failed to create OpenGL context
26/08/2016 12:20:41.860 PM      fontd[241]      BUG in libdispatch
client: dispatch_mig_server: mach_msg() failed (ipc/send) invalid
memory - 0x1000000c
26/08/2016 12:20:41.929 PM      com.apple.WebKit.WebContent[328]
      CoreAnimation: failed to create OpenGL context
26/08/2016 12:20:42.000 PM      kernel[0]      Sandbox:
com.apple.Safari(330) deny(1) file-issue-extension /Users/monster/
Library/Caches/com.apple.Safari.SearchHelper
26/08/2016 12:20:42.021 PM      com.apple.Safari.SearchHelper[330]
      Failed to obtain sandbox extension for path=/Users/monster/
Library/Caches/com.apple.Safari.SearchHelper. Errno:1
26/08/2016 12:20:42.000 PM      kernel[0]      Sandbox:
com.apple.Safari(330) deny(1) file-issue-extension /Users/monster/
Library/Caches/com.apple.Safari.SearchHelper
26/08/2016 12:20:42.021 PM      com.apple.Safari.SearchHelper[330]
      Failed to obtain sandbox extension for path=/Users/monster/
Library/Caches/com.apple.Safari.SearchHelper. Errno:1
26/08/2016 12:20:42.025 PM      com.apple.SecurityServer[73]
Session 100015 created
26/08/2016 12:20:42.491 PM      com.apple.WebKit.WebContent[328]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:20:43.181 PM      com.apple.WebKit.WebContent[328]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:20:48.012 PM      lsd[213]      LaunchServices:
Currently 0 installed placeholders: (
)
```

```

26/08/2016 12:20:48.760 PM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:20:51.384 PM      com.apple.WebKit.WebContent[328]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:20:57.474 PM      launchd[1]          BUG in libdispatch:
15G31 - 1718 - 0x0
26/08/2016 12:21:04.489 PM      com.apple.xpc.launchd[1]
(com.apple.preference.sound.remoteservice[305]) Service exited due
to signal: Killed: 9
26/08/2016 12:21:08.806 PM      System Preferences[334] Unable to
determine system photo library URL. Error: Error
Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey"
UserInfo={NSLocalizedString=RDErrorNoValueForLibraryKey}
26/08/2016 12:21:13.678 PM      System Preferences[334] Unable to
simultaneously satisfy constraints:
(
    "<NSLayoutConstraint:0x7fc9ce93ffd0 NSPopUpButton:
0x7fc9ce93cf10'-'.width == NSPopUpButton:0x7fc9ce9393c0'-'.width>",
    "<NSLayoutConstraint:0x7fc9ce93fd20 NSPopUpButton:
0x7fc9ce938340'-'.trailing == NSPopUpButton:
0x7fc9ce9393c0'-'.trailing>",
    "<NSLayoutConstraint:0x7fc9ce93f7f0 NSPopUpButton:
0x7fc9ce9393c0'-'.leading == NSPopUpButton:
0x7fc9ce938340'-'.leading>",
    "<NSLayoutConstraint:0x7fc9ce93f5f0 NSPopUpButton:
0x7fc9ce93c150'-'.trailing == NSPopUpButton:
0x7fc9ce93cf10'-'.trailing>",
    "<NSLayoutConstraint:0x7fc9ce93f3d0 NSPopUpButton:
0x7fc9ce93cf10'-'.leading == NSPopUpButton:
0x7fc9ce93c150'-'.leading>",
    "<NSLayoutConstraint:0x7fc9ce93f550 NSImageView:
0x7fc9ce93e660.centerX == NSBox:0x7fc9ce937d00'Active Screen
Corners'.centerX>",
    "<NSLayoutConstraint:0x7fc9ce93f5a0 H: [NSPopUpButton:
0x7fc9ce938340'-']-(29)-[NSImageView:0x7fc9ce93e660] (LTR)>",
    "<NSLayoutConstraint:0x7fc9ce93f380 H: [NSImageView:
0x7fc9ce93e660]-(29)-[NSPopUpButton:0x7fc9ce93c150'-'] (LTR)>",
    "<NSLayoutConstraint:0x7fc9ce93fd70 NSPopUpButton:
0x7fc9ce938340'-'.left == NSBox:0x7fc9ce937d00'Active Screen
Corners'.left + 34>",
    "<NSLayoutConstraint:0x7fc9ce93f840 NSBox:0x7fc9ce937d00'Active
Screen Corners'.right == NSPopUpButton:0x7fc9ce93c150'-'.right +
35>"
)

```

Will attempt to recover by breaking constraint

```

<NSLayoutConstraint:0x7fc9ce93f5a0 H: [NSPopUpButton:
0x7fc9ce938340'-']-(29)-[NSImageView:0x7fc9ce93e660] (LTR)>

```

Set the NSUserDefaults

NSConstraintBasedLayoutVisualizeMutuallyExclusiveConstraints to YES
to have -[NSWindow visualizeConstraints:] automatically called when

this happens. And/or, break on objc_exception_throw to catch this in the debugger.

26/08/2016 12:21:13.700 PM System Preferences[334] Attempted search for modules of unknown type (4)

26/08/2016 12:21:13.793 PM com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.pid.MediaLibraryService.338) Path not allowed in target domain: type = pid, path = /Library/Frameworks/iTunesLibrary.framework/Versions/A/XPCServices/com.apple.iTunesLibraryService.xpc error = 147: The specified service did not ship in the requestor's bundle, origin = /System/Library/Frameworks/MediaLibrary.framework/Versions/A/XPCServices/com.apple.MediaLibraryService.xpc

26/08/2016 12:21:13.794 PM com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.pid.MediaLibraryService.338) Path not allowed in target domain: type = pid, path = /Library/Frameworks/iTunesLibrary.framework/Versions/A/XPCServices/com.apple.iTunesLibraryService.xpc error = 147: The specified service did not ship in the requestor's bundle, origin = /System/Library/Frameworks/MediaLibrary.framework/Versions/A/XPCServices/com.apple.MediaLibraryService.xpc

26/08/2016 12:21:13.799 PM com.apple.SecurityServer[73] Session 100017 created

26/08/2016 12:21:13.835 PM System Preferences[334] Unable to determine system photo library URL. Error: Error Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey" UserInfo={NSLocalizedDescription=RDErrorNoValueForLibraryKey}

26/08/2016 12:21:13.891 PM com.apple.MediaLibraryService[338] Unable to determine system photo library URL. Error: Error Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey" UserInfo={NSLocalizedDescription=RDErrorNoValueForLibraryKey}

26/08/2016 12:21:13.942 PM com.apple.SecurityServer[73] Session 100018 created

26/08/2016 12:21:14.070 PM com.apple.MediaLibraryService[338] Unable to determine system photo library URL. Error: Error Domain=com.apple.reddwarf Code=21 "RDErrorNoValueForLibraryKey" UserInfo={NSLocalizedDescription=RDErrorNoValueForLibraryKey}

26/08/2016 12:21:14.070 PM System Preferences[334] mainMediaGroup is nil for mediaGroupIdentifier

com.apple.iTunes.MusicPlaylist

26/08/2016 12:21:20.705 PM SpotlightNetHelper[250] tcp_connection_tls_session_error_callback_imp 5 __tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 12:21:20.705 PM SpotlightNetHelper[250] tcp_connection_tls_session_error_callback_imp 2 __tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 12:21:20.705 PM SpotlightNetHelper[250] tcp_connection_tls_session_error_callback_imp 7 __tcp_connection_tls_session_callback_write_block_invoke.434 error 22

26/08/2016 12:21:20.705 PM SpotlightNetHelper[250] tcp_connection_tls_session_error_callback_imp 6 __tcp_connection_tls_session_callback_write_block_invoke.434 error

22

```
26/08/2016 12:22:00.567 PM    sharingd[228]    12:22:00.567 :
Current language changed
26/08/2016 12:22:00.568 PM    sharingd[228]    12:22:00.567 :
Exiting...
26/08/2016 12:22:00.581 PM    Finder[224]      Lost connection to
sharingd
26/08/2016 12:22:00.583 PM    Finder[224]      Lost connection to
sharingd
26/08/2016 12:22:00.604 PM    sharingd[346]    12:22:00.603 :
Starting Up...
26/08/2016 12:22:00.606 PM    sharingd[346]    12:22:00.605 :
Device Capabilities (Handoff:NO, Instant Hotspot:NO, AirDrop:NO,
Legacy AirDrop:NO, Remote Disc:NO)
26/08/2016 12:22:00.626 PM    sharingd[346]    [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 12:22:00.662 PM    sharingd[346]    12:22:00.662 : No
delegate parameters from account, account exists = NO
26/08/2016 12:22:00.662 PM    sharingd[346]    12:22:00.662 :
Tethering: Identifier needs fixing
26/08/2016 12:22:00.663 PM    Spotlight[240]   relaunching
Spotlight to respond to system locale change.
26/08/2016 12:22:00.664 PM    SystemUIServer[223]    Spotlight:
Service connection interrupted!
26/08/2016 12:22:00.665 PM    sharingd[346]    12:22:00.664 : No
delegate parameters from account, account exists = NO
26/08/2016 12:22:00.667 PM    sharingd[346]    12:22:00.667 : No
delegate parameters from account, account exists = NO
26/08/2016 12:22:00.840 PM    Spotlight[347]   applications query -
started
26/08/2016 12:22:00.937 PM    Spotlight[347]   applications query -
finished in 0.097 seconds
26/08/2016 12:22:02.885 PM    apsd[70]         Failed to send
activation record to service com.apple.ManagedClient.enroll
26/08/2016 12:22:06.229 PM    System Preferences[334] Warning:
System language list does not contain app localization base
26/08/2016 12:22:06.229 PM    System Preferences[334] Warning:
System language list does not contain app localization pt
26/08/2016 12:22:06.995 PM    com.apple.xpc.launchd[1]
(com.apple.updateEFIDesktopPicture) Service only ran for 0 seconds.
Pushing respawn out by 10 seconds.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFillColorWithColor: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetStrokeColorWithColor: invalid context 0x0. If you want
to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCompositeOperation: invalid context 0x0. If you want to
```

see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextFillRects: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextClipToRect: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351] It does not make sense to draw an image when [NSGraphicsContext currentContext] is nil. This is a programming error. Break on void _NSWarnForDrawingImageWithNoCurrentContext() to debug. This will be logged only once. This may break in the future.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM

com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.490 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context
0x0. If you want to see the backtrace, please set
CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental

variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context
0x0. If you want to see the backtrace, please set
CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the

backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:22.491 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:26.351 PM
com.apple.preference.energysaver.remoteservice[351] Error in CoreDragRemoveTrackingHandler: -1856
26/08/2016 12:22:26.351 PM
com.apple.preference.energysaver.remoteservice[351] Error in CoreDragRemoveReceiveHandler: -1856
26/08/2016 12:22:32.272 PM SpotlightNetHelper[250]
tcp_connection_tls_session_error_callback_imp 8
__tcp_connection_tls_session_callback_write_block_invoke.434 error 22
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFillColorWithColor: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetStrokeColorWithColor: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextFillRects: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextClipToRect: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]

CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:47.728 PM

com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:47.728 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context
0x0. If you want to see the backtrace, please set
CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context
0x0. If you want to see the backtrace, please set
CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental

variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:47.729 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the
backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental
variable.
26/08/2016 12:22:50.412 PM
com.apple.preference.energysaver.remoteservice[351] Error in
CoreDragRemoveTrackingHandler: -1856
26/08/2016 12:22:50.412 PM
com.apple.preference.energysaver.remoteservice[351] Error in
CoreDragRemoveReceiveHandler: -1856
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFillColorWithColor: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetStrokeColorWithColor: invalid context 0x0. If you want
to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCompositeOperation: invalid context 0x0. If you want to
see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE
environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]

CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextFillRects: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextSetCompositeOperation: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextClipToRect: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]

CGContextGetFontAntialiasingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.602 PM

com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextClipToRect: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetClipBoundingBox: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.602 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetShouldSmoothFonts: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.

26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE

environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSetFontSmoothingStyle: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetDefaultUserSpaceToDeviceSpaceTransform: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextConcatCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextSaveGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextDrawImages: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextRestoreGState: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:51.603 PM
com.apple.preference.energysaver.remoteservice[351]
CGContextGetCTM: invalid context 0x0. If you want to see the backtrace, please set CG_CONTEXT_SHOW_BACKTRACE environmental variable.
26/08/2016 12:22:57.762 PM
com.apple.preference.energysaver.remoteservice[351] Error in
CoreDragRemoveTrackingHandler: -1856

26/08/2016 12:22:57.762 PM
com.apple.preference.energysaver.remoteservice[351] Error in
CoreDragRemoveReceiveHandler: -1856

26/08/2016 12:23:03.233 PM syncdefaultsd[355] accountsd
has been removed from syncing apps.

26/08/2016 12:23:42.289 PM com.apple.geod[357] 2016-08-26
12:23:42.286, 357, d1500830, [LogMessageLogging]:
adaptorOptionsArray is nil or empty, there no adaptors available to
create

26/08/2016 12:23:42.331 PM Safari[218]
tcp_connection_tls_session_error_callback_imp 9
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 12:23:55.364 PM com.apple.WebKit.WebContent[359]
CoreAnimation: failed to create OpenGL context

26/08/2016 12:24:03.017 PM mds[56] (Volume.Normal:2464) volume:
0x7f881c906000 ***** Bootstrapped Creating a default store:0
SpotLoc:(null) SpotVerLoc:/Volumes/firmwaresyncd.2x3tQa/.Spotlight-
V100/Store-V1 occlude:0 /Volumes/firmwaresyncd.2x3tQa

26/08/2016 12:24:03.277 PM deleted[262]
normalizeUserMountpoint:791 volRoot failed for /Volumes/
firmwaresyncd.2x3tQa

26/08/2016 12:24:03.277 PM deleted[262] _validateVolume:813
unable to normalize volume: "/Volumes/firmwaresyncd.2x3tQa", vol:
(null)

26/08/2016 12:24:06.191 PM WindowServer[134] Set a
breakpoint at CGSLogError to catch errors as they are logged.

26/08/2016 12:24:06.191 PM WindowServer[134]
_CGXRemoveWindowFromWindowMovementGroup: window 0x25 is not attached
to window 0x4e

26/08/2016 12:24:06.286 PM com.apple.WebKit.WebContent[360]
CoreAnimation: failed to create OpenGL context

26/08/2016 12:24:06.296 PM Safari[218]
tcp_connection_tls_session_error_callback_imp 17
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22

26/08/2016 12:24:08.178 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:24:33.908 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:24:36.894 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:24:39.578 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:24:42.650 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:24:45.394 PM com.apple.WebKit.WebContent[360]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

```
26/08/2016 12:24:48.416 PM      com.apple.WebKit.WebContent[360]
    CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:25:16.309 PM      com.apple.WebKit.WebContent[373]
    CoreAnimation: failed to create OpenGL context
26/08/2016 12:25:22.920 PM      WindowServer[134]
    _CGXRemoveWindowFromWindowMovementGroup: window 0x4f is not attached
to window 0x50
26/08/2016 12:25:22.978 PM      com.apple.WebKit.WebContent[374]
    CoreAnimation: failed to create OpenGL context
26/08/2016 12:25:23.025 PM      Safari[218]
tcp_connection_tls_session_error_callback_imp 24
__tcp_connection_tls_session_callback_write_block_invoke.434 error
22
26/08/2016 12:25:31.000 PM      kernel[0]          hfs: mounted
Recovery HD on device disk0s3
26/08/2016 12:25:31.491 PM      mds[56] (Volume.Normal:2464) volume:
0x7f881b82f000 ***** Bootstrapped Creating a default store:0
SpotLoc:(null) SpotVerLoc:(null) occlude:0 /Volumes/Recovery HD
26/08/2016 12:25:31.506 PM      mdworker[307]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.506 PM      mdworker[309]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.507 PM      mdworker[311]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.507 PM      mdworker[310]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.508 PM      mdworker[312]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.508 PM      mdworker[341]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.509 PM      mdworker[343]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.510 PM      mdworker[342]
(ImportBailout.Error:1331) Asked to exit for Diskarb
26/08/2016 12:25:31.539 PM      fseventsd[41]     Logging disabled
completely for device:1: /Volumes/Recovery HD
26/08/2016 12:25:31.000 PM      kernel[0]          hfs: unmount
initiated on Recovery HD on device disk0s3
26/08/2016 12:25:31.550 PM      deleted[262]
normalizeUserMountpoint:791 volRoot failed for /Volumes/Recovery HD
26/08/2016 12:25:31.550 PM      deleted[262]     _validateVolume:813
unable to normalize volume: "/Volumes/Recovery HD", vol: (null)
26/08/2016 12:25:43.183 PM      sandboxd[222]    ([389])
softwareupdate_d(389) deny mach-lookup
com.apple.DiskArbitration.diskarbitrationd
26/08/2016 12:25:44.032 PM      com.apple.xpc.launchd[1]
(com.apple.bsd.dirhelper[393]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.bsd.dirhelper
26/08/2016 12:25:44.149 PM      com.apple.xpc.launchd[1]
(com.apple.FileSyncAgent.PHD.isRunning) The HideUntilCheckIn
property is an architectural performance issue. Please transition
away from it.
```

26/08/2016 12:25:44.156 PM com.apple.xpc.launchd[1]
(com.apple.speech.speechsynthesisd) This key does not do anything:
OnDemand

26/08/2016 12:25:44.157 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) This key does not do anything: OnDemand

26/08/2016 12:25:44.158 PM com.apple.xpc.launchd[1]
(com.apple.trustd.agent) The ServiceIPC key is no longer respected.
Please remove it.

26/08/2016 12:25:44.158 PM com.apple.xpc.launchd[1]
(com.apple.TrustEvaluationAgent) This key does not do anything:
OnDemand

26/08/2016 12:25:44.171 PM tccd[394] Failed to create /
var/empty/Library/Application Support/com.apple.TCC (13)

26/08/2016 12:25:44.201 PM sandboxd[222] ([392])
AssetCacheLocato(392) deny mach-lookup com.apple.cookiesd

26/08/2016 12:25:51.801 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:25:52.351 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:25:54.845 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:25:57.787 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [397]

26/08/2016 12:25:57.793 PM sandboxd[222] ([397])
SoftwareUpdateCo(397) deny authorization-right-obtain
system.install.app-store-software.standard-user

26/08/2016 12:25:57.904 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [397]

26/08/2016 12:25:57.909 PM sandboxd[222] ([397])
SoftwareUpdateCo(397) deny authorization-right-obtain
system.install.app-store-software.standard-user

26/08/2016 12:25:59.465 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz

26/08/2016 12:26:10.805 PM com.apple.xpc.launchd[1]
(com.apple.quicklook[402]) Endpoint has been activated through
legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in():
com.apple.quicklook

26/08/2016 12:26:10.861 PM iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fc531503970>.

26/08/2016 12:26:10.862 PM quicklookd[402] Error returned from
iconservicesagent: (null)

26/08/2016 12:26:12.804 PM iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
t image for descriptor <ISBindingImageDescriptor: 0x7fc531503eb0>.

26/08/2016 12:26:12.804 PM quicklookd[402] Error returned from

```
iconservicesagent: (null)
26/08/2016 12:26:12.807 PM iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7fc531705630>.
26/08/2016 12:26:12.807 PM quicklookd[402] Error returned from
iconservicesagent: (null)
26/08/2016 12:26:14.798 PM sandboxd[222] ([198])
systemsoundserve(198) deny file-read-data /private/var/root/Library/
Preferences/.GlobalPreferences.plist
26/08/2016 12:26:20.073 PM mapspushd[407] [Warning] Services
all disappeared, removing all accounts
26/08/2016 12:26:20.073 PM mapspushd[407] [Warning] Services
all disappeared, removing all enabled accounts
26/08/2016 12:26:20.073 PM mapspushd[407] [Warning] Services
all disappeared, removing all dependent devices
26/08/2016 12:26:21.803 PM SecurityAgent[418]
activateIgnoringOtherApps:1
26/08/2016 12:26:21.805 PM SecurityAgent[418]
makeKeyAndOrderFront
26/08/2016 12:26:21.828 PM SecurityAgent[418]
com.apple.SecurityAgent.consoleLogin.UIShown
26/08/2016 12:26:23.000 PM kernel[0] ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 12:26:23.000 PM kernel[0] ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 12:26:23.000 PM kernel[0] ignored
is_io_service_close(0x100000389,IOHIDParamUserClient)
26/08/2016 12:26:28.017 PM authexec[421] executing /System/
Library/ScriptingAdditions/StandardAdditions.osax/Contents/MacOS/uid
26/08/2016 12:26:28.265 PM fseventsd[41]
check_vol_last_mod_time:XXX failed to get mount time (25;
&mount_time == 0x70000021b478)
26/08/2016 12:26:28.265 PM fseventsd[41] log dir: /Volumes/
EFI/.fseventsd getting new uuid: 6E18F3DB-
B04E-48C1-9318-9258EFF0C403
26/08/2016 12:26:39.143 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:39.143 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:39.789 PM MRT[449] Caught xpc
notification.
26/08/2016 12:26:39.953 PM MRT[449] Agent finished.
26/08/2016 12:26:39.953 PM MRT[449] Finished MRT run
26/08/2016 12:26:40.087 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:40.088 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:41.541 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [452]
26/08/2016 12:26:41.546 PM sandboxd[222] ([452])
SoftwareUpdateCo(452) deny authorization-right-obtain
system.install.app-store-software.standard-user
```

26/08/2016 12:26:41.579 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [452]
26/08/2016 12:26:41.581 PM sandboxd[222] ([452])
SoftwareUpdateCo(452) deny authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:43.376 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:43.376 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:44.347 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:44.350 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:46.476 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [457]
26/08/2016 12:26:46.482 PM sandboxd[222] ([457])
SoftwareUpdateCo(457) deny authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:46.529 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [457]
26/08/2016 12:26:46.534 PM sandboxd[222] ([457])
SoftwareUpdateCo(457) deny authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:46.660 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:46.660 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:47.509 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:47.509 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:51.869 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [472]
26/08/2016 12:26:51.876 PM sandboxd[222] ([472])
SoftwareUpdateCo(472) deny authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:51.000 PM kernel[0] Sandbox:
SoftwareUpdateCo(472) deny(1) authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:51.925 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [472]
26/08/2016 12:26:51.969 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:51.969 PM UserEventAgent[38] Failed to

send message because the port couldn't be created.
26/08/2016 12:26:52.791 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:52.791 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:52.863 PM login[479] USER_PROCESS: 479
ttys000
26/08/2016 12:26:54.000 PM kernel[0] Sandbox:
SoftwareUpdateCo(525) deny(1) authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:54.644 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [525]
26/08/2016 12:26:54.000 PM kernel[0] Sandbox:
SoftwareUpdateCo(525) deny(1) authorization-right-obtain
system.install.app-store-software.standard-user
26/08/2016 12:26:54.690 PM authd[117] Sandbox denied
authorizing right 'system.install.app-store-software.standard-user'
for authorization created by '/System/Library/CoreServices/Software
Update.app/Contents/Resources/SoftwareUpdateConfigData' [525]
26/08/2016 12:26:54.742 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:26:54.742 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:55.650 PM UserEventAgent[38] Failed to
send message because the port couldn't be created.
26/08/2016 12:26:55.650 PM UserEventAgent[208]
com.apple.TMHelperAgent.SetupOffer enabled
26/08/2016 12:27:11.474 PM login[479] DEAD_PROCESS: 479
ttys000
26/08/2016 12:27:50.243 PM Terminal[477] assertion failed:
15G31: libxpc.dylib + 78286 [54D1328E-054E-3DAA-89E2-375722F9D18F]:
0x89
26/08/2016 12:27:54.823 PM com.apple.SecurityServer[73]
Session 100005 created
26/08/2016 12:28:45.531 PM com.apple.xpc.launchd[1]
(com.apple.appstoreupdateagent) Service only ran for 4 seconds.
Pushing respawn out by 6 seconds.
26/08/2016 12:28:53.524 PM com.apple.xpc.launchd[1]
(com.apple.appstoreupdateagent) Service only ran for 1 seconds.
Pushing respawn out by 9 seconds.
26/08/2016 12:30:15.000 PM syslogd[37] ASL Sender
Statistics
26/08/2016 12:31:06.098 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:31:12.406 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:31:21.875 PM AppleSpell[369] Lexicon creation
failed: Lexicon resources not found
26/08/2016 12:31:31.937 PM com.apple.WebKit.WebContent[374]
CVCGDisplayLink::setCurrentDisplay didn't find a valid

```
display - falling back to 60Hz
26/08/2016 12:31:34.760 PM      com.apple.WebKit.WebContent[374]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:31:35.559 PM      com.apple.WebKit.WebContent[374]
      CVCGDisplayLink::setCurrentDisplay didn't find a valid
display - falling back to 60Hz
26/08/2016 12:34:05.604 PM      iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7fc5314092b0>.
26/08/2016 12:34:05.605 PM      quicklookd[402] Error returned from
iconservicesagent: (null)
26/08/2016 12:34:08.399 PM      iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7fc531618410>.
26/08/2016 12:34:08.399 PM      quicklookd[402] Error returned from
iconservicesagent: (null)
26/08/2016 12:34:08.402 PM      iconservicesagent[257] -
[ISGenerateImageOp generateImageWithCompletion:] Failed to composi
image for descriptor <ISBindingImageDescriptor: 0x7fc531504ce0>.
26/08/2016 12:34:08.402 PM      quicklookd[402] Error returned from
iconservicesagent: (null)
26/08/2016 12:34:28.000 PM      kernel[0]          process
WindowServer[134] caught causing excessive wakeups. Observed wakeups
rate (per sec): 169; Maximum permitted wakeups rate (per sec): 150;
Observation period: 300 seconds; Task lifetime number of wakeups:
130787
26/08/2016 12:34:28.144 PM      com.apple.xpc.launchd[1]
(com.apple.ReportCrash.Root[620]) Endpoint has been activated
through legacy launch(3) APIs. Please switch to XPC or
bootstrap_check_in(): com.apple.ReportCrash.DirectoryService
26/08/2016 12:34:29.963 PM      spindump[419] Saved
wakeups_resource.diag report for WindowServer version ??? (???) to /
Library/Logs/DiagnosticReports/WindowServer_2016-08-26-123429_Ms-
iMac.wakeups_resource.diag
26/08/2016 12:34:33.432 PM      lsd[213]          LaunchServices:
Could not store lsd-identifiers file at /private/var/db/lsd/
com.apple.lsd.schemes.plist
26/08/2016 12:34:34.825 PM      IORegistryExplorer[622]
CVCGDisplayLink::setCurrentDisplay didn't find a valid display -
falling back to 60Hz
26/08/2016 12:35:00.803 PM      IORegistryExplorer[622] assertion
failed: 15G31: libxpc.dylib + 78286
[54D1328E-054E-3DAA-89E2-375722F9D18F]: 0x89
26/08/2016 12:35:57.752 PM      Console[623] Failed to connect
(_consoleX) outlet from (NSApplication) to (ConsoleX): missing
setter or instance variable
```