

Chimera 2.0.1 (svn-r2109) [2013-02-19 23:42:16]  
CPU: Brand String: Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz  
CPU: Vendor: 0x756e6547  
CPU: Family / ExtFamily: 0x6 / 0x0  
CPU: Model / ExtModel / Stepping: 0x2a / 0x2 / 0x7  
CPU: Number of Cores / Threads: 2 / 4  
CPU: Features: 0x000002ff  
CPU: TSC Frequency: 2095 MHz  
CPU: FSB Frequency: 99 MHz  
CPU: CPU Frequency: 2095 MHz  
CPU: Minimum Bus Ratio: 8  
CPU: Maximum Bus Ratio: 21  
CPU: Current Bus Ratio: 21  
Attempting to read GPT  
Read GPT  
Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B  
Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC  
Reading GPT partition 3, type EBD0A0A2-B9E5-4433-87C0-68B6B72699C7  
Reading GPT partition 4, type EBD0A0A2-B9E5-4433-87C0-68B6B72699C7  
Read HFS+ file: [hd(0,2)/System/Library/CoreServices/SystemVersion.plist] 478 bytes.  
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 636 bytes.  
Module 'Symbols.dylib' by 'Chameleon' Loaded.  
Description: Chameleon symbols for linking  
Version: 0  
Compat: 0  
Read HFS+ file: [hd(0,2)/Extra/modules/Fanreset.dylib] 12740 bytes.  
Module 'Fanreset.dylib' by 'Unknown' Loaded.  
Description:  
Version: 0  
Compat: 0  
Read HFS+ file: [hd(0,2)/Extra/modules/FileNVRAM.dylib] 56068 bytes.  
Module 'FileNVRAM.dylib' by 'Unknown' Loaded.  
Description:  
Version: 0  
Compat: 0  
Read HFS+ file: [hd(0,2)/Extra/modules/Keylayout.dylib] 13424 bytes.  
Module 'Keylayout.dylib' by 'Unknown' Loaded.  
Description:  
Version: 0  
Compat: 0  
Read HFS+ file: [hd(0,2)/Extra/nvram.4873f473-e342-e011-9740-21e12f0340b5.plist] 994 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/theme.plist] 2688 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/background.png] 4204 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/logo.png] 21872 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_generic.png] 5375 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_hfsplus.png] 3645 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_ext3.png] 7094 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_fat16.png] 5375 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_fat32.png] 5375 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_ntfs.png] 4176 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_cdrom.png] 5627 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_selection.png] 10744 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_scroll\_prev.png] 271 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device\_scroll\_next.png] 268 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_boot.png] 1747 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_verbose.png] 4116 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_ignore\_caches.png] 4051 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_single\_user.png] 4114 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_memory\_info.png] 1634 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_video\_info.png] 1593 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_help.png] 1711 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_verbose\_disabled.png] 4101 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_ignore\_caches\_disabled.png] 4037 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_single\_user\_disabled.png] 4100 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu\_selection.png] 323 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress\_bar.png] 372 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress\_bar\_background.png] 233 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text\_scroll\_prev.png] 252 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text\_scroll\_next.png] 255 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font\_console.png] 3499 bytes.  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font\_small.png] 6244 bytes.  
Read HFS+ file: [hd(0,2)/Library/Preferences/SystemConfiguration/com.apple.Boot.plist] 232 bytes.  
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 636 bytes.  
Loading Darwin 10.8  
Loading kernel cache /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache

Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 4096 bytes.

Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 12884769 bytes.

Read HFS+ file: [hd(0,2)/Extra/DSDT.aml] 144863 bytes.

Using PCI-Root-UID value: 0

LAN Controller [10ec:8168] :: PciRoot(0x0)/Pci(0x1c,0x5)/Pci(0x0,0x0)

Setting up lan keys

Read HFS+ file: [hd(0,2)/Extra/smbios.plist] 753 bytes.

SMBus CmdReg: 0x1

Scanning SMBus [8086:1c22], mmio: 0x4, ioport: 0xef80, hostc: 0x1

SPD[0] (size): 255 @0x50

SPD[0] (size): 255 @0x51

SPD[0] (size): 146 @0x52

Slot: 2 Type 24 4096MB (DDR3 SDRAM) 1333MHz Vendor=Hynix Semiconductor  
PartNo=HMT351S6BFR8C-H9N0 SerialNo=565767C8

SPD[0] (size): 255 @0x53

SPD[0] (size): 255 @0x54

SPD[0] (size): 255 @0x55

SPD[0] (size): 255 @0x56

SPD[0] (size): 255 @0x57

CPU is Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz, family 0x6, model 0x2a

Type: 0, Length: 24, Handle: 0xa

BIOSInformation:

vendor: Apple Inc.

version: MBP81.88Z.0047.B24.1110141131

releaseDate: 10/14/11

Type: 1, Length: 27, Handle: 0xb

SystemInformation:

manufacturer: Apple Inc.

productName: MacBookPro8,2

version: 1.0

serialNumber: C02J3303DF8X

uuid: 4873F473-E342-E011-9740-21E12F0340B5

wakeupReason: 0x6

skuNumber: XU015UT#ABA

family: MacBook Pro

Type: 2, Length: 16, Handle: 0xc

BaseBoard:

manufacturer: Apple Inc.

product: Mac-94245A3940C91C80

version: KBC Version 22.24

serialNumber: PCCAE00QE0SJ8J

assetTagNumber: 0.

locationInChassis: 0.

boardType: 0x1

Type: 3, Length: 17, Handle: 0xd

SystemEnclosure:

manufacturer: Hewlett-Packard

type: 10

version: 0.

serialNumber: CNU1214057

assetTagNumber: CNU1214057

Type: 4, Length: 42, Handle: 0x0

ProcessorInformation:

socketDesignation: CPU 1

processorType: 3

processorFamily: 0xCE

manufacturer: Intel(R) Corporation

processorID: 0x206A7

processorVersion: Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz

externalClock: 0MHz

maximumClock: 2095MHz

currentClock: 2100MHz

serialNumber: 0.

assetTag: Intel(R) Genuine processor

partNumber: 0.

Type: 7, Length: 19, Handle: 0x1

Type: 7, Length: 19, Handle: 0x4

Type: 7, Length: 19, Handle: 0x3

Type: 7, Length: 19, Handle: 0x2  
Type: 9, Length: 13, Handle: 0x13  
Type: 10, Length: 6, Handle: 0xf  
Type: 11, Length: 5, Handle: 0x12  
Type: 13, Length: 22, Handle: 0x16  
Type: 16, Length: 15, Handle: 0x5  
Type: 17, Length: 27, Handle: 0x6

MemoryDevice:

deviceLocator: Bottom-Slot 1(top)  
bankLocator: BANK 0  
memoryType: RAM  
memorySpeed: 0MHz  
manufacturer: N/A  
serialNumber: N/A  
assetTag: 9876543210  
partNumber: N/A

Type: 17, Length: 27, Handle: 0x7

MemoryDevice:

deviceLocator: Bottom-Slot 2(under)  
bankLocator: BANK 2  
memoryType: DDR3  
memorySpeed: 1333MHz  
manufacturer: N/A  
serialNumber: N/A  
assetTag: 9876543210  
partNumber: N/A

Type: 19, Length: 15, Handle: 0x9  
Type: 20, Length: 19, Handle: 0x8  
Type: 22, Length: 26, Handle: 0x14  
Type: 32, Length: 20, Handle: 0xe  
Type: 41, Length: 11, Handle: 0x10  
Type: 41, Length: 11, Handle: 0x11  
Type: 137, Length: 12, Handle: 0x15  
Type: 131, Length: 6, Handle: 0x16

AppleProcessorType:

ProcessorType: 0x901

Type: 132, Length: 6, Handle: 0x17

AppleProcessorBusSpeed:

ProcessorBusSpeed (QPI): 0.0GT/s

Type: 127, Length: 4, Handle: 0x18

Customizing SystemID with : 4873f473-e342-e011-9740-21e12f0340b5  
Read HFS+ file: [hd(0,2)/Extra/DSDT.aml] 144863 bytes.  
Read HFS+ file: [hd(0,2)/Extra/SSDT.aml] 810 bytes.  
ACPI table not found: SSDT-1.aml  
FADT: ACPI Restart Fix applied!  
FADT: Using custom DSDT!  
RSDT: Added 1 SSDT table(s)  
FADT: ACPI Restart Fix applied!  
FADT: Using custom DSDT!  
Added 1 SSDT table(s) into XSDT  
Unable to handle key MLB  
Unable to handle key ROM  
Unable to handle key backlight-level  
Unable to handle key bluetoothActiveControllerInfo  
Unable to handle key boot-gamma  
Starting Darwin x86\_64  
Boot Args: boot-uuid=4B9D567C-97B0-3895-893B-55F0809AE9C6 rd=\*uuid  
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/boot.png] 5150 bytes.