

Chimera 2.0.1 (svn-r2109) [2013-02-19 23:42:16]
CPU: Brand String: Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz
CPU: Vendor: 0x756e6547
CPU: Family / ExtFamily: 0x6 / 0x0
CPU: Model / ExtModel / Stepping: 0x2a / 0x2 / 0x7
CPU: Number of Cores / Threads: 2 / 4
CPU: Features: 0x000002ff
CPU: TSC Frequency: 2095 MHz
CPU: FSB Frequency: 99 MHz
CPU: CPU Frequency: 2095 MHz
CPU: Minimum Bus Ratio: 8
CPU: Maximum Bus Ratio: 21
CPU: Current Bus Ratio: 21
Attempting to read GPT
Read GPT
Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B
Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC
Reading GPT partition 3, type EBD0A0A2-B9E5-4433-87C0-68B6B72699C7
Reading GPT partition 4, type EBD0A0A2-B9E5-4433-87C0-68B6B72699C7
Read HFS+ file: [hd(0,2)/System/Library/CoreServices/SystemVersion.plist] 478 bytes.
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 636 bytes.
Module 'Symbols.dylib' by 'Chameleon' Loaded.
Description: Chameleon symbols for linking
Version: 0
Compat: 0
Read HFS+ file: [hd(0,2)/Extra/modules/Fanreset.dylib] 12740 bytes.
Module 'Fanreset.dylib' by 'Unknown' Loaded.
Description:
Version: 0
Compat: 0
Read HFS+ file: [hd(0,2)/Extra/modules/FileNVRAM.dylib] 56068 bytes.
Module 'FileNVRAM.dylib' by 'Unknown' Loaded.
Description:
Version: 0
Compat: 0
Read HFS+ file: [hd(0,2)/Extra/modules/Keylayout.dylib] 13424 bytes.
Module 'Keylayout.dylib' by 'Unknown' Loaded.
Description:
Version: 0
Compat: 0
Read HFS+ file: [hd(0,2)/Extra/nvram.4873f473-e342-e011-9740-21e12f0340b5.plist] 944 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/theme.plist] 2688 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/background.png] 4204 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/logo.png] 21872 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_generic.png] 5375 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus.png] 3645 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ext3.png] 7094 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_fat16.png] 5375 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_fat32.png] 5375 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ntfs.png] 4176 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_cdrom.png] 5627 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_selection.png] 10744 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_scroll_prev.png] 271 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_scroll_next.png] 268 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_boot.png] 1747 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_verbose.png] 4116 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_ignore_caches.png] 4051 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_single_user.png] 4114 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_memory_info.png] 1634 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_video_info.png] 1593 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_help.png] 1711 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_verbose_disabled.png] 4101 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_ignore_caches_disabled.png] 4037 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_single_user_disabled.png] 4100 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_selection.png] 323 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress_bar.png] 372 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress_bar_background.png] 233 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text_scroll_prev.png] 252 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text_scroll_next.png] 255 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font_console.png] 3499 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font_small.png] 6244 bytes.
Read HFS+ file: [hd(0,2)/Library/Preferences/SystemConfiguration/com.apple.Boot.plist] 232 bytes.
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 636 bytes.
Loading Darwin 10.8
Loading kernel cache /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache

Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 4096 bytes.

Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 12958178 bytes.

ACPI table not found: DSDT.aml

No DSDT found, using 0 as uid value.

Using PCI-Root-UID value: 0

LAN Controller [10ec:8168] :: PciRoot(0x0)/Pci(0x1c,0x5)/Pci(0x0,0x0)

Setting up lan keys

Read HFS+ file: [hd(0,2)/Extra/smbios.plist] 753 bytes.

SMBus CmdReg: 0x1

Scanning SMBus [8086:1c22], mmio: 0x4, ioport: 0xef80, hostc: 0x1

SPD[0] (size): 255 @0x50

SPD[0] (size): 255 @0x51

SPD[0] (size): 146 @0x52

Slot: 2 Type 24 4096MB (DDR3 SDRAM) 1333MHz Vendor=Hynix Semiconductor
PartNo=HMT351S6BFR8C-H9N0 SerialNo=565767C8

SPD[0] (size): 255 @0x53

SPD[0] (size): 255 @0x54

SPD[0] (size): 255 @0x55

SPD[0] (size): 255 @0x56

SPD[0] (size): 255 @0x57

CPU is Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz, family 0x6, model 0x2a

Type: 0, Length: 24, Handle: 0xa

BIOSInformation:

vendor: Apple Inc.

version: MBP81.88Z.0047.B24.1110141131

releaseDate: 10/14/11

Type: 1, Length: 27, Handle: 0xb

SystemInformation:

manufacturer: Apple Inc.

productName: MacBookPro8,2

version: 1.0

serialNumber: C02J3303DF8X

uuid: 4873F473-E342-E011-9740-21E12F0340B5

wakeupReason: 0x6

skuNumber: XU015UT#ABA

family: MacBook Pro

Type: 2, Length: 16, Handle: 0xc

BaseBoard:

manufacturer: Apple Inc.

product: Mac-94245A3940C91C80

version: KBC Version 22.24

serialNumber: PCCA00QE0SJ8J

assetTagNumber: 0.

locationInChassis: 0.

boardType: 0x1

Type: 3, Length: 17, Handle: 0xd

SystemEnclosure:

manufacturer: Hewlett-Packard

type: 10

version: 0.

serialNumber: CNU1214057

assetTagNumber: CNU1214057

Type: 4, Length: 42, Handle: 0x0

ProcessorInformation:

socketDesignation: CPU 1

processorType: 3

processorFamily: 0xCE

manufacturer: Intel(R) Corporation

processorID: 0x206A7

processorVersion: Intel(R) Core(TM) i3-2310M CPU @ 2.10GHz

externalClock: 0MHz

maximumClock: 2095MHz

currentClock: 2100MHz

serialNumber: 0.

assetTag: Intel(R) Genuine processor

partNumber: 0.

Type: 7, Length: 19, Handle: 0x1

Type: 7, Length: 19, Handle: 0x4

Type: 7, Length: 19, Handle: 0x3
Type: 7, Length: 19, Handle: 0x2
Type: 9, Length: 13, Handle: 0x13
Type: 10, Length: 6, Handle: 0xf
Type: 11, Length: 5, Handle: 0x12
Type: 13, Length: 22, Handle: 0x16
Type: 16, Length: 15, Handle: 0x5
Type: 17, Length: 27, Handle: 0x6

MemoryDevice:

deviceLocator: Bottom-Slot 1(top)
bankLocator: BANK 0
memoryType: RAM
memorySpeed: 0MHz
manufacturer: N/A
serialNumber: N/A
assetTag: 9876543210
partNumber: N/A

Type: 17, Length: 27, Handle: 0x7

MemoryDevice:

deviceLocator: Bottom-Slot 2(under)
bankLocator: BANK 2
memoryType: DDR3
memorySpeed: 1333MHz
manufacturer: N/A
serialNumber: N/A
assetTag: 9876543210
partNumber: N/A

Type: 19, Length: 15, Handle: 0x9
Type: 20, Length: 19, Handle: 0x8
Type: 22, Length: 26, Handle: 0x14
Type: 32, Length: 20, Handle: 0xe
Type: 41, Length: 11, Handle: 0x10
Type: 41, Length: 11, Handle: 0x11
Type: 137, Length: 12, Handle: 0x15
Type: 131, Length: 6, Handle: 0x16

AppleProcessorType:

ProcessorType: 0x901

Type: 132, Length: 6, Handle: 0x17

AppleProcessorBusSpeed:

ProcessorBusSpeed (QPI): 0.0GT/s

Type: 127, Length: 4, Handle: 0x18

Customizing SystemID with : 4873f473-e342-e011-9740-21e12f0340b5

ACPI table not found: DSDT.aml

Read HFS+ file: [hd(0,2)/Extra/SSDT.aml] 810 bytes.

ACPI table not found: SSDT-1.aml

FADT: ACPI Restart Fix applied!

RSDT: Added 1 SSDT table(s)

FADT: ACPI Restart Fix applied!

Added 1 SSDT table(s) into XSDT

Unable to handle key MLB

Unable to handle key ROM

Unable to handle key bluetoothActiveControllerInfo

Unable to handle key boot-gamma

Starting Darwin x86_64

Boot Args: boot-uuid=4B9D567C-97B0-3895-893B-55F0809AE9C6 rd=*uuid

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/boot.png] 5150 bytes.