

Chimera 3.0.1 Branch of Chameleon 2.2svn (svn-r2378) [2014-05-07 22:23:11]
CPU: Brand String: Intel(R) Core(TM) i7-5820K CPU @ 3.30GHz
CPU: Vendor: 0x756e6547
CPU: Family / ExtFamily: 0x6 / 0x0
CPU: Model / ExtModel / Stepping: 0x3f / 0x3 / 0x2
CPU: Number of Cores / Threads: 6 / 12
CPU: Features: 0x000002ff
CPU: TSC Frequency: 3300 MHz
CPU: FSB Frequency: 100 MHz
CPU: CPU Frequency: 0 MHz
CPU: Minimum Bus Ratio: 12
CPU: Maximum Bus Ratio: 33
CPU: Current Bus Ratio: 0
Read HFS+ file: [hd(0,1)/System/Library/CoreServices/SystemVersion.plist] 478 bytes.
Read HFS+ file: [hd(0,1)/Extra/org.chameleon.Boot.plist] 573 bytes.
Attempting to read GPT
Read GPT
Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B
Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC
Read HFS+ file: [hd(1,2)/System/Library/CoreServices/SystemVersion.plist] 478 bytes.
Module 'Symbols.dylib' by 'Chameleon' Loaded.
Description: Chameleon symbols for linking
Version: 0
Compat: 0
Read HFS+ file: [hd(0,1)/Extra/modules/HDAEnabler.dylib] 22196 bytes.
Module 'HDAEnabler.dylib' by 'Unknown' Loaded.
Description:
Version: 0
Compat: 0
Read HFS+ file: [hd(0,1)/Extra/modules/Keylayout.dylib] 13464 bytes.
Module 'Keylayout.dylib' by 'Unknown' Loaded.
Description:
Version: 0
Compat: 0
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/theme.plist] 2776 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/background.png] 982 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/logo.png] 8991 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_generic.png] 9584 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_generic_o.png] 16736 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus.png] 9988 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_o.png] 17101 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_mav.png] 17034 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_mav_o.png] 20646 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_ml.png] 20325 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_ml_o.png] 23500 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_lion.png] 18395 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_lion_o.png] 21654 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_sl.png] 21245 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_sl_o.png] 24262 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_leo.png] 23286 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_leo_o.png] 25858 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_tiger.png] 10008 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsplus_tiger_o.png] 17101 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid.png] 10399 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_o.png] 17115 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_mav.png] 17397 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_mav_o.png] 21182 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_ml.png] 20990 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_ml_o.png] 24224 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_lion.png] 18686 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_lion_o.png] 21882 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_sl.png] 21475 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_sl_o.png] 24594 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_leo.png] 23518 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_leo_o.png] 26187 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_tiger.png] 10436 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_hfsraid_tiger_o.png] 17741 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_ext3.png] 12752 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_ext3_o.png] 19869 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_freebsd.png] 16013 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_freebsd_o.png] 22249 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_openbsd.png] 16878 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_openbsd_o.png] 23982 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_befs.png] 12482 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_befs_o.png] 17989 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_fat.png] 9953 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_fat_o.png] 17982 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_ntfs.png] 16198 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_ntfs_o.png] 21613 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_cdrom.png] 14429 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_cdrom_o.png] 20231 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_selection.png] 148 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_scroll_prev.png] 3995 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/device_scroll_next.png] 3898 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_boot.png] 137 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_verbose.png] 137 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_ignore_caches.png] 137 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_single_user.png] 137 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_memory_info.png] 136 bytes.

Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_video_info.png] 136 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_help.png] 136 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_verbose_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_ignore_caches_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_single_user_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/menu_selection.png] 158 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/progress_bar.png] 292 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/progress_bar_background.png] 139 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/text_scroll_prev.png] 562 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/text_scroll_next.png] 557 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/font_console.png] 2931 bytes.
Read HFS+ file: [hd(0,1)/Extra/Themes/Default/font_small.png] 9860 bytes.
Read HFS+ file: [hd(1,2)/Library/Preferences/SystemConfiguration/com.apple.Boot.plist] 232 bytes.
Read HFS+ file: [hd(1,2)/Extra/org.chameleon.Boot.plist] 796 bytes.
Loading Darwin 10.9
Loading kernel cache /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache
Read HFS+ file: [hd(1,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 4096 bytes.
Read HFS+ file: [hd(1,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 15928581 bytes.
Read HFS+ file: [hd(1,2)/Extra/DSDT.aml] 176639 bytes.
Using PCI-Root-UID value: 0

- AUDIO DEVICE INFO -

Using default HDAU layout-id: 0x01, 0x00, 0x00, 0x00
Class code: [0403]
Model name: nVidia GK104 HDA Controller (HDMI) [10de:0e0a] (rev a1)
Subsystem: [1462:2825]
PciRoot(0x0)/Pci(0x3,0x0)/Pci(0x0,0x1)
device number: 2

- AUDIO DEVICE INFO -

Using user supplied HDEF layout-id: 0x01, 0x00, 0x00, 0x00
Class code: [0403]
Model name: Intel Lynx Point High Definition Audio Controller [8086:8d20] (rev 05)
Subsystem: [1462:f885]

PciRoot(0x0)/Pci(0x1b,0x0)
device number: 3

LAN Controller [1969:e091] :: PciRoot(0x0)/Pci(0x1c,0x2)/Pci(0x0,0x0)

Setting up lan keys

Read HFS+ file: [hd(1,2)/Extra/smbios.plist] 468 bytes.

CPU is Intel(R) Core(TM) i7-5820K CPU @ 3.30GHz, family 0x6, model 0x3f

No UUID present in SMBIOS System Information Table

SMBIOS rev.: 2.4, DMI rev.: 2.4

Handle: 0x0000, DMI type 0, 24 bytes

BIOS Information

Vendor: Apple Inc.

Version: MultiBeast.tonymacx86.com

Release Date: 08/03/2010

BIOS Revision: 0.1

Handle: 0x0001, DMI type 1, 27 bytes

System Information

Manufacturer: Apple Inc.

Product Name: MacPro3,1

Version: 1.0

Serial Number: ** PRIVATE **

UUID: ** PRIVATE **

Wake-up Type: Power Switch

SKU Number: Default SKU#

Family: Mac Pro

Handle: 0x0002, DMI type 2, 15 bytes

Base Board Information

Manufacturer: Apple Inc.

Product Name: Mac-F42C88C8

Version: 3.0

Serial Number: ** PRIVATE **

Asset Tag: Default Asset Tag#

Location In Chassis: To be filled by O.E.M.

Type: Motherboard

Handle: 0x0003, DMI type 3, 20 bytes

Chassis Information

Manufacturer: Apple Inc.

Type: Unknown

Version: 3.0

Serial Number: ** PRIVATE **

Asset Tag: Default Asset Tag#

Handle: 0x0024, DMI type 11, 5 bytes
OEM Strings
String 1: To Be Filled By O.E.M.

Handle: 0x005a, DMI type 17, 27 bytes
Memory Device
Error Information Handle: 0xffff
Locator: DIMM_A1
Bank Locator: NODE 1
Memory Type: RAM
Speed: 2133 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: DIMM_A1_AssetTag
Part Number: N/A

Handle: 0x005c, DMI type 17, 27 bytes
Memory Device
Error Information Handle: 0xffff
Locator: DIMM_A2
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x005d, DMI type 17, 27 bytes
Memory Device
Error Information Handle: 0xffff
Locator: DIMM_B1
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x005e, DMI type 17, 27 bytes
Memory Device
Error Information Handle: 0xffff
Locator: DIMM_B2
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz

Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x005f, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: DIMM_C1
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x0060, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: DIMM_C2
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x0061, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: DIMM_D1
Bank Locator: NODE 1
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x0062, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: DIMM_D2
Bank Locator: NODE 1
Memory Type: RAM

Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: NO DIMM
Part Number: N/A

Handle: 0x0066, DMI type 4, 38 bytes

Processor Information

Socket Designation: SOCKET 0
Type: Central Processor
Family: 0xB3
Manufacturer: Intel
ID: 0x306F2
Version: Intel(R) Core(TM) i7-5820K CPU @ 3.30GHz
External Clock: 0 MHz
Max Speed: 0 MHz
Current Speed: 3300 MHz
Upgrade: Socket LGA2011-3
Serial Number: Not Specified
Asset Tag: Not Specified
Part Number: Not Specified
Core Count: 6
Core Enabled: 6
Thread Count: 12

Handle: 0x006a, DMI type 131, 6 bytes

Apple specific Processor Type

Cpu-type: 0x702

Handle: 0x006b, DMI type 132, 6 bytes

Apple specific Processor Interconnect Speed

QPI = 0 MT/s

Handle 0x006c, DMI type 127, 4 bytes

End of Table

SMBIOS orig was = f0570

SMBIOS new is = 23e7000

Read HFS+ file: [hd(1,2)/Extra/DSDT.aml] 176639 bytes.

ACPI Table not found: SSDT.aml

FADT: ACPI Restart Fix applied!

FADT: Using custom DSDT!

Found ACPI CPU: CP00

Found ACPI CPU: CP01

Found ACPI CPU: CP02

Found ACPI CPU: CP03

Found ACPI CPU: CP04

Found ACPI CPU: CP05
Found ACPI CPU: CP06
Found ACPI CPU: CP07
Found ACPI CPU: CP08
Found ACPI CPU: CP09
Found ACPI CPU: CP0A
Found ACPI CPU: CP0B
Found ACPI CPU: CP0C
Found ACPI CPU: CP0D
Found ACPI CPU: CP0E
Found ACPI CPU: CP0F
Found ACPI CPU: CP10
Found ACPI CPU: CP11
Found ACPI CPU: CP12
Found ACPI CPU: CP13
Found ACPI CPU: CP14
Found ACPI CPU: CP15
Found ACPI CPU: CP16
Found ACPI CPU: CP17
Found ACPI CPU: CP18
Found ACPI CPU: CP19
Found ACPI CPU: CP1A
Found ACPI CPU: CP1B
Found ACPI CPU: CP1C
Found ACPI CPU: CP1D
Found ACPI CPU: CP1E
Found ACPI CPU: CP1F
SSDT with CPU C-States generated successfully
P-States: min 0xc, max 0x21
SSDT with CPU P-States generated successfully
RSDT: Added 2 SSDT table(s)
FADT: ACPI Restart Fix applied!
FADT: Using custom DSDT!
Added 2 SSDT table(s) into XSDT
Read HFS+ file: [hd(0,1)/Extra/Extensions/AHCI_3rdParty_SATA.kext/Contents/
Info.plist] 11294 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/EvOreboot.kext/Contents/Info.plist] 1358
bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/FakeSMC.kext/Contents/Info.plist] 5576
bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/GenericUSBXHCI.kext/Contents/Info.plist]
1960 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/Info.plist]
2521 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
ALXEthernet.kext/Contents/Info.plist] 6343 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/

AppleBCM5701Ethernet.kext/Contents/Info.plist] 4116 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleIntel8254XEthernet.kext/Contents/Info.plist] 3172 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleIntelE1000e.kext/Contents/Info.plist] 2842 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleRTL8169Ethernet.kext/Contents/Info.plist] 4309 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleUSBEthernet.kext/Contents/Info.plist] 5252 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleUSBGigEthernet.kext/Contents/Info.plist] 4974 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleYukon2.kext/Contents/Info.plist] 23257 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
Intel82574L.kext/Contents/Info.plist] 3092 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
IOEthernetAVBController.kext/Contents/Info.plist] 1752 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
nvenet.kext/Contents/Info.plist] 2423 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
RealtekRTL8111.kext/Contents/Info.plist] 2433 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/Info.plist] 1417
bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDC.kext/Contents/Info.plist] 9666 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCACMControl.kext/Contents/Info.plist] 1592 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCACMData.kext/Contents/Info.plist] 8529 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCDMM.kext/Contents/Info.plist] 1600 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCECMControl.kext/Contents/Info.plist] 1665 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCECMData.kext/Contents/Info.plist] 2870 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCEEM.kext/Contents/Info.plist] 1630 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBCDCWCM.kext/Contents/Info.plist] 1532 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBEHCI.kext/Contents/Info.plist] 2264 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBHub.kext/Contents/Info.plist] 2023 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBMergeNub.kext/Contents/Info.plist] 56025 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBOHCI.kext/Contents/Info.plist] 1784 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBOpticalMouse.kext/Contents/Info.plist] 6440 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBUEHCI.kext/Contents/Info.plist] 1856 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBVideoSupport.kext/Contents/Info.plist] 5080 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBCompositeDriver.kext/Contents/Info.plist] 3279 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriver.kext/Contents/Info.plist] 1938 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriverSafeBoot.kext/Contents/Info.plist] 4937 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBUserClient.kext/Contents/Info.plist] 3133 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBMassStorageClass.kext/Contents/
Info.plist] 5772 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/NullCPUPowerManagement.kext/Contents/
Info.plist] 1498 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/VoodooTSCSync.kext/Contents/Info.plist]
1898 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/EvOreboot.kext/Contents/MacOS/EvOreboot]
4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/EvOreboot.kext/Contents/MacOS/EvOreboot]
33328 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/FakeSMC.kext/Contents/MacOS/FakeSMC]
4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/FakeSMC.kext/Contents/MacOS/FakeSMC]
144496 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/GenericUSBXHCI.kext/Contents/MacOS/
GenericUSBXHCI] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/GenericUSBXHCI.kext/Contents/MacOS/
GenericUSBXHCI] 139792 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/MacOS/
IONetworkingFamily] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/MacOS/
IONetworkingFamily] 233000 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
ALXEthernet.kext/Contents/MacOS/ALXEthernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
ALXEthernet.kext/Contents/MacOS/ALXEthernet] 130600 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleBCM5701Ethernet.kext/Contents/MacOS/AppleBCM5701Ethernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleBCM5701Ethernet.kext/Contents/MacOS/AppleBCM5701Ethernet] 269672 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/
AppleIntel8254XEthernet.kext/Contents/MacOS/AppleIntel8254XEthernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/

AppleIntel8254XEthernet.kext/Contents/MacOS/AppleIntel8254XEthernet] 173248 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleIntelE1000e.kext/Contents/MacOS/AppleIntelE1000e] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleIntelE1000e.kext/Contents/MacOS/AppleIntelE1000e] 207544 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleRTL8169Ethernet.kext/Contents/MacOS/AppleRTL8169Ethernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleRTL8169Ethernet.kext/Contents/MacOS/AppleRTL8169Ethernet] 283976 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleUSBEthernet.kext/Contents/MacOS/AppleUSBEthernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleUSBEthernet.kext/Contents/MacOS/AppleUSBEthernet] 81016 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleUSBGigEthernet.kext/Contents/MacOS/AppleUSBGigEthernet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleUSBGigEthernet.kext/Contents/MacOS/AppleUSBGigEthernet] 60448 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleYukon2.kext/Contents/MacOS/AppleYukon2] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/AppleYukon2.kext/Contents/MacOS/AppleYukon2] 252776 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/Intel82574L.kext/Contents/MacOS/Intel82574L] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/Intel82574L.kext/Contents/MacOS/Intel82574L] 126704 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/IOEthernetAVBController.kext/Contents/MacOS/IOEthernetAVBController] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/IOEthernetAVBController.kext/Contents/MacOS/IOEthernetAVBController] 56840 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/nvenet.kext/Contents/MacOS/nvenet] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/nvenet.kext/Contents/MacOS/nvenet] 127552 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/RealtekRTL8111.kext/Contents/MacOS/RealtekRTL8111] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IONetworkingFamily.kext/Contents/PlugIns/RealtekRTL8111.kext/Contents/MacOS/RealtekRTL8111] 289432 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/MacOS/IOUSBFamily] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/MacOS/IOUSBFamily] 377048 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBECI.kext/Contents/MacOS/AppleUSBECI] 4096 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/AppleUSBECI.kext/Contents/MacOS/AppleUSBECI] 150872 bytes.

Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/

AppleUSBHub.kext/Contents/MacOS/AppleUSBHub] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBHub.kext/Contents/MacOS/AppleUSBHub] 107704 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBMergeNub.kext/Contents/MacOS/AppleUSBMergeNub] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBMergeNub.kext/Contents/MacOS/AppleUSBMergeNub] 44232 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBOHCI.kext/Contents/MacOS/AppleUSBOHCI] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBOHCI.kext/Contents/MacOS/AppleUSBOHCI] 104304 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBHCI.kext/Contents/MacOS/AppleUSBHCI] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBHCI.kext/Contents/MacOS/AppleUSBHCI] 128632 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBVideoSupport.kext/Contents/MacOS/AppleUSBVideoSupport] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
AppleUSBVideoSupport.kext/Contents/MacOS/AppleUSBVideoSupport] 41944 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBCompositeDriver.kext/Contents/MacOS/IOUSBCompositeDriver] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBCompositeDriver.kext/Contents/MacOS/IOUSBCompositeDriver] 43920 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriver.kext/Contents/MacOS/IOUSBHIDDriver] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBHIDDriver.kext/Contents/MacOS/IOUSBHIDDriver] 51704 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBUserClient.kext/Contents/MacOS/IOUSBUserClient] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBFamily.kext/Contents/PlugIns/
IOUSBUserClient.kext/Contents/MacOS/IOUSBUserClient] 29936 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBMassStorageClass.kext/Contents/
MacOS/IOUSBMassStorageClass] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/IOUSBMassStorageClass.kext/Contents/
MacOS/IOUSBMassStorageClass] 118400 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/NullCPUPowerManagement.kext/Contents/
MacOS/NullCPUPowerManagement] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/NullCPUPowerManagement.kext/Contents/
MacOS/NullCPUPowerManagement] 33240 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/VoodooTSCSync.kext/Contents/MacOS/
VoodooTSCSync] 4096 bytes.
Read HFS+ file: [hd(0,1)/Extra/Extensions/VoodooTSCSync.kext/Contents/MacOS/
VoodooTSCSync] 33384 bytes.
Starting Darwin x86_64
Boot Args: boot-uuid=9CDCB71A-45F2-3DC0-9047-80BD2D44B950 rd=*uuid
npci=0x2000 cpus=1 -v