

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
    <key>ACPI</key>
    <dict>
        <key>Add</key>
        <array>
            <dict>
                <key>Comment</key>
                <string>SSDT-AWAC.aml</string>
                <key>Path</key>
                <string>SSDT-AWAC.aml</string>
                <key>Enabled</key>
                <true/>
            </dict>
            <dict>
                <key>Comment</key>
                <string>SSDT-EC-USBX.aml</string>
                <key>Path</key>
                <string>SSDT-EC-USBX.aml</string>
                <key>Enabled</key>
                <true/>
            </dict>
            <dict>
                <key>Comment</key>
                <string>SSDT-PLUG.aml</string>
                <key>Path</key>
                <string>SSDT-PLUG.aml</string>
                <key>Enabled</key>
                <true/>
            </dict>
            <dict>
                <key>Comment</key>
                <string>SSDT-RHUB.aml</string>
                <key>Path</key>
                <string>SSDT-RHUB.aml</string>
                <key>Enabled</key>
                <true/>
            </dict>
        </array>
        <key>Delete</key>
        <array/>
        <key>Patch</key>
        <array/>
        <key>Quirks</key>
        <dict>
            <key>FadtEnableReset</key>
            <false/>
            <key>NormalizeHeaders</key>
            <false/>
            <key>RebaseRegions</key>
            <false/>
            <key>ResetHwSig</key>
            <false/>
            <key>ResetLogoStatus</key>
            <false/>
        </dict>
    </dict>

```

```

</dict>
<key>Booter</key>
<dict>
  <key>MmioWhitelist</key>
  <array/>
  <key>Patch</key>
  <array/>
  <key>Quirks</key>
  <dict>
    <key>AllowRelocationBlock</key>
    <false/>
    <key>AvoidRuntimeDefrag</key>
    <true/>
    <key>DevirtualiseMmio</key>
    <true/>
    <key>DisableSingleUser</key>
    <false/>
    <key>DisableVariableWrite</key>
    <false/>
    <key>DiscardHibernateMap</key>
    <false/>
    <key>EnableSafeModeSlide</key>
    <true/>
    <key>EnableWriteUnprotector</key>
    <false/>
    <key>ForceBooterSignature</key>
    <false/>
    <key>ForceExitBootServices</key>
    <false/>
    <key>ProtectMemoryRegions</key>
    <false/>
    <key>ProtectSecureBoot</key>
    <false/>
    <key>ProtectUefiServices</key>
    <true/>
    <key>ProvideCustomSlide</key>
    <true/>
    <key>ProvideMaxSlide</key>
    <integer>0</integer>
    <key>RebuildAppleMemoryMap</key>
    <true/>
    <key>SetupVirtualMap</key>
    <false/>
    <key>SignalAppleOS</key>
    <false/>
    <key>SyncRuntimePermissions</key>
    <true/>
  </dict>
</dict>
<key>DeviceProperties</key>
<dict>
  <key>Add</key>
  <dict>
    <key>PciRoot (0x0) / Pci (0x2, 0x0)</key>
    <dict>
      <key>AAPL,ig-platform-id</key>
      <data>BwCbPg==</data>
      <key>device-id</key>
      <data>mz4AAA==</data>
    </dict>
  </dict>
</dict>

```

```

        <key>enable-hdmi20</key>
        <data>AQAAAA==</data>
        <key>framebuffer-con0-enable</key>
        <data>AQAAAA==</data>
        <key>framebuffer-con0-pipe</key>
        <data>EgAAAA==</data>
        <key>framebuffer-con0-type</key>
        <data>EAAAAA==</data>
        <key>framebuffer-con1-enable</key>
        <data>AQAAAA==</data>
        <key>framebuffer-con1-pipe</key>
        <data>EgAAAA==</data>
        <key>framebuffer-con2-enable</key>
        <data>AQAAAA==</data>
        <key>framebuffer-con2-pipe</key>
        <data>EgAAAA==</data>
        <key>framebuffer-con2-type</key>
        <data>AAgAAA==</data>
        <key>framebuffer-patch-enable</key>
        <data>AQAAAA==</data>
        <key>framebuffer-unifiedmem</key>
        <data>AAAAgA==</data>
        <key>hda-gfx</key>
        <string>onboard-1</string>
    </dict>
</dict>
<key>Delete</key>
<dict/>
</dict>
<key>Kernel</key>
<dict>
    <key>Add</key>
    <array>
        <dict>
            <key>Comment</key>
            <string></string>
            <key>MaxKernel</key>
            <string></string>
            <key>PlistPath</key>
            <string>Contents/Info.plist</string>
            <key>Enabled</key>
            <true/>
            <key>MinKernel</key>
            <string></string>
            <key>ExecutablePath</key>
            <string>Contents/MacOS/Lilu</string>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>
            <string>Lilu.kext</string>
        </dict>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>

```

```

        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/VirtualSMC</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>VirtualSMC.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/AppleALC</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>AppleALC.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/RealtekRTL8111</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>RealtekRTL8111.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/SMCProcessor</string>

```

```

        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>SMCProcessor.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/SMCSuperIO</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>SMCSuperIO.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/USBInjectAll</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>USBInjectAll.kext</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>MaxKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
        <key>Enabled</key>
        <true/>
        <key>MinKernel</key>
        <string></string>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/WhateverGreen</string>
        <key>Arch</key>
        <string>Any</string>
        <key>BundlePath</key>
        <string>WhateverGreen.kext</string>
    </dict>

```

```
</array>
<key>Block</key>
<array/>
<key>Emulate</key>
<dict>
    <key>Cpuid1Data</key>
    <data></data>
    <key>Cpuid1Mask</key>
    <data></data>
    <key>DummyPowerManagement</key>
    <false/>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
</dict>
<key>Force</key>
<array/>
<key>Patch</key>
<array/>
<key>Quirks</key>
<dict>
    <key>AppleCpuPmCfgLock</key>
    <true/>
    <key>AppleXcpmCfgLock</key>
    <true/>
    <key>AppleXcpmExtraMsrs</key>
    <false/>
    <key>AppleXcpmForceBoost</key>
    <false/>
    <key>CustomSMBIOSGuid</key>
    <false/>
    <key>DisableIoMapper</key>
    <true/>
    <key>DisableLinkeditJettison</key>
    <true/>
    <key>DisableRtcChecksum</key>
    <false/>
    <key>ExtendBTFeatureFlags</key>
    <false/>
    <key>ExternalDiskIcons</key>
    <false/>
    <key>ForceSecureBootScheme</key>
    <false/>
    <key>IncreasePciBarSize</key>
    <false/>
    <key>LapicKernelPanic</key>
    <false/>
    <key>LegacyCommpage</key>
    <false/>
    <key>PanicNoKextDump</key>
    <true/>
    <key>PowerTimeoutKernelPanic</key>
    <true/>
    <key>SetApfsTrimTimeout</key>
    <integer>-1</integer>
    <key>ThirdPartyDrives</key>
    <false/>
    <key>XhciPortLimit</key>
```

```

        <true/>
    </dict>
    <key>Scheme</key>
    <dict>
        <key>FuzzyMatch</key>
        <true/>
        <key>KernelArch</key>
        <string>x86_64</string>
        <key>KernelCache</key>
        <string>Auto</string>
    </dict>
</dict>
<key>Misc</key>
<dict>
    <key>BlessOverride</key>
    <array/>
    <key>Boot</key>
    <dict>
        <key>ConsoleAttributes</key>
        <integer>0</integer>
        <key>HibernateMode</key>
        <string>None</string>
        <key>HideAuxiliary</key>
        <false/>
        <key>LauncherOption</key>
        <string>Disabled</string>
        <key>LauncherPath</key>
        <string>Default</string>
        <key>PickerAttributes</key>
        <integer>1</integer>
        <key>PickerAudioAssist</key>
        <false/>
        <key>PickerMode</key>
        <string>Builtin</string>
        <key>PickerVariant</key>
        <string>Auto</string>
        <key>PollAppleHotKeys</key>
        <false/>
        <key>ShowPicker</key>
        <true/>
        <key>TakeoffDelay</key>
        <integer>0</integer>
        <key>Timeout</key>
        <integer>5</integer>
    </dict>
    <key>Debug</key>
    <dict>
        <key>AppleDebug</key>
        <true/>
        <key>ApplePanic</key>
        <true/>
        <key>DisableWatchDog</key>
        <true/>
        <key>DisplayDelay</key>
        <integer>0</integer>
        <key>DisplayLevel</key>
        <integer>2147483650</integer>
        <key>SerialInit</key>
        <false/>
    </dict>

```

```

        <key>SysReport</key>
        <false/>
        <key>Target</key>
        <integer>67</integer>
    </dict>
    <key>Entries</key>
    <array/>
    <key>Security</key>
    <dict>
        <key>AllowNvramReset</key>
        <true/>
        <key>AllowSetDefault</key>
        <true/>
        <key>ApECID</key>
        <integer>0</integer>
        <key>AuthRestart</key>
        <false/>
        <key>BlacklistAppleUpdate</key>
        <true/>
        <key>DmgLoading</key>
        <string>Signed</string>
        <key>EnablePassword</key>
        <false/>
        <key>ExposeSensitiveData</key>
        <integer>6</integer>
        <key>HaltLevel</key>
        <integer>2147483648</integer>
        <key>PasswordHash</key>
        <data></data>
        <key>PasswordSalt</key>
        <data></data>
        <key>ScanPolicy</key>
        <integer>0</integer>
        <key>SecureBootModel</key>
        <string>Default</string>
        <key>Vault</key>
        <string>Optional</string>
    </dict>
    <key>Tools</key>
    <array/>
</dict>
<key>NVRAM</key>
<dict>
    <key>Add</key>
    <dict>
        <key>4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14</key>
        <dict>
            <key>DefaultBackgroundColor</key>
            <data>AAAAAA==</data>
            <key>UIScale</key>
            <data>AQ==</data>
        </dict>
        <key>4D1FDA02-38C7-4A6A-9CC6-4BCCA8B30102</key>
        <dict>
            <key>rtc-blacklist</key>
            <data></data>
        </dict>
        <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
        <dict>

```



```

        <key>SystemAudioVolume</key>
        <data>Rg==</data>
        <key>boot-args</key>
        <string> keepsyms=1 debug=0x100 igfxonln=1 alcid=11
</string>

        <key>csr-active-config</key>
        <data>AAAAAA==</data>
        <key>prev-lang:kbd</key>
        <data>ZW4tVVM6MA==</data>
        <key>run-efi-updater</key>
        <string>No</string>
    </dict>
</dict>
<key>Delete</key>
<dict>
    <key>4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14</key>
    <array>
        <string>UIScale</string>
        <string>DefaultBackgroundColor</string>
    </array>
    <key>4D1FDA02-38C7-4A6A-9CC6-4BCCA8B30102</key>
    <array>
        <string>rtc-blacklist</string>
    </array>
    <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
    <array>
        <string>boot-args</string>
    </array>
</dict>
<key>LegacyEnable</key>
<false/>
<key>LegacyOverwrite</key>
<false/>
<key>LegacySchema</key>
<dict>
    <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
    <array>
        <string>EFILoginHiDPI</string>
        <string>EFIBluetoothDelay</string>
        <string>LocationServicesEnabled</string>
        <string>SystemAudioVolume</string>
        <string>SystemAudioVolumeDB</string>
        <string>SystemAudioVolumeSaved</string>
        <string>bluetoothActiveControllerInfo</string>
        <string>bluetoothInternalControllerInfo</string>
        <string>flagstate</string>
        <string>fmm-computer-name</string>
        <string>fmm-mobileme-token-FMM</string>
        <string>fmm-mobileme-token-FMM-
BridgeHasAccount</string>

        <string>nvda_drv</string>
        <string>prev-lang:kbd</string>
    </array>
    <key>8BE4DF61-93CA-11D2-AA0D-00E098032B8C</key>
    <array>
        <string>Boot0080</string>
        <string>Boot0081</string>
        <string>Boot0082</string>
        <string>BootNext</string>

```

```

                <string>BootOrder</string>
            </array>
        </dict>
        <key>WriteFlash</key>
        <true/>
    </dict>
    <key>PlatformInfo</key>
    <dict>
        <key>Automatic</key>
        <true/>
        <key>CustomMemory</key>
        <false/>
        <key>Generic</key>
        <dict>
            <key>AdviseWindows</key>
            <false/>
            <key>MLB</key>
            <string>C02137902GUPHCDAD</string>
            <key>MaxBIOSVersion</key>
            <false/>
            <key>ProcessorType</key>
            <integer>0</integer>
            <key>ROM</key>
            <data>ABp92nEQ</data>
            <key>SpoofVendor</key>
            <true/>
            <key>SystemMemoryStatus</key>
            <string>Auto</string>
            <key>SystemProductName</key>
            <string>iMac20,1</string>
            <key>SystemSerialNumber</key>
            <string>C0 Deleted</string>
            <key>SystemUUID</key>
            <string>82AD52DB-Deleted</string>
        </dict>
        <key>Memory</key>
        <dict>
            <key>DataWidth</key>
            <integer>64</integer>
            <key>Devices</key>
            <array>
                <dict/>
            </array>
            <key>ErrorCorrection</key>
            <integer>3</integer>
            <key>FormFactor</key>
            <integer>9</integer>
            <key>MaxCapacity</key>
            <integer>68719476736</integer>
            <key>TotalWidth</key>
            <integer>64</integer>
            <key>Type</key>
            <integer>26</integer>
            <key>TypeDetail</key>
            <integer>128</integer>
        </dict>
        <key>UpdateDataHub</key>
        <true/>
        <key>UpdateNVRAM</key>

```

```

    <true/>
    <key>UpdateSMBIOS</key>
    <true/>
    <key>UpdateSMBIOSMode</key>
    <string>Create</string>
    <key>UseRawUuidEncoding</key>
    <false/>
</dict>
<key>UEFI</key>
<dict>
    <key>APFS</key>
    <dict>
        <key>EnableJumpstart</key>
        <true/>
        <key>GlobalConnect</key>
        <false/>
        <key>HideVerbose</key>
        <true/>
        <key>JumpstartHotPlug</key>
        <false/>
        <key>MinDate</key>
        <integer>0</integer>
        <key>MinVersion</key>
        <integer>0</integer>
    </dict>
    <key>AppleInput</key>
    <dict>
        <key>AppleEvent</key>
        <string>Builtin</string>
        <key>CustomDelays</key>
        <string>Auto</string>
        <key>KeyInitialDelay</key>
        <integer>0</integer>
        <key>KeySubsequentDelay</key>
        <integer>5</integer>
        <key>PointerSpeedDiv</key>
        <integer>1</integer>
        <key>PointerSpeedMul</key>
        <integer>1</integer>
    </dict>
    <key>Audio</key>
    <dict>
        <key>AudioCodec</key>
        <integer>0</integer>
        <key>AudioDevice</key>
        <string>PciRoot (0x0) /Pci (0x1b, 0x0)</string>
        <key>AudioOut</key>
        <integer>0</integer>
        <key>AudioSupport</key>
        <false/>
        <key>MinimumVolume</key>
        <integer>20</integer>
        <key>PlayChime</key>
        <string>Auto</string>
        <key>ResetTrafficClass</key>
        <false/>
        <key>SetupDelay</key>
        <integer>0</integer>
        <key>VolumeAmplifier</key>

```

```

        <integer>0</integer>
    </dict>
    <key>ConnectDrivers</key>
    <true/>
    <key>Drivers</key>
    <array>
        <string>HfsPlus.efi</string>
        <string>OpenRuntime.efi</string>
    </array>
    <key>Input</key>
    <dict>
        <key>KeyFiltering</key>
        <false/>
        <key>KeyForgetThreshold</key>
        <integer>5</integer>
        <key>KeySupport</key>
        <true/>
        <key>KeySupportMode</key>
        <string>Auto</string>
        <key>KeySwap</key>
        <false/>
        <key>PointerSupport</key>
        <false/>
        <key>PointerSupportMode</key>
        <string>ASUS</string>
        <key>TimerResolution</key>
        <integer>50000</integer>
    </dict>
    <key>Output</key>
    <dict>
        <key>ClearScreenOnModeSwitch</key>
        <false/>
        <key>ConsoleMode</key>
        <string></string>
        <key>DirectGopRendering</key>
        <false/>
        <key>ForceResolution</key>
        <false/>
        <key>GopPassThrough</key>
        <false/>
        <key>IgnoreTextInGraphics</key>
        <false/>
        <key>ProvideConsoleGop</key>
        <true/>
        <key>ReconnectOnResChange</key>
        <false/>
        <key>ReplaceTabWithSpace</key>
        <false/>
        <key>Resolution</key>
        <string>Max</string>
        <key>SanitiseClearScreen</key>
        <false/>
        <key>TextRenderer</key>
        <string>BuiltinGraphics</string>
        <key>UgaPassThrough</key>
        <false/>
    </dict>
    <key>ProtocolOverrides</key>
    <dict>

```

```
<key>AppleAudio</key>
<false/>
<key>AppleBootPolicy</key>
<false/>
<key>AppleDebugLog</key>
<false/>
<key>AppleFramebufferInfo</key>
<false/>
<key>AppleImageConversion</key>
<false/>
<key>AppleImg4Verification</key>
<false/>
<key>AppleKeyMap</key>
<false/>
<key>AppleRtcRam</key>
<false/>
<key>AppleSecureBoot</key>
<false/>
<key>AppleSmcIo</key>
<false/>
<key>AppleUserInterfaceTheme</key>
<false/>
<key>DataHub</key>
<false/>
<key>DeviceProperties</key>
<false/>
<key>FirmwareVolume</key>
<false/>
<key>HashServices</key>
<false/>
<key>OSInfo</key>
<false/>
<key>UnicodeCollation</key>
<false/>
</dict>
<key>Quirks</key>
<dict>
  <key>ActivateHpetSupport</key>
  <false/>
  <key>DisableSecurityPolicy</key>
  <false/>
  <key>ExitBootServicesDelay</key>
  <integer>0</integer>
  <key>IgnoreInvalidFlexRatio</key>
  <false/>
  <key>ReleaseUsbOwnership</key>
  <false/>
  <key>RequestBootVarRouting</key>
  <true/>
  <key>TscSyncTimeout</key>
  <integer>0</integer>
  <key>UnblockFsConnect</key>
  <false/>
</dict>
<key>ReservedMemory</key>
<array/>
</dict>
</dict>
</plist>
```

