

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://
www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
  <key>ACPI</key>
  <dict>
    <key>DSDT</key>
    <dict>
      <key>Debug</key>
      <false/>
      <key>DropOEM_DSM</key>
      <false/>
      <key>Fixes</key>
      <dict>
        <key>FiX_TMR_40000</key>
        <false/>
        <key>FiX_WAK_200000</key>
        <false/>
      </dict>
      <key>Name</key>
      <string>DSDT.aml</string>
      <key>ReuseFFFF</key>
      <false/>
    </dict>
    <key>SSDT</key>
    <dict>
      <key>DropOem</key>
      <false/>
      <key>Generate</key>
      <dict>
        <key>CStates</key>
        <false/>
        <key>PStates</key>
        <false/>
      </dict>
    </dict>
  </dict>
  <key>Boot</key>
  <dict>
    <key>Arguments</key>
    <string>dart=0 nvda_drv=1</string>
    <key>DefaultVolume</key>
    <string>MacHDD</string>
    <key>Legacy</key>
    <string>PBR</string>
    <key>Log</key>
    <true/>
    <key>Secure</key>
    <false/>
  </dict>
</plist>
```

```

        <key>Timeout</key>
        <integer>3</integer>
        <key>XMPDetection</key>
        <false/>
    </dict>
    <key>Devices</key>
    <dict>
        <key>Audio</key>
        <dict>
            <key>Inject</key>
            <string>1</string>
        </dict>
        <key>FakeID</key>
        <dict>
            <key>ATI</key>
            <string>0x0</string>
            <key>IMEI</key>
            <string>0x0</string>
            <key>IntelGFX</key>
            <string>0x0</string>
            <key>LAN</key>
            <string>0x0</string>
            <key>NVidia</key>
            <string>0x0</string>
            <key>SATA</key>
            <string>0x0</string>
            <key>WIFI</key>
            <string>0x0</string>
            <key>XHCI</key>
            <string>0x0</string>
        </dict>
        <key>USB</key>
        <dict>
            <key>FixOwnership</key>
            <false/>
            <key>Inject</key>
            <false/>
        </dict>
    </dict>
    <key>DisableDrivers</key>
    <array>
        <string>Nothing</string>
    </array>
    <key>GUI</key>
    <dict>
        <key>Hide</key>
        <array>
            <string>Windows</string>
            <string>\EFI\B00T\B00TX64.EFI</string>
        </array>
    </dict>

```

```

<key>Language</key>
<string>en:0</string>
<key>Mouse</key>
<dict>
    <key>Enabled</key>
    <true/>
    <key>Speed</key>
    <integer>8</integer>
</dict>
<key>Scan</key>
<dict>
    <key>Entries</key>
    <true/>
    <key>Legacy</key>
    <string>First</string>
    <key>Linux</key>
    <false/>
    <key>Tool</key>
    <true/>
</dict>
<key>ScreenResolution</key>
<string>1920x1080</string>
<key>Theme</key>
<string>tonymacx86</string>
</dict>
<key>Graphics</key>
<dict>
    <key>Inject</key>
    <dict>
        <key>ATI</key>
        <false/>
        <key>Intel</key>
        <false/>
        <key>NVidia</key>
        <false/>
    </dict>
</dict>
<key>KernelAndKextPatches</key>
<dict>
    <key>#FakeCPUID</key>
    <string>0x010676</string>
    <key>AppleRTC</key>
    <true/>
    <key>AsusAICPUPM</key>
    <true/>
    <key>KernelCpu</key>
    <false/>
    <key>KernelHaswellE</key>
    <false/>
    <key>KernelLapic</key>

```

```

    <false/>
    <key>KernelPm</key>
    <true/>
    <key>KextsToPatch</key>
    <array>
      <dict>
        <key>Comment</key>
        <string>External icons patch</
string>
        <key>Disabled</key>
        <false/>
        <key>Find</key>
        <data>
        RXh0ZXJuYWw=
        </data>
        <key>Name</key>
        <string>AppleAHCIPort</string>
        <key>Replace</key>
        <data>
        SW50ZXJuYWw=
        </data>
      </dict>
      <dict>
        <key>Comment</key>
        <string>change 15 port limit to 26
in XHCI kext (100-Series-10.12)</string>
        <key>Disabled</key>
        <false/>
        <key>Find</key>
        <data>
        g710////EA==
        </data>
        <key>Name</key>
        <string>AppleUSBXHCIPCI</string>
        <key>Replace</key>
        <data>
        g710////Gw==
        </data>
      </dict>
    </array>
  </dict>
  <key>RtVariables</key>
  <dict>
    <key>BooterConfig</key>
    <string>0x28</string>
    <key>CsrActiveConfig</key>
    <string>0x67</string>
  </dict>
  <key>SMBIOS</key>
  <dict>

```

```
        <key>ProductName</key>
        <string>iMac14,2</string>
        <key>Trust</key>
        <false/>
    </dict>
    <key>SystemParameters</key>
    <dict>
        <key>InjectKexts</key>
        <string>Yes</string>
        <key>InjectSystemID</key>
        <true/>
        <key>NvidiaWeb</key>
        <true/>
    </dict>
</dict>
</plist>
```