

```
Clover boot timeout<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://
www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
  <key>ACPI</key>
  <dict>
    <key>DSDT</key>
    <dict>
      <key>Debug</key>
      <false/>
      <key>DropOEM_DSM</key>
      <false/>
      <key>Fixes</key>
      <dict>
        <key>AddDTGP_0001</key>
        <false/>
        <key>AddHDMI_8000000</key>
        <false/>
        <key>AddIMEI_80000</key>
        <false/>
        <key>AddMCHC_0008</key>
        <false/>
        <key>AddPNLF_1000000</key>
        <false/>
        <key>DeleteUnused_400000</key>
        <false/>
        <key>FIX_ACST_4000000</key>
        <false/>
        <key>FIX_ADP1_800000</key>
        <false/>
        <key>FIX_INTELGFX_100000</key>
        <false/>
        <key>FIX_RTC_20000</key>
        <false/>
        <key>FIX_S3D_2000000</key>
        <false/>
        <key>FakeLPC_0020</key>
        <false/>
        <key>Fix_TMR_40000</key>
        <false/>
        <key>Fix_WAK_200000</key>
        <false/>
        <key>FixAirport_4000</key>
        <false/>
        <key>FixDarwin_0002</key>
        <false/>
        <key>FixDisplay_0100</key>
        <false/>
        <key>FixFirewire_0800</key>
        <false/>
        <key>FixHDA_8000</key>
        <false/>
        <key>FixHPET_0010</key>
```

```

        <false/>
        <key>FixIDE_0200</key>
        <false/>
        <key>FixIPIC_0040</key>
        <false/>
        <key>FixLAN_2000</key>
        <false/>
        <key>FixRegions_10000000</key>
        <false/>
        <key>FixSATA_0400</key>
        <false/>
        <key>FixSBUS_0080</key>
        <false/>
        <key>FixShutdown_0004</key>
        <false/>
        <key>FixUSB_1000</key>
        <false/>
        <key>NewWay_80000000</key>
        <false/>
    </dict>
    <key>Name</key>
    <string>DSDT.aml</string>
    <key>ReuseFFFF</key>
    <false/>
</dict>
<key>DropTables</key>
<array>
    <dict>
        <key>Signature</key>
        <string>MATS</string>
    </dict>
</array>
<key>HaltEnabler</key>
<false/>
<key>SSDT</key>
<dict>
    <key>DropOem</key>
    <false/>
    <key>Generate</key>
    <dict>
        <key>CStates</key>
        <false/>
        <key>PStates</key>
        <false/>
    </dict>
</dict>
</dict>
<key>Boot</key>
<dict>
    <key>Arguments</key>
    <string>dart=0 nv_disable=1</string>
    <key>DefaultVolume</key>
    <string>High Sierra</string>
    <key>Legacy</key>

```

```

        <string>PBR</string>
        <key>Log</key>
        <true/>
        <key>Secure</key>
        <false/>
        <key>Timeout</key>
        <integer>5</integer>
        <key>XMPDetection</key>
        <string>N0</string>
    </dict>
    <key>Devices</key>
    <dict>
        <key>Audio</key>
        <dict>
            <key>Inject</key>
            <string>1</string>
        </dict>
        <key>FakeID</key>
        <dict>
            <key>ATI</key>
            <string>0x0</string>
            <key>IMEI</key>
            <string>0x0</string>
            <key>IntelGFX</key>
            <string>0x12345678</string>
            <key>LAN</key>
            <string>0x0</string>
            <key>NVidia</key>
            <string>0x0</string>
            <key>SATA</key>
            <string>0x0</string>
            <key>WIFI</key>
            <string>0x0</string>
            <key>XHCI</key>
            <string>0x0</string>
        </dict>
        <key>USB</key>
        <dict>
            <key>FixOwnership</key>
            <false/>
            <key>Inject</key>
            <false/>
        </dict>
        <key>UseIntelHDMI</key>
        <false/>
    </dict>
    <key>DisableDrivers</key>
    <array>
        <string>Nothing</string>
    </array>
    <key>GUI</key>
    <dict>
        <key>Hide</key>
        <array>

```

```

        <string>Windows</string>
        <string>\EFI\BOOT\BOOTX64.EFI</string>
        <string>preboot</string>
    </array>
    <key>Language</key>
    <string>en:0</string>
    <key>Mouse</key>
    <dict>
        <key>Enabled</key>
        <true/>
        <key>Speed</key>
        <integer>8</integer>
    </dict>
    <key>Scan</key>
    <dict>
        <key>Entries</key>
        <true/>
        <key>Legacy</key>
        <string>First</string>
        <key>Tool</key>
        <true/>
    </dict>
    <key>ScreenResolution</key>
    <string>1920x1080</string>
    <key>Theme</key>
    <string>tonymacx86</string>
</dict>
<key>Graphics</key>
<dict>
    <key>Inject</key>
    <dict>
        <key>ATI</key>
        <false/>
        <key>Intel</key>
        <true/>
        <key>NVidia</key>
        <false/>
    </dict>
</dict>
<key>KernelAndKextPatches</key>
<dict>
    <key>#FakeCpuID</key>
    <string>0x010676</string>
    <key>AppleIntelCPUPM</key>
    <true/>
    <key>AppleRTC</key>
    <true/>
    <key>KernelCpu</key>
    <false/>
    <key>KernelHaswellE</key>
    <false/>
    <key>KernelLapic</key>
    <false/>
    <key>KernelPm</key>

```

```

        <true/>
        <key>KextsToPatch</key>
        <array>
            <dict>
                <key>Comment</key>
                <string>t1-
HD4600_HDMI_Audio-1of2</string>
                <key>Find</key>
                <data>
                PQsMAAA=
                </data>
                <key>Name</key>
                <string>AppleHDAController</
string>
                <key>Replace</key>
                <data>
                PQwMAAA=
                </data>
            </dict>
            <dict>
                <key>Comment</key>
                <string>t1-
HD4600_HDMI_Audio-2of2</string>
                <key>Find</key>
                <data>
                PQwKAAA=
                </data>
                <key>Name</key>
                <string>AppleHDAController</
string>
                <key>Replace</key>
                <data>
                PQwMAAA=
                </data>
            </dict>
            <dict>
                <key>Comment</key>
                <string>t1-10.12-10.13-AppleHDA-
Realtek-ALC...(cloverALC-all_codecs)</string>
                <key>Find</key>
                <data>
                ihnUEQ==
                </data>
                <key>Name</key>
                <string>AppleHDA</string>
                <key>Replace</key>
                <data>
                AAAAAA==
                </data>
            </dict>
            <dict>
                <key>Comment</key>
                <string>t1-10.8-10.13-AppleHDA-
Realtek-ALC892</string>

```

```

                                <key>Find</key>
                                <data>
                                ixnUEQ==
                                </data>
                                <key>Name</key>
                                <string>AppleHDA</string>
                                <key>Replace</key>
                                <data>
                                kgjsEA==
                                </data>
                                </dict>
                                <dict>
                                    <key>Comment</key>
                                    <string>t1-AppleHDA-Resources-
xml>zml-(cloverALC-all_codecs)</string>
                                    <key>Find</key>
                                    <data>
                                    eG1sLnps
                                    </data>
                                    <key>Name</key>
                                    <string>AppleHDA</string>
                                    <key>Replace</key>
                                    <data>
                                    em1sLnps
                                    </data>
                                    </dict>
                                    <dict>
                                        <key>Comment</key>
                                        <string>External icons patch</
string>
                                        <key>Find</key>
                                        <data>
                                        RXh0ZXJuYWw=
                                        </data>
                                        <key>Name</key>
                                        <string>AppleAHCIPort</string>
                                        <key>Replace</key>
                                        <data>
                                        SW50ZXJuYWw=
                                        </data>
                                        </dict>
                                        <dict>
                                            <key>Comment</key>
                                            <string>Change 15 port limit to 24
in XHCI kext 10.13</string>
                                            <key>Find</key>
                                            <data>
                                            g32MEA==
                                            </data>
                                            <key>Name</key>
                                            <string>AppleUSBXHCIPCI</string>
                                            <key>Replace</key>
                                            <data>
                                            g32MGw==

```

```
                                </data>
                            </dict>
                        </array>
                    </dict>
                <key>RtVariables</key>
                <dict>
                    <key>BooterConfig</key>
                    <string>0x28</string>
                    <key>CsrActiveConfig</key>
                    <string>0x3</string>
                </dict>
                <key>SMBIOS</key>
                <dict>
                    <key>ProductName</key>
                    <string>iMac14,2</string>
                    <key>Trust</key>
                    <false/>
                </dict>
                <key>SystemParameters</key>
                <dict>
                    <key>InjectKexts</key>
                    <string>YES</string>
                    <key>InjectSystemID</key>
                    <true/>
                    <key>NvidiaWeb</key>
                    <false/>
                </dict>
            </dict>
        </plist>
```