



USB Controllers:

Type	Name	Series	Vendor ID	Device ID
PXSX	ASM2142 USB 3.1 Host Controller	Unknown	0x1B21	0x2142

USB Ports:

Type	Name	Connector		Port	Dev Speed	Device
PXSX	HS01	TypeC	↕	0x03	480 Mbps	4-Port USB 2.0 Hub
PXSX	HS02	Internal	↕	0x04	480 Mbps	USB2.0 Hub
PXSX	SS01	TypeC	↕	0x01	5 Gbps	4-Port USB 3.0 Hub
PXSX	SS02	TypeC	↕	0x02	5 Gbps	USB3.0 Hub



PCI Devices:


	Debug	Vendor	Device	Sub Ven...	Sub Dev...	ASPM	Vendor Name	Device Name	Class	Subclass	IOReg Name	IOReg IOName	Device Path
00:00.0	0x8086	0x2020	0x1043	0x873C	L0	Intel Corporation	Sky Lake-E DMIO Registers	Bridge	Host bridge		/PCI0@0/DMIO@0	pci8086,2020	PciRoot(0x0)/Pci(0x0,...
00:04.0	0x8086	0x2021	0x1043	0x873C	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0A@4	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.1	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0B@4,1	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.2	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0C@4,2	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.3	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0D@4,3	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.4	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0E@4,4	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.5	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0F@4,5	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.6	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0G@4,6	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:04.7	0x8086	0x2021	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E CBDMA Regis...	Generic system periph...	System peripheral		/PCI0@0/CB0H@4,7	pci8086,2021	PciRoot(0x0)/Pci(0x4,...
00:05.0	0x8086	0x2024	0x1043	0x873C	L0	Intel Corporation	Sky Lake-E MM/Vt-d Conf...	Generic system periph...	System peripheral		/PCI0@0/IIM0@5	pci8086,2024	PciRoot(0x0)/Pci(0x5,...
00:05.2	0x8086	0x2025	0x0000	0x0000	L0	Intel Corporation	Sky Lake-E RAS	Generic system periph...	System peripheral		...0/pci8086,2025@5,2	pci8086,2025	PciRoot(0x0)/Pci(0x5,...
00:05.4	0x8086	0x2026	0x8086	0x2026	L0	Intel Corporation	Sky Lake-E IOAPIC	Generic system periph...	PIC		...0/pci8086,2026@5,4	pci8086,2026	PciRoot(0x0)/Pci(0x5,...
00:08.0	0x8086	0x2014	0x1043	0x873C	L0	Intel Corporation	Sky Lake-E Ubox Registers	Generic system periph...	System peripheral		/PCI0@0/UBX0@8	pci8086,2014	PciRoot(0x0)/Pci(0x8,...
00:08.1	0x8086	0x2015	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E Ubox Registers	Signal processing cont...	Performance counters		...@0/pci8086,2015@8,1	pci8086,2015	PciRoot(0x0)/Pci(0x8,...
00:08.2	0x8086	0x2016	0x8086	0x0000	L0	Intel Corporation	Sky Lake-E Ubox Registers	Generic system periph...	System peripheral		...@0/pci8086,2016@8,2	pci8086,2016	PciRoot(0x0)/Pci(0x8,...
00:14.0	0x8086	0xA2AF	0x1043	0x873C	L0	Intel Corporation	200 Series/Z370 Chipset...	Serial bus controller	USB controller		/PCI0@0/XHCI@14	pci8086,a2af	PciRoot(0x0)/Pci(0x14...
00:14.2	0x8086	0xA2B1	0x1043	0x873C	L0	Intel Corporation	200 Series PCH Thermal...	Signal processing cont...	Signal processing cont...		...0/pci8086,a2b1@14,2	pci8086,a2b1	PciRoot(0x0)/Pci(0x14...
00:16.0	0x8086	0xA2BA	0x1043	0x873C	L0	Intel Corporation	200 Series PCH CSME HE...	Communication contro...	Communication contro...		/PCI0@0/IMEI@16	pci8086,a2ba	PciRoot(0x0)/Pci(0x16...
00:17.0	0x8086	0xA282	0x1043	0x873C	L0	Intel Corporation	200 Series PCH SATA con...	Mass storage controller	SATA controller		/PCI0@0/SAT1@17	pci8086,a282	PciRoot(0x0)/Pci(0x17,...
00:1B.0	0x8086	0xA2E7	0x0000	0x0000	L0	Intel Corporation	200 Series PCH PCI Expre...	Bridge	PCI bridge		/PCI0@0/RP17@1B	pci-bridge	PciRoot(0x0)/Pci(0x1B...
00:1B.4	0x8086	0xA2EB	0x0000	0x0000	L0	Intel Corporation	200 Series PCH PCI Expre...	Bridge	PCI bridge		/PCI0@0/RP21@1B.4	pci-bridge	PciRoot(0x0)/Pci(0x1B...



IOService


Search

IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/XHCI@14

XHCI@14**Class Inheritance:** IOPCIDevice : IOService : IORegistryEntry : OSObject**Bundle Identifier:** com.apple.iokit.IOPCIFamily
☒ Registered Retain Count: 29
☒ Matched Busy Count: 0
☒ Active


PRT5@5
 Discovered: 03/02/2020 22:28:17

Property	Type	Value
AAPL,clock-id	Data	<01>
AAPL,current-available	Number	0x834
AAPL,current-extra	Number	0xa8c
AAPL,current-in-sleep	Number	0xa8c
AAPL,device-internal	Number	0x0
AAPL,max-port-current-in...	Number	0x834
AAPL,root-hub-depth	Number	0x1a
acpi-hot-name	Data	<"Built In">
acpi-hw-clock-id	Number	0x1
acpi-device	String	IOACPIPlatformDev ice is not serializable
acpi-path	String	IOACPIPlane:/_SB/ PCI0@0/ XHCI@140000
acpi-pmcap-offset	Number	0x70
assigned-addresses	Data	<10 a0 00 82 ff 0f 00 00 00 00 01 80 00 00 00 00 00 00 01 00>
built-in	Data	<00>
class-code	Data	<30 03 0c 00>
compatible	Data	<"pci1043,873c",



▼ Hardware

ATA
Apple Pay
Audio
Bluetooth
Camera
Card Reader
Controller
Diagnostics
Disc Burning
Ethernet Cards
Fibre Channel
FireWire
Graphics/Displays
Memory
NVMeExpress
PCI
Parallel SCSI
Power
Printers
SAS
SATA/SATA Express
SPI
Storage
Thunderbolt
USB

▼ Network

Firewall
Locations
Volumes
WWAN
Wi-Fi

▼ Software

Accessibility
Applications
Developer
Disabled Software
Extensions
Fonts
Frameworks
Installations
Language & Region
Legacy Software
Logs
Managed Client
Preference Panes
Printer Software

USB Device Tree

USB 3.1 Bus

▼ USB 3.1 Bus

▼ USB2.0 Hub

DELL USB Laser Mouse

CORSAIR K70 RGB MK.2 Mechanical Gaming Keyboard

4-Port USB 2.0 Hub

USB3.0 Hub

4-Port USB 3.0 Hub

USB 3.1 Bus:

Host Controller Driver: AppleUSBXHCIPCI
PCI Device ID: 0x2142
PCI Revision ID: 0x0000
PCI Vendor ID: 0x1b21

USB2.0 Hub :

Product ID: 0x2812
Vendor ID: 0x2109 (VIA Labs, Inc.)
Version: 90.90
Speed: Up to 480 Mb/s
Manufacturer: VIA Labs, Inc.
Location ID: 0x01400000 / 3
Current Available (mA): 500
Current Required (mA): 0
Extra Operating Current (mA): 0
Built-In: Yes

DELL USB Laser Mouse:

Product ID: 0xc063
Vendor ID: 0x046d (Logitech Inc.)
Version: 57.00
Speed: Up to 1.5 Mb/s
Manufacturer: DELL
Location ID: 0x01440000 / 6
Current Available (mA): 500
Current Required (mA): 98
Extra Operating Current (mA): 0

CORSAIR K70 RGB MK.2 Mechanical Gaming Keyboard:

Product ID: 0x1b49
Vendor ID: 0x1b1c (CORSAIR MEMORY INC.)
Version: 3.24
Serial Number: 0F02B026AF3DA0295C092707F5001BC0
Speed: Up to 12 Mb/s

