

Chimera 3.0.1 Branch of Chameleon 2.2svn (svn-r2378) [2014-05-07 22:23:11]

CPU: Brand String: Intel(R) Core(TM) i7-4770K CPU @ 3.50GHz

CPU: Vendor: 0x756e6547

CPU: Family / ExtFamily: 0x6 / 0x0

CPU: Model / ExtModel / Stepping: 0x3c / 0x3 / 0x3

CPU: Number of Cores / Threads: 4 / 8

CPU: Features: 0x000002ff

CPU: TSC Frequency: 3500 MHz

CPU: FSB Frequency: 100 MHz

CPU: CPU Frequency: 3900 MHz

CPU: Minimum Bus Ratio: 8

CPU: Maximum Bus Ratio: 35

CPU: Current Bus Ratio: 39

Attempting to read GPT

Read GPT

Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B

Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC

Read HFS+ file: [hd(0,2)/System/Library/CoreServices/SystemVersion.plist] 478 bytes.

Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 699 bytes.

Attempting to read GPT

Read GPT

Reading GPT partition 1, type C12A7328-F81F-11D2-BA4B-00A0C93EC93B

Reading GPT partition 2, type 48465300-0000-11AA-AA11-00306543ECAC

Module 'Symbols.dylib' by 'Chameleon' Loaded.

Description: Chameleon symbols for linking

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/modules/HDAEnabler.dylib] 22196 bytes.

Module 'HDAEnabler.dylib' by 'Unknown' Loaded.

Description:

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/modules/Keylayout.dylib] 13464 bytes.

Module 'Keylayout.dylib' by 'Unknown' Loaded.

Description:

Version: 0

Compat: 0

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/theme.plist] 2776 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/background.png] 982 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/logo.png] 8991 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_generic.png] 9584 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_generic_o.png] 16736 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus.png] 9988 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_o.png] 17101 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_mav.png] 17034 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_mav_o.png] 20646 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_ml.png] 20325 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_ml_o.png] 23500 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_lion.png] 18395 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_lion_o.png] 21654 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_sl.png] 21245 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_sl_o.png] 24262 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_leo.png] 23286 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_leo_o.png] 25858 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_tiger.png] 10008 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsplus_tiger_o.png] 17101 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid.png] 10399 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_o.png] 17115 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_mav.png] 17397 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_mav_o.png] 21182 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_ml.png] 20990 bytes.

Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_ml_o.png] 24224 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_lion.png] 18686 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_lion_o.png] 21882 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_sl.png] 21475 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_sl_o.png] 24594 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_leo.png] 23518 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_leo_o.png] 26187 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_tiger.png] 10436 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_hfsraid_tiger_o.png] 17741 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ext3.png] 12752 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ext3_o.png] 19869 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_freebsd.png] 16013 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_freebsd_o.png] 22249 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_openbsd.png] 16878 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_openbsd_o.png] 23982 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_befs.png] 12482 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_befs_o.png] 17989 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_fat.png] 9953 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_fat_o.png] 17982 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ntfs.png] 16198 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_ntfs_o.png] 21613 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_cdrom.png] 14429 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_cdrom_o.png] 20231 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_selection.png] 148 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_scroll_prev.png] 3995 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/device_scroll_next.png] 3898 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_boot.png] 137 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_verbose.png] 137 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_ignore_caches.png] 137 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_single_user.png] 137 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_memory_info.png] 136 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_video_info.png] 136 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_help.png] 136 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_verbose_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_ignore_caches_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_single_user_disabled.png] 135 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/menu_selection.png] 158 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress_bar.png] 292 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/progress_bar_background.png] 139 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text_scroll_prev.png] 562 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/text_scroll_next.png] 557 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font_console.png] 2931 bytes.
Read HFS+ file: [hd(0,2)/Extra/Themes/Default/font_small.png] 9860 bytes.
Read HFS+ file: [hd(0,2)/Library/Preferences/SystemConfiguration/com.apple.Boot.plist] 232 bytes.
Read HFS+ file: [hd(0,2)/Extra/org.chameleon.Boot.plist] 699 bytes.
Loading Darwin 10.9
Loading kernel cache /System/Library/Caches/com.apple.kext.caches/Startup/kernelcache
Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 4096 bytes.
Read HFS+ file: [hd(0,2)/System/Library/Caches/com.apple.kext.caches/Startup/kernelcache] 15577138 bytes.
Read HFS+ file: [hd(0,2)/Extra/DSDT.aml] 46496 bytes.
Using PCI-Root-UID value: 0

----- INTEL DEVICE INFO -----

Class code: [0300]
Intel HD Graphics 4600 [8086:0412] (rev 06)
Subsystem: [1458:d000] :: PciRoot(0x0)/Pci(0x2,0x0)
Using default ig-platform-id of 0d220003

- AUDIO DEVICE INFO -

Using user supplied HDEF layout-id: 0x01, 0x00, 0x00, 0x00

Class code: [0403]

Model name: Intel Haswell High Definition Audio Controller [8086:0c0c] (rev 06)

Subsystem: [8086:2010]

PciRoot(0x0)/Pci(0x3,0x0)

device number: 2

- AUDIO DEVICE INFO -

Class code: [0403]

Model name: Unknown HD Audio device, vendor 8086, model 8c20 [8086:8c20] (rev 05)

Subsystem: [1458:a002]

PciRoot(0x0)/Pci(0x1b,0x0)

device number: 3

LAN Controller [10ec:8168] :: PciRoot(0x0)/Pci(0x1c,0x2)/Pci(0x0,0x0)

Setting up lan keys

Read HFS+ file: [hd(0,2)/Extra/smbios.plist] 468 bytes.

SMBus CmdReg: 0x1

Scanning SMBus [8086:8c22], mmio: 0xf0619004, ioport: 0xf040, hostc: 0x1

SPD[0] (size): 255 @0x50

SPD[0] (size): 146 @0x51

Slot: 1 Type 24 4096MB (DDR3 SDRAM) 1600MHz Vendor=Kingston

PartNo=KHX1600C9D34GX SerialNo=711E659C

SPD[0] (size): 255 @0x52

SPD[0] (size): 146 @0x53

Slot: 3 Type 24 4096MB (DDR3 SDRAM) 1600MHz Vendor=Kingston

PartNo=KHX1600C9D34GX SerialNo=771E679C

SPD[0] (size): 255 @0x54

SPD[0] (size): 255 @0x55

SPD[0] (size): 255 @0x56

SPD[0] (size): 255 @0x57

CPU is Intel(R) Core(TM) i7-4770K CPU @ 3.50GHz, family 0x6, model 0x3c

SMBIOS rev.: 2.4, DMI rev.: 2.4

Handle: 0x0000, DMI type 0, 24 bytes

BIOS Information

Vendor: Apple Inc.

Version: MultiBeast.tonymacx86.com

Release Date: 08/03/2010

BIOS Revision: 0.1

Handle: 0x0001, DMI type 1, 27 bytes

System Information

Manufacturer: Apple Inc.

Product Name: MacPro3,1

Version: 1.0

Serial Number: ** PRIVATE **

UUID: ** PRIVATE **

Wake-up Type: Power Switch

SKU Number: Default SKU#

Family: Mac Pro

Handle: 0x0002, DMI type 2, 15 bytes

Base Board Information

Manufacturer: Apple Inc.
Product Name: Mac-F42C88C8
Version: x.x
Serial Number: ** PRIVATE **
Asset Tag: Default Asset Tag#
Location In Chassis: To be filled by O.E.M.
Type: Motherboard

Handle: 0x0003, DMI type 3, 20 bytes

Chassis Information

Manufacturer: Apple Inc.
Type: Unknown
Version: To Be Filled By O.E.M.
Serial Number: ** PRIVATE **
Asset Tag: Default Asset Tag#

Handle: 0x0027, DMI type 11, 5 bytes

OEM Strings

String 1: To Be Filled By O.E.M.

Handle: 0x0041, DMI type 4, 38 bytes

Processor Information

Socket Designation: SOCKET 0
Type: Central Processor
Family: 0xC6
Manufacturer: Intel
ID: 0x306C3
Version: Intel(R) Core(TM) i7-4770K CPU @ 3.50GHz
External Clock: 0 MHz
Max Speed: 3900 MHz
Current Speed: 3900 MHz
Upgrade: Other
Serial Number: Not Specified
Asset Tag: Fill By OEM
Part Number: Fill By OEM
Core Count: 4
Core Enabled: 1
Thread Count: 2

Handle: 0x0042, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff
Locator: ChannelA-DIMM0
Bank Locator: BANK 0
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: 9876543210
Part Number: N/A

Handle: 0x0043, DMI type 17, 27 bytes

Memory Device

Error Information Handle: 0xffff
Locator: ChannelA-DIMM1
Bank Locator: BANK 1
Memory Type: DDR3
Speed: 1600 MHz
Manufacturer: Kingston
Serial Number: ** PRIVATE **

Asset Tag: 9876543210
Part Number: KHX1600C9D34GX

Handle: 0x0045, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: ChannelB-DIMM0
Bank Locator: BANK 2
Memory Type: RAM
Speed: 0 MHz
Manufacturer: N/A
Serial Number: ** PRIVATE **
Asset Tag: 9876543210
Part Number: N/A

Handle: 0x0046, DMI type 17, 27 bytes
Memory Device

Error Information Handle: 0xffff
Locator: ChannelB-DIMM1
Bank Locator: BANK 3
Memory Type: DDR3
Speed: 1600 MHz
Manufacturer: Kingston
Serial Number: ** PRIVATE **
Asset Tag: 9876543210
Part Number: KHX1600C9D34GX

Handle: 0x004f, DMI type 131, 6 bytes
Apple specific Processor Type
Cpu-type: 0x705

Handle: 0x0050, DMI type 132, 6 bytes
Apple specific Processor Interconnect Speed
QPI = 0 MT/s

Handle 0x0051, DMI type 127, 4 bytes
End of Table

SMBIOS orig was = f04c0
SMBIOS new is = 2418000
Read HFS+ file: [hd(0,2)/Extra/DSDT.aml] 46496 bytes.
ACPI Table not found: SSDT.aml
FADT: ACPI Restart Fix applied!
FADT: Using custom DSDT!
FADT: ACPI Restart Fix applied!
FADT: Using custom DSDT!
Starting Darwin x86_64
Boot Args: boot-uuid=AD776B28-A433-3513-9747-E2A046D18B40 rd=*uuid